

+30
YEARS

Angelo - Skivve - Farfalle

Three characters. One design language.



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
 Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
 Read instructions carefully. The general psmighting sales conditions are always applicable.
 Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

4947.SH.E27/.. - ANGELO ALBAST

~230V



IP20



0,5 m



5,6



built-up ceiling or wall light - round - alabaster cream

Lamptype

1x A60 E27 max. 15W	230V
1x G80 E27 max. 40W	230V

Dimensions

Ø180xD90 mm	1500 mm
-------------	---------

Materials

Aluminium	1M 2M 119
Messing	16 13M

Ref

4947.SH.E27.1M	
4947.SH.E27.2M	
4947.SH.E27.16	
4947.SH.E27.13M	
4947.SH.E27.119	

built-up

4948.SH.E27/.. - ANGELO ALBAST

~230V



IP20



0,5 m



5,6



built-up ceiling or wall light - round - alabaster cream

Lamptype

1x A60 E27 max. 15W	230V
1x G80 E27 max. 40W	230V

Dimensions

Ø250xD90 mm	1500 mm
-------------	---------

Materials

Aluminium	1M 2M 119
Messing	16 13M

Ref

4948.SH.E27.1M	
4948.SH.E27.2M	
4948.SH.E27.16	
4948.SH.E27.13M	
4948.SH.E27.119	

built-up

4949.SH.E27/.. - ANGELO ALBAST

~230V



IP20



0,5 m



5,6



built-up ceiling or wall light - round - alabaster cream

Lamptype

1x A60 E27 max. 15W	230V
1x G80 E27 max. 40W	230V

Dimensions

Ø300xD90 mm	1500 mm
-------------	---------

Materials

Aluminium	1M 2M 119
Messing	16 13M

Ref

4949.SH.E27.1M	
4949.SH.E27.2M	
4949.SH.E27.16	
4949.SH.E27.13M	
4949.SH.E27.119	

built-up

4934.SH.E27/.. - ANGELO

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø150xD84 mm

1500 mm

Materials

Aluminium

2M | 119

Messing

16 | 13M

Ref

4934.SH.E27.2M

4934.SH.E27.16

4934.SH.E27.13M

4934.SH.E27.119



built-up

4935.SH.E27/.. - ANGELO

~230V



IP20



built-up ceiling or wall light - round - fixed

Lamptype

1x A60 E27 max. 10,5W

230V

Dimensions

Ø180xD84 mm

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M

Ref

4935.SH.E27.1M

4935.SH.E27.2M

4935.SH.E27.16

4935.SH.E27.13M

4935.SH.E27.119



built-up

4936.SH.E27/.. - ANGELO

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 10,5W

230V

Dimensions

Ø250xD84 mm

1500 mm

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M

Ref

4936.SH.E27.1M

4936.SH.E27.2M

4936.SH.E27.16

4936.SH.E27.13M

4936.SH.E27.119



built-up

4937.SH.E27/.. - ANGELO

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø300xD84 mm

1500 mm

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M

Ref

4937.SH.E27.1M

4937.SH.E27.2M

4937.SH.E27.16

4937.SH.E27.13M


4937.SH.E27.119



built-up

1368/.. - FARFALLE

~230V



built-up ceiling or wall light - round - fixed

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

↔ Ø320xH70 mm

Materials

Aluminium

1M | 2M | 53 | 79 | 81 | 78

Ref

1368.1M

1368.2M

1368.53

1368.79

1368.81


1368.78



built-up

1369/.. - FARFALLE

~230V



built-up ceiling or wall light - round - fixed

Lamptype

1x A60 E27 max. 15W

230V

OR 1x G95 E27 max. 8W

230V

Dimensions

↔ Ø390xH70 mm

Materials

Aluminium

1M | 2M | 53 | 79 | 81 | 78

Ref

1369.1M

1369.2M

1369.53

1369.79

1369.81

1369.78



built-up



4897.SH.E27/.. - ANGELO GLASS WAVE

~230V IP20 0 m 0.5900 0.5 m 5.6 CE



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø180xH82 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119

Ref

4897.SH.E27.RAL 3004.WV.TX37
4897.SH.E27.RAL 8004.WLV.TX31
4897.SH.E27.2M.WSG.TX2
4897.SH.E27.119.WBZ.TX43

built-up

4898.SH.E27/.. - ANGELO GLASS WAVE

~230V IP20 0 m 0.7308 0.5 m 5.6 CE



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø250xH82 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119

Ref

4898.SH.E27.RAL 3004.WV.TX37
4898.SH.E27.RAL 8004.WLV.TX31
4898.SH.E27.2M.WSG.TX2
4898.SH.E27.119.WBZ.TX43

built-up

4899.SH.E27/.. - ANGELO GLASS WAVE

~230V IP20 0 m 1.0030 0.5 m 5.6 CE



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø300xH82 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119

Ref

4899.SH.E27.RAL 3004.WV.TX37
4899.SH.E27.RAL 8004.WLV.TX31
4899.SH.E27.2M.WSG.TX2
4899.SH.E27.119.WBZ.TX43

built-up



4893.SH.E27/.. - ANGELO GLASS CATHERDRAL

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

1x G80 E27 max. 40W

230V

Dimensions

Ø180xH82 mm

1500 mm

Materials

Aluminium

RAL 3004 | RAL 8004 | 2M | 119

Ref

4893.SH.E27.RAL 3004.CV.TX37

4893.SH.E27.RAL 8004.CLV.TX31

4893.SH.E27.2M.CSG.TX2


4893.SH.E27.119.CBZ.TX43



built-up

4894.SH.E27/.. - ANGELO GLASS CATHERDRAL

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

1x G80 E27 max. 40W

230V

Dimensions

Ø250xH82 mm

1500 mm

Materials

Aluminium

RAL 3004 | RAL 8004 | 2M | 119

Ref

4894.SH.E27.RAL 3004.CV.TX37

4894.SH.E27.RAL 8004.CLV.TX31

4894.SH.E27.2M.CSG.TX2

4894.SH.E27.119.CBZ.TX43



built-up

4895.SH.E27/.. - ANGELO GLASS CATHERDRAL

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

1x G80 E27 max. 40W

230V

Dimensions

Ø300xH82 mm

1500 mm

Materials

Aluminium

RAL 3004 | RAL 8004 | 2M | 119

Ref

4895.SH.E27.RAL 3004.CV.TX37

4895.SH.E27.RAL 8004.CLV.TX31

4895.SH.E27.2M.CSG.TX2

4895.SH.E27.119.CBZ.TX43



built-up





4980.E27/.. - ANGELO

~230V



IP20



1.5 m



0.4691



0.5 m



5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

OR 1x G80 E27 max. 40W

230V

Dimensions

Ø150xH85 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 74 | 84 | 80

Messing

16

Ref

4980.E27.1M.TX1



4980.E27.2M.TX2



4980.E27.16.TXM



4980.E27.74.TXG13



4980.E27.84.TXRK2



4980.E27.80.TXRK



built-up

4981.E27/.. - ANGELO

~230V



IP20



1.5 m



0.5194



0.5 m



5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

OR 1x G80 E27 max. 40W

230V

Dimensions

Ø180xH85 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 74 | 84 | 80

Messing

16

Ref

4981.E27.1M.TX1



4981.E27.2M.TX2



4981.E27.16.TXM



4981.E27.74.TXG13



4981.E27.84.TXRK2



4981.E27.80.TXRK



built-up

Options

055B/..

ROSETTE for textile cable

4982.E27/.. - ANGELO

~230V



IP20



1.5 m



0.8388



0.5 m



5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

OR 1x G80 E27 max. 40W

230V

Dimensions

Ø250xH85 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 74 | 84 | 80

Messing

16

Ref

4982.E27.1M.TX1



4982.E27.2M.TX2



4982.E27.16.TXM



4982.E27.74.TXG13



4982.E27.84.TXRK2



4982.E27.80.TXRK



built-up

4983.E27/.. - ANGELO

~230V



IP20



1.5 m



1.5871



0.5 m



5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

OR 1x G80 E27 max. 40W

230V

Dimensions

Ø300xH85 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 74 | 84 | 80

Messing

16

Ref

4983.E27.1M.TX1



4983.E27.2M.TX2



4983.E27.16.TXM



4983.E27.74.TXG13



4983.E27.84.TXRK2



4983.E27.80.TXRK



built-up

4984.SH.E27/.. - ANGELO

~230V



IP20



1.5 m



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

1x G80 E27 max. 40W

230V

Dimensions

Ø150xH81 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 74 | 84 | 80

Messing

16

Ref

4984.SH.E27.1M.TX1



4984.SH.E27.2M.TX2



4984.SH.E27.16.TXM



4984.SH.E27.74.TXG13



4984.SH.E27.84.TXRK2



4984.SH.E27.80.TXRK



built-up

4985.SH.E27/.. - ANGELO

~230V



IP20



1.5 m



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

1x G80 E27 max. 40W

230V

Dimensions

Ø180xH81 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 74 | 84 | 119 | 80

Messing

16

Ref

4985.SH.E27.1M.TX1



4985.SH.E27.2M.TX2



4985.SH.E27.16.TXM



4985.SH.E27.74.TXG13



4985.SH.E27.84.TXRK2



4985.SH.E27.119.TX43



4985.SH.E27.80.TXRK



built-up

4986.SH.E27/.. - ANGELO

~230V



IP20



1.5 m



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

1x G80 E27 max. 40W

230V

Dimensions

Ø250xH81 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 74 | 84 | 80

Messing

16

Ref

4986.SH.E27.1M.TX1



4986.SH.E27.2M.TX2



4986.SH.E27.16.TXM



4986.SH.E27.74.TXG13



4986.SH.E27.84.TXRK2



4986.SH.E27.80.TXRK



built-up

4987.SH.E27/.. - ANGELO

~230V



IP20



1.5 m



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

1x G80 E27 max. 40W

230V

Dimensions

Ø300xH81 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 74 | 84 | 80

Messing

16

Ref

4987.SH.E27.1M.TX1



4987.SH.E27.2M.TX2



4987.SH.E27.16.TXM



4987.SH.E27.74.TXG13



4987.SH.E27.84.TXRK2



4987.SH.E27.80.TXRK



built-up



CEILING UP

PENDANTS

4940.SH.E27/.. - ANGELO ALBAST

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø180xH87 mm 1500 mm

Materials

Aluminium 1M | 2M | 119
Messing 16 | 13M

Ref

4940.SH.E27.1M.TX1
4940.SH.E27.2M.TX2
4940.SH.E27.16.TXM
4940.SH.E27.13M.TX43
4940.SH.E27.119.TX33

built-up

4941.SH.E27/.. - ANGELO ALBAST

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø250xH87 mm 1500 mm

Materials

Aluminium 1M | 2M | 119
Messing 16 | 13M

Ref

4941.SH.E27.1M.TX1
4941.SH.E27.2M.TX2
4941.SH.E27.16.TXM
4941.SH.E27.13M.TX43
4941.SH.E27.119.TX33

built-up

4942.SH.E27/.. - ANGELO ALBAST

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø300xH87 mm 1500 mm

Materials

Aluminium 1M | 2M | 119
Messing 16 | 13M

Ref

4942.SH.E27.1M.TX1
4942.SH.E27.2M.TX2
4942.SH.E27.16.TXM
4942.SH.E27.13M.TX43
4942.SH.E27.119.TX33

built-up



CEILING UP

PENDANTS

4990.E27/.. - SKIVVE

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH135 mm Cable 1500 mm

Materials

Aluminium 1M | 2M | 29 | 49 | 47

Ref

4990.E27.1M.TX1	
4990.E27.2M.TX2	
4990.E27.29.TX2	
4990.E27.49.TX1	
4990.E27.47.TX2	

built-up

4991.E27/.. - SKIVVE

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V

OR 1x G80 E27 max. 40W 230V

Dimensions

Ø250xH135 mm Cable 1500 mm

Materials

Aluminium 1M | 2M | 29 | 49 | 47


Ref

4991.E27.1M.TX1	
4991.E27.2M.TX2	
4991.E27.29.TX2	
4991.E27.49.TX1	
4991.E27.47.TX2	

built-up

4992.E27/.. - SKIVVE

~230V



pendant - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V

OR 1x G80 E27 max. 40W 230V

Dimensions

Ø350xH135 mm Cable 1500 mm

Materials

Aluminium 1M | 2M | 29 | 49 | 47

Ref

4992.E27.1M.TX1	
4992.E27.2M.TX2	
4992.E27.29.TX2	
4992.E27.49.TX1	
4992.E27.47.TX2	

built-up

4959.E27/.. - SKIVVE

~230V



pendant - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V

1x G80 E27 max. 40W 230V

Dimensions

Ø450xH135 mm Cable 1500 mm

Materials

Aluminium 1M | 2M | 29 | 49 | 47

Ref

4959.E27.1M.TX1	
4959.E27.2M.TX2	
4959.E27.29.TX2	
4959.E27.49.TX1	
4959.E27.47.TX2	

built-up



CEILING UP

PENDANTS



1363/.. - FARFALLE

~230V



pendant - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø320xH70 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 53 | 79 | 81 | 82 | 78

Aluminium / Messing

216

Ref

1363.1M.TX1

1363.2M.TX2

1363.53.TXJ


1363.216.TX2

1363.79.TX30

1363.81.TX364

1363.82.TX12

1363.78.TX192



built-up

1364/.. - FARFALLE

~230V



pendant - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø390xH70 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 53 | 79 | 81 | 82 | 78

Aluminium / Messing

216

Ref

1364.1M.TX1

1364.2M.TX2

1364.53.TXJ

1364.216.TX2

1364.79.TX30

1364.81.TX364

1364.82.TX12

1364.78.TX192



CEILING UP

PENDANTS



4887.SH.E27/.. - ANGELO GLASS CATHEDRAL

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø180xD85 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119

Ref

4887.SH.E27.RAL 3004.CV
4887.SH.E27.RAL 8004.CLV
4887.SH.E27.2M.CSG
4887.SH.E27.119.CBZ

built-up

4888.SH.E27/.. - ANGELO GLASS CATHEDRAL

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø250xD85 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119

Ref

4888.SH.E27.RAL 3004.CV
4888.SH.E27.RAL 8004.CLV
4888.SH.E27.2M.CSG
4888.SH.E27.119.CBZ

built-up

4889.SH.E27/.. - ANGELO GLASS CATHEDRAL

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø300xD85 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119

Ref

4889.SH.E27.RAL 3004.CV
4889.SH.E27.RAL 8004.CLV
4889.SH.E27.2M.CSG
4889.SH.E27.119.CBZ


built-up





5194.SH.E27/.. - ANGELO GLASS WAVE

~230V



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø180xD85 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119


Ref

5194.SH.E27.RAL 3004.WV
5194.SH.E27.RAL 8004.WLV
5194.SH.E27.2M.WSG
5194.SH.E27.119.WBZ

built-up

5195.SH.E27/.. - ANGELO GLASS WAVE

~230V



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø250xD85 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119

Ref

5195.SH.E27.RAL 3004.WV
5195.SH.E27.RAL 8004.WLV
5195.SH.E27.2M.WSG
5195.SH.E27.119.WBZ

built-up

5196.SH.E27/.. - ANGELO GLASS WAVE

~230V



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W 230V
1x G80 E27 max. 40W 230V

Dimensions

Ø300xD85 mm 1500 mm

Materials

Aluminium RAL 3004 | RAL 8004 | 2M | 119

Ref

5196.SH.E27.RAL 3004.WV
5196.SH.E27.RAL 8004.WLV
5196.SH.E27.2M.WSG
5196.SH.E27.119.WBZ

built-up





4934.SH.E27/.. - ANGELO

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø150xD84 mm

1500 mm

Materials

Aluminium

2M | 119

Messing

16 | 13M

Ref

4934.SH.E27.2M

4934.SH.E27.16

4934.SH.E27.13M

4934.SH.E27.119



built-up

4935.SH.E27/.. - ANGELO

~230V



IP20



built-up ceiling or wall light - round - fixed

Lamptype

1x A60 E27 max. 10,5W

230V

Dimensions

Ø180xD84 mm

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M

Ref

4935.SH.E27.1M

4935.SH.E27.2M

4935.SH.E27.16

4935.SH.E27.13M

4935.SH.E27.119



built-up

4936.SH.E27/.. - ANGELO

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 10,5W

230V

Dimensions

Ø250xD84 mm

1500 mm

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M

Ref

4936.SH.E27.1M

4936.SH.E27.2M

4936.SH.E27.16

4936.SH.E27.13M

4936.SH.E27.119



built-up

4937.SH.E27/.. - ANGELO

~230V



IP20



built-up ceiling or wall light - round

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø300xD84 mm

1500 mm

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M

Ref

4937.SH.E27.1M

4937.SH.E27.2M

4937.SH.E27.16

4937.SH.E27.13M

4937.SH.E27.119



built-up

4947.SH.E27/.. - ANGELO ALBAST

~230V



IP20



0,5 m



5,6



built-up ceiling or wall light - round - alabaster cream

Lamptype

1x A60 E27 max. 15W	230V
1x G80 E27 max. 40W	230V

Dimensions

Ø180xD90 mm	1500 mm
-------------	---------

Materials

Aluminium	1M 2M 119
Messing	16 13M

Ref

4947.SH.E27.1M	
4947.SH.E27.2M	
4947.SH.E27.16	
4947.SH.E27.13M	
4947.SH.E27.119	

built-up

4948.SH.E27/.. - ANGELO ALBAST

~230V



IP20



0,5 m



5,6



built-up ceiling or wall light - round - alabaster cream

Lamptype

1x A60 E27 max. 15W	230V
1x G80 E27 max. 40W	230V

Dimensions

Ø250xD90 mm	1500 mm
-------------	---------

Materials

Aluminium	1M 2M 119
Messing	16 13M

Ref

4948.SH.E27.1M	
4948.SH.E27.2M	
4948.SH.E27.16	
4948.SH.E27.13M	
4948.SH.E27.119	

built-up

4949.SH.E27/.. - ANGELO ALBAST

~230V



IP20



0,5 m



5,6



built-up ceiling or wall light - round - alabaster cream

Lamptype

1x A60 E27 max. 15W	230V
1x G80 E27 max. 40W	230V

Dimensions

Ø300xD90 mm	1500 mm
-------------	---------

Materials

Aluminium	1M 2M 119
Messing	16 13M

Ref

4949.SH.E27.1M	
4949.SH.E27.2M	
4949.SH.E27.16	
4949.SH.E27.13M	
4949.SH.E27.119	

built-up








1368/.. - FARFALLE

~230V

IP20 0.8189 0.5 m 5.6 CE



built-up ceiling or wall light - round - fixed

Lamptype	
1x A60 E27 max. 15W	230V
Dimensions	
Ø320xH70 mm	
Materials	
Aluminium	1M 2M 53 79 81 78


Ref	
1368.1M	
1368.2M	
1368.53	
1368.79	
1368.81	
1368.78	

built-up

1369/.. - FARFALLE

~230V

IP20 1.3989 0.5 m 5.6 CE



built-up ceiling or wall light - round - fixed

Lamptype	
1x A60 E27 max. 15W	230V
OR 1x G95 E27 max. 8W	230V
Dimensions	
Ø390xH70 mm	
Materials	
Aluminium	RAL 6003 1M 2M 53 79 81 78

Ref	
1369.1M	
1369.2M	
1369.53	
1369.79	
1369.81	
1369.78	

built-up




Colours



Textile cables



Glass





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.