

verkljgbaar bij

REXEL

Arturo, de laadzuil voor het leven.

Compatibel
met alle
laadstations

Flexibel,
duurzaam en
kostenefficiënt
design

10 jaar
garantie op
inox zuil

Inox laadzuilen voor
thuis en op kantoor



psmhome

100% Belgische kwaliteit





Eén aanpasbare inox zuil, oneindig veel mogelijkheden.


INOX

10 jaar
garantie

1. Efficiënte constructie met aanpasbaar frontpaneel

Het voorpaneel is eenvoudig vervangbaar, wat bij toekomstige upgrades kosten bespaart. Gebruik je een ander oplaadstation?

Dan hoef je enkel de voorplaat aan te passen, niet de volledige zuil.



2. Ruime kabelflexibiliteit

De vrije ruimte in en aan de paal biedt een vlotte toegang voor voedingskabels en zorgt voor een veilige bevestiging. Verliesstroom + automaten.



3. Slimme opties

Het linkse zijpaneel kan worden voorzien van een 230V stopcontact en heeft ruimte voor een ABB schakelkastje (optioneel). Daarnaast kan er omgevingsverlichting worden ingebouwd met LED-strips, met of zonder sensor.



4. Duurzaam maatwerk

Onze inox zuilen zijn beschikbaar in verschillende uitvoeringen en kleuren. Het standaardkleur is textuur **zwart .32X RAL9005**, ook andere kleuren en maatwerk zijn mogelijk op aanvraag.

5. Robuuste bevestiging en gemakkelijke installatie

De universele inox tussenplaat en M10 tiges zorgen voor een stevige bevestiging. Een antidiefstal tige en kabeltoevoeropeningen zijn standaard inbegrepen.

6. Andere uitvoeringen beschikbaar op aanvraag.



7. Ingietmallen voor beton herbruikbaar in Alu

- ☐ 600 x 600 mm



8. Wandmodel + tussenkader voor frontplaat B300xH400 en B300xH600

Arturo universele inox zuilen zijn compatibel met alle merken laadstations:




en andere

Arturo TYPE 1

INOX

10 jaar
garantie



Arturo, de laadpaal voor het leven,
klaar voor de toekomst.



psmhome
100% Belgische kwaliteit


Arturo

TYPE 1


OPTIES

INOX

10 jaar
garantie



T2911/.. - ARTURO



Type I - Connecting STAINLESS STEEL pillar - 210mm - wide - charging station not included

Dimensions

↔ L1340xB210xD115 mm ↔ B250xD200xH6 mm

Pillar L1335xB210xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2911.31MX	●
T2911.32X	●
T2911.37X	●

built-up
10-year warranty

T2912/.. - ARTURO

~230V



Type I - Connecting STAINLESS STEEL pillar - 210mm wide - charging station not included, with 1 powerpoint.

Lamptype

1x powerpoint . 230V

Dimensions

↔ L1340xB210xD115 mm ↔ B250xD200xH6 mm

Pillar L1335xB210xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2912.31MX	●
T2912.32X	●
T2912.37X	●

built-up
10-year warranty

T2913/.. - ARTURO

~230V



Type I - Connecting STAINLESS STEEL pillar - 210mm wide - charging station not included, with 1 powerpoint and built-in LED line 50 cm. - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

↔ L1340xB210xD115 mm ↔ B250xD200xH6 mm

Pillar L1335xB210xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2913.31MX	● WW
T2913.32X	● WW
T2913.37X	● WW

built-up
10-year warranty

T2914/.. - ARTURO

~230V



Type I - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

↔ L1340xB210xD115 mm ↔ B250xD200xH6 mm

Pillar L1335xB210xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2914.31MX	● WW
T2914.32X	● WW
T2914.37X	● WW

built-up
Type I toestel, grondplaat type 1 - info sensor: NIKO 350-20085

TYPE 1

OUTDOOR | Floor UP | Type 1 | ARTURO

T2951/.. - ARTURO ABB



Type I - Front panel ABB

Dimensions

Pillar B210xH400 mm

Materials

Inox

31MX | 32X | 37X

Ref

T2951.31MX

T2951.32X

T2951.37X


Price €



built-up

T2952/.. - ARTURO EASEE



Type I - Front panel Easee

Dimensions

Pillar B210xH400 mm

Materials

Inox

31MX | 32X | 37X

Ref

T2952.31MX

T2952.32X


T2952.37X

Price €



built-up






Arturo

TYPE 2

OPTIES

INOX

10 jaar
garantie



T2760/.. - ARTURO



Type II

Dimensions

L1340xB350xD220 mm B350xD220xH3 mm

Pillar L1335xB260xD115 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2760.31MX

T2760.32X

T2760.37X

Price €

built-up
10-year warranty

T2761/.. - ARTURO

~230V



Type II

Lamptype

1x powerpoint . 230V

Dimensions

L1340xB350xD220 mm B350xD220xH3 mm

Pillar L1335xB260xD115 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2761.31MX

T2761.32X

T2761.37X

Price €

built-up

T2762/.. - ARTURO

~230V



Type II - Connecting STAINLESS STEEL pillar - 300mm wide
-charging station not included, with 1 powerpoint and built-
in LED line 50 cm. - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

L1340xB350xD220 mm B350xD220xH3 mm

Pillar L1335xB260xD115 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2762.31MX

T2762.32X

T2762.37X

Price €

● WW

● WW

● WW

built-up

T2763/.. - ARTURO

~230V



Type II - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

L1340xB300xD220 mm B350xD200xH6 mm

Pillar L1335xB260xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2763.31MX

T2763.32X

T2763.37X

Price €

● WW

● WW

● WW


built-up
Type I toestel, grondplaat type 1 - info sensor: NIKO
350-20085

Arturo

TYPE 3

INOX

10 jaar
garantie



Arturo, de laadpaal voor het leven,
klaar voor de toekomst.



psmhome

100% Belgische kwaliteit

Arturo

TYPE 3

OPTIES

INOX

10 jaar
garantie

Frontplaat 300x400

ABB: PSMT2962.32X
Mennekes: PSMT2963.32X
Smappee: PSMT2964.32X
Easee: PSMT2965.32X
Alfen: PSMT2966.32X
Hager: PSMT2967.32X
blinde plaat: PSMT2975.32X

Frontplaat

Optie: T2843

Montageplaat

- Voor ABB schakelkast 4M ABBFORJR4
- Voor aftakdoos ABB-VT 5x10 ABB4TBS555152C0200
- Kleine aftakdoos 5x2.5 - OBQ2000016

Optie: PSMT2844

Montageplaat

- Voor ABB schakelkast 4 mod - ABBFORJR4



Optie: PSMT2842.32X

Wandhaak

Zuilen:

Standaard zuil (1340hx300bx125d)

PSMT2931.32X

Standaard zuil + stopcontact

PSMT2932.32X

Standaard zuil + stopcontact + ledlijn

PSMT2933.32X

Standaard zuil + stopcontact + ledlijn

+ sensor

PSMT2934.32X

Doorvoer
voedingskabels

Optie: PSMT2855

Tussenplaat
+ 6 x M10 tiges

M10 tiges 14mm doordraaien

Optie: PSMT2846


6 x M10 tiges voor
chemische verankering
(zonder tussenplaat)

Optie:

Ingietmal beton - herbruikbaar
◦ 600x600 mm: PSMT2849



T2931/.. - ARTURO



built-up



Type III

Dimensions

L1340xB350xD220 mm B350xD220xH3 mm

Pillar L1335xB260xD115 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/..	ARTURO
T2845/..	ARTURO
T2967/..	ARTURO HAGER
T2847/..	ARTURO
T2848/..	ARTURO
T2849/..	ARTURO
T2975/..	ARTURO
T2839/..	ARTURO
T2854/..	ARTURO
T2855/..	ARTURO - TIGES 14MM DOORDRAAIEN
T2846/..	ARTURO

Ref

T2931.31MX

T2931.32X

T2931.37X

Price €

T2932/.. - ARTURO

~230V



built-up



Type III

Lamptype

1x powerpoint . 230V

Dimensions

L1340xB350xD220 mm B350xD220xH3 mm

Pillar L1335xB260xD115 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/..	ARTURO
T2845/..	ARTURO
T2967/..	ARTURO HAGER
T2847/..	ARTURO
T2848/..	ARTURO
T2849/..	ARTURO
T2975/..	ARTURO
T2839/..	ARTURO
T2854/..	ARTURO
T2855/..	ARTURO - TIGES 14MM DOORDRAAIEN
T2846/..	ARTURO

Ref

T2932.31MX


T2932.32X

T2932.37X

Price €

T2933/.. - ARTURO

~230V



built-up



Type III - Connecting STAINLESS STEEL pillar - 300mm wide
-charging station not included, with 1 powerpoint and built-
in LED line 50 cm. - with transformer

Lamp type

1x LED 860lm CRI83 7,2W

24V-DC

1x powerpoint .

230V

Dimensions

↔ L1340xB350xD220 mm ↗ B350xD220xH3 mm

Pillar L1335xB260xD115 mm

Materials

Inox

31MX | 32X | 37X

Options

T2842/..	ARTURO
T2845/..	ARTURO
T2967/..	ARTURO HAGER
T2847/..	ARTURO
T2848/..	ARTURO
T2849/..	ARTURO
T2975/..	ARTURO
T2839/..	ARTURO
T2854/..	ARTURO
T2855/..	ARTURO - TIGES 14MM DOORDRAAIEN
T2846/..	ARTURO

Ref

T2933.31MX

● WW

T2933.32X

● WW

T2933.37X

● WW

Price €

T2934/.. - ARTURO

~230V



built-up

Type I toestel, grondplaat type 1 - info sensor : NIKO
350-20085



Type III - with transformer

Lamp type

1x LED 860lm CRI83 7,2W

24V-DC

1x powerpoint .

230V

Dimensions

↔ L1340xB300xD220 mm ↗ B350xD200xH6 mm

Pillar L1335xB260xH115 mm

Materials

Inox

31MX | 32X | 37X

Options

T2842/..	ARTURO
T2845/..	ARTURO
T2967/..	ARTURO HAGER
T2847/..	ARTURO
T2848/..	ARTURO
T2849/..	ARTURO
T2975/..	ARTURO
T2839/..	ARTURO
T2854/..	ARTURO
T2855/..	ARTURO - TIGES 14MM DOORDRAAIEN
T2846/..	ARTURO

Ref

T2934.31MX

● WW

T2934.32X

● WW

T2934.37X

● WW

Price €

T2962/.. - ARTURO ABB



built-up



Type III - Front panel ABB

Dimensions

Pillar B300xH400 mm

Materials

Inox 31MX | 32X | 37X


Options

T2931/..	ARTURO
T2932/..	ARTURO
T2933/..	ARTURO
T2934/..	ARTURO

Ref**Price €**

T2962.31MX	●
T2962.32X	●
T2962.37X	●

T2963/.. - ARTURO MENNEKES



built-up



Type III - Front panel Mennekes

Dimensions

B500xD220xH6 mm Pillar L300xB400 mm

Materials

Inox 31MX | 32X | 37X

Options

T2931/..	ARTURO
T2932/..	ARTURO
T2933/..	ARTURO
T2934/..	ARTURO

Ref**Price €**

T2963.31MX	●
T2963.32X	●
T2963.37X	●

T2964/.. - ARTURO SMAPPEE



built-up



Type III - Front panel Smappee

Dimensions

Pillar B300xH400 mm

Materials

Inox 31MX | 32X | 37X

Options

T2931/..	ARTURO
T2932/..	ARTURO
T2933/..	ARTURO
T2934/..	ARTURO

Ref**Price €**

T2964.31MX	●
T2964.32X	●
T2964.37X	●

T2965/.. - ARTURO EASEE



built-up



Type III - Front panel Easee

Dimensions

B500xD220xH6 mm Pillar L300xB400xD mm

Materials

Inox 31MX | 32X | 37X


Options

T2931/..	ARTURO
T2932/..	ARTURO
T2933/..	ARTURO
T2934/..	ARTURO

Ref**Price €**

T2965.31MX	●
T2965.32X	●
T2965.37X	●

T2966/.. - ARTURO ALFEN



built-up



Type III - Front panel Alfen

Dimensions

Pillar B300xH400 mm

Materials

Inox 31MX | 32X | 37X

Options

T2931/.. ARTURO

T2932/.. ARTURO

T2933/.. ARTURO

T2934/.. ARTURO

Ref


T2966.31MX

T2966.32X

T2966.37X

Price €

T2967/.. - ARTURO HAGER



Type III - Front panel Hager

Dimensions

L300xB400 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2967.31MX

T2967.32X

T2967.37X

Price €

T2975/.. - ARTURO



Type III - Frontpanel without holes

Dimensions

L300xB400 mm

Materials

Inox 32X

Ref

T2975.32X

Price €

T2842/.. - ARTURO



Wall hook - wall bracket with cable holder

Dimensions

↔ LxBxH mm

Materials

Inox

Ref

T2842.32X

Price €



32X

built-up

T2839/.. - ARTURO

IP



Collision protection for your charging station.

Materials

Aluminium

Ref

T2839

Price €



T2843/.. - ARTURO



Small mounting plate for junction box or control cabinet ABB 4-modules.

Dimensions

↔ LxBxH mm

Materials

Aluminium

Ref

T2843

Price €

built-up

T2844/.. - ARTURO



Large mounting plate for junction box and switch box ABB 4-modules + transformer and small junction box, to be fixed on back column.

Dimensions

↔ LxBxH mm

Materials

Aluminium

Ref

T2844

Price €

built-up

T2815/.. - ARTURO



cable exit side bottom with cable gland Ø32+nut

Dimensions

↔ LxBxH mm

Materials

Inox


Ref

T2815.32X

Price €

built-up

T2845/.. - ARTURO

IP  


Set of 4 stainless steel tiges M10- 12,5 cm + fleet and cap nut, for chemical anchoring.

Ref T2845 Price €

Dimensions

Rod 125 mm

Materials

Inox

T2846/.. - ARTURO


Set of 6 stainless steel tiges M10- 12,5 cm + fleet and cap nut, for chemical anchoring.

Ref T2846 Price €


Dimensions

Rod 125 mm

Materials

Inox

T2854/.. - ARTURO

IP  


stainless steel casting plate + 4x tiges M10 + cap nut for concrete

Ref T2854 Price €


Dimensions

L250xB200xH140 mm

Materials

Inox

T2855/.. - ARTURO - TIGES 14MM DOORDRAAIEN

IP  


stainless steel casting plate + 6x tiges M10 + cap nut for concrete.

Ref T2855 Price €


Dimensions

LxBxH mm

Materials

Inox

T2847/.. - ARTURO

IP   


casting mold for concrete

Dimensions
 L400xB400xH120 mm

Materials

Inox

Ref

T2847

Price €

Casting mold is reusable mountable with wing nuts.

T2848/.. - ARTURO

IP   


casting mold for concrete

Dimensions
 L500xB500xH120 mm

Materials

Inox

Ref

T2848

Price €

Casting mold is reusable mountable with wing nuts.

T2849/.. - ARTURO

IP   


casting mold for concrete

Dimensions
 L600xB600xH120 mm

Materials

Inox

Ref

T2849

Price €

Casting mold is reusable mountable with wing nuts.




Verwisselbare frontplaat



Wandmodel tussenkader

T2999.32X Arturo Type III B300xH400

T2790.32X Arturo Type II B300xH600



Wandmodel INOX

Laadstation niet inbegrepen

WALL UP

TYPE 2

T2790/.. - ARTURO



Type II - Universal wall column stainless steel.

Dimensions

Pillar L300xB600xD52 mm

Materials

Inox

31MX | 32X | 37X

Ref

T2790.31MX

T2790.32X

T2790.37X

Price €



built-up



T2780/.. - ARTURO



Type II - Universal wall column stainless steel.

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2780.31MX

T2780.32X


T2780.37X

Price €

built-up

T2781/.. - ARTURO

~230V



Type II - Universal wall-mounted stainless steel column with socket.

Lamptype

1x powerpoint . 230V

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2781.31MX

T2781.32X


T2781.37X

Price €

built-up

T2782/.. - ARTURO

~230V



Type II - Universal wall column in stainless steel with socket + LED line. - with transformer

Lamptype1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V**Dimensions**

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2782.31MX

T2782.32X

T2782.37X

Price €

● WW

● WW

● WW

built-up

T2783/.. - ARTURO

~230V



Type II - Universal-Wandsäule aus Edelstahl mit Steckdose + LED- Linie + Sensor. - with transformer

Lamptype1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V**Dimensions**

L 1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2783.31MX

T2783.32X

T2783.37X

Price €

● WW

● WW

● WW

built-up

Type I toestel, grondplaat type 1 - info sensor: NIKO 350-20085




WALL UP

TYPE 2



Verwisselbare frontplaat**Wandmodel** tussenkader

T2999.32X Arturo Type III B300xH400

T2790.32X Arturo Type II B300xH600

**Wandmodel INOX**

Laadstation niet inbegrepen

T2999/.. - ARTURO

Type III - Universal wall column stainless steel.

Dimensions

Pillar L300xB400xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2999.31MX

T2999.32X

T2999.37X

Price €*built-up*



WALL UP

TYPE 3

T2994/.. - ARTURO



Type III - Universal wall column stainless steel.

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2994.31MX

T2994.32X


T2994.37X

Price €

built-up

T2995/.. - ARTURO

~230V



Type III - Universal wall-mounted stainless steel column with socket.

Lamptype

1x powerpoint . 230V

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2995.31MX

T2995.32X


T2995.37X

Price €

built-up

T2996/.. - ARTURO

~230V



Type III - Universal wall column in stainless steel with socket + LED line. - with transformer

Lamptype1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V**Dimensions**

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2996.31MX

T2996.32X

T2996.37X

Price €

● WW

● WW

● WW

built-up

T2997/.. - ARTURO

~230V



Type III - Universal-Wandsäule aus Edelstahl mit Steckdose + LED- Linie + Sensor. - with transformer

Lamptype1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V**Dimensions**

L 1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2997.31MX

T2997.32X

T2997.37X

Price €

● WW

● WW

● WW

built-up


Type I toestel , grondplaat type 1 - info sensor : NIKO 350-20085



Wandmodel tussenkader hoogte H1340

T2994.32X Arturo Type III voor frontplaat B300xH400

T2780.32X Arturo Type II voor frontplaat B300xH600



Wandmodel INOX

Laadstation niet inbegrepen



100% Belgian quality



INOX

10 jaar
garantie



Arturo inox zuilen bieden een duurzame en universele oplossing voor laadstations van elektrische voertuigen.

Deze robuuste constructies, worden geleverd met een garantie van 10 jaar. Ze zijn speciaal ontworpen om compatibel te zijn met 95% van de oplaadtoestellen op de markt en bieden een breed scala aan opties en configuraties.

Voor meer informatie of specifieke aanvragen kunt u contact met ons opnemen:

Tel.: +32 9 374 19 51

e-mail: info@psmlighting.be



verkrijgbaar bij

REXEL

100%  **Belgian quality**

Oost- & West-Vlaanderen

meowvlaanderen@rexel.be
T +32 9 247 12 32

Antwerpen, Limburg, Brabant

meantwerpenlimburg@rexel.be
T +32 14 94 50 98

Wallonië

mewal@rexel.be
T +32 71 42 92 11

**Arturo, de laadpaal voor het leven,
klaar voor de toekomst.**



psmhome
100% Belgische kwaliteit



Colours

Standaard



Other colours on request



FLOOR UP

ACCESSOIRES ARTURO

003.RALSTOCK/.. - RAL CLASSIC COLOUR STOCK



supplement - fixed price RAL CLASSIC colour NET PRICE!



Ref	Price €
003.RALSTOCK[TX]	
003.RALSTOCK[MT]	
003.RALSTOCK[ST]	
003.RALSTOCK[HG]	

003.RALNOSTOCK/.. - RAL CLASSIC COLOUR NO STOCK



supplement - fixed price RAL CLASSIC colour NET PRICE!



Ref	Price €
003.RALNOSTOCK	



psmhome
100% Belgische kwaliteit

Groendreef 60, 9880 Aalter, België
T +32 9 374 19 51 | www.psmlighting.be

Al onze producten zijn wettelijk beschermd. Het ontwerp is eigendom van psmlighting en mag niet worden gekopieerd.