



Arturo, de laadzuil voor het leven.

Compatibel
met alle
laadstations

Flexibel,
duurzaam en
kostenefficiënt
design

10 jaar
garantie op
inox zuil

Inox laadzuilen voor
thuis en op kantoor



psmhome

100% Belgische kwaliteit






Eén aanpasbare inox zuil, oneindig veel mogelijkheden.

INOX

10 jaar
garantie

1. Efficiënte constructie met aanpasbaar frontpaneel

Het voorpaneel is eenvoudig vervangbaar, wat bij toekomstige upgrades kosten bespaart. Gebruik je een ander oplaadstation?
Dan hoef je enkel de voorplaat aan te passen, niet de volledige zuil.



2. Ruime kabelflexibiliteit

De vrije ruimte in en aan de paal biedt een vlotte toegang voor voedingskabels en zorgt voor een veilige bevestiging. Verliesstroom + automaten.



3. Slimme opties

Het linkse zijpaneel kan worden voorzien van een 230V stopcontact en heeft ruimte voor een ABB schakelkastje (optioneel). Daarnaast kan er omgevingsverlichting worden ingebouwd met LED-strips, met of zonder sensor.



4. Duurzaam maatwerk

Onze inox zuilen zijn beschikbaar in verschillende uitvoeringen en kleuren. Het standaardkleur is textuur **zwart .32X RAL9005**, ook andere kleuren en maatwerk zijn mogelijk op aanvraag.

5. Robuuste bevestiging en gemakkelijke installatie

De universele inox tussenplaat en M10 tiges zorgen voor een stevige bevestiging. Een antidiefstal tige en kabeltoevoeropeningen zijn standaard inbegrepen.



6. Andere uitvoeringen beschikbaar op aanvraag.

7. Ingietmallen voor beton herbruikbaar in Alu

- □ 600 x 600 mm



8. Wandmodel + tussenkader voor frontplaat B300xH400 en B300xH600

Arturo universele inox zuilen zijn compatibel met alle merken laadstations:




en andere ...

Arturo **TYPE 1**

INOX

10 jaar
garantie



Arturo, de laadpaal voor het leven,
klaar voor de toekomst.




psmhome

100% Belgische kwaliteit

Arturo TYPE 1 OPTIES

INOX

10 jaar
garantie



T2911/.. - ARTURO



Type I - Connecting STAINLESS STEEL pillar - 210mm wide - charging station not included

Dimensions

↔ L1340xB210xD115 mm ↗ B250xD200xH6 mm

Pillar L1335xB210xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2911.31MX	●
T2911.32X	●
T2911.37X	●

built-up
10-year warranty

T2912/.. - ARTURO

~230V



Type I - Connecting STAINLESS STEEL pillar -210mm wide -charging station not included, with 1 powerpoint.

Lamptype

1x powerpoint . 230V

Dimensions

↔ L1340xB210xD115 mm ↗ B250xD200xH6 mm

Pillar L1335xB210xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2912.31MX	●
T2912.32X	●
T2912.37X	●

built-up
10-year warranty

T2913/.. - ARTURO

~230V



Type I - Connecting STAINLESS STEEL pillar - 210mm wide -charging station not included, with 1 powerpoint and built-in LED line 50 cm. - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

↔ L1340xB210xD115 mm ↗ B250xD200xH6 mm

Pillar L1335xB210xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2913.31MX	● WW
T2913.32X	● WW
T2913.37X	● WW

built-up
10-year warranty

T2914/.. - ARTURO

~230V



Type I - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

↔ L1340xB210xD115 mm ↗ B250xD200xH6 mm

Pillar L1335xB210xH115 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2914.31MX	● WW
T2914.32X	● WW
T2914.37X	● WW

built-up
Type I toestel , grondplaat type 1 - info sensor : NIKO 350-20085

TYPE 1

OUTDOOR | Floor UP | Type 1 | ARTURO

T2951/.. - ARTURO ABB



Type I - Front panel ABB

Dimensions

Pillar B210xH400 mm

Materials

Inox

31MX | 32X | 37X

Ref

T2951.31MX

T2951.32X


T2951.37X



Price €

built-up

T2952/.. - ARTURO EASEE



Type I - Front panel Easee

Dimensions

Pillar B210xH400 mm

Materials

Inox

31MX | 32X | 37X

Ref

T2952.31MX

T2952.32X

T2952.37X



Price €

built-up

FLOOR UP


TYPE 1



Arturo TYPE 2

INOX

10 jaar
garantie



Arturo, de laadpaal voor het leven,
klaar voor de toekomst.




psmhome

100% Belgische kwaliteit

Arturo **TYPE 2** OPTIES

INOX

10 jaar
garantie



T2760/.. - ARTURO



Type II	Ref	Price €
Dimensions	T2760.31MX	●
↔ L1340xB350xD220 mm ⚙ B350xD220xH3 mm	T2760.32X	●
Pillar L1335xB260xD115 mm	T2760.37X	●
Materials		
Inox	31MX 32X 37X	

built-up
10-year warranty

T2761/.. - ARTURO

~230V



Type II	Ref	Price €
Lamptype	T2761.31MX	●
1x powerpoint . 230V	T2761.32X	●
Dimensions	T2761.37X	●
↔ L1340xB350xD220 mm ⚙ B350xD220xH3 mm		
Pillar L1335xB260xD115 mm		
Materials		
Inox	31MX 32X 37X	

built-up

T2762/.. - ARTURO

~230V



Type II - Connecting STAINLESS STEEL pillar - 300mm wide - charging station not included, with 1 powerpoint and built-in LED line 50 cm. - with transformer

Lamptype	Ref	Price €
1x LED 860lm CRI83 7,2W 24V-DC	T2762.31MX	● WW
1x powerpoint . 230V	T2762.32X	● WW
	T2762.37X	● WW
Dimensions		
↔ L1340xB350xD220 mm ⚙ B350xD220xH3 mm		
Pillar L1335xB260xD115 mm		
Materials		
Inox	31MX 32X 37X	

built-up

T2763/.. - ARTURO

~230V



Type II - with transformer

Lamptype	Ref	Price €
1x LED 860lm CRI83 7,2W 24V-DC	T2763.31MX	● WW
1x powerpoint . 230V	T2763.32X	● WW
	T2763.37X	● WW
Dimensions		
↔ L1340xB300xD220 mm ⚙ B350xD200xH6 mm		
Pillar L1335xB260xH115 mm		
Materials		
Inox	31MX 32X 37X	

built-up
Type I toestel, grondplaat type 1 - info sensor: NIKO 350-20085

T2770/.. - ARTURO SCHNEIDER



Type II - Front panel Schneider

Dimensions

B500xD220xH6 mm Pillar L300xB600xD mm

Materials

Inox 31MX | 32X | 37X

Ref

T2770.31MX

T2770.32X

T2770.37X

Price €



built-up

T2771/.. - ARTURO ALFEN



Type II - Front panel Alfen

Dimensions

B500xD220xH6 mm Pillar L300xB600 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2771.31MX

T2771.32X

T2771.37X

Price €



built-up

T2772/.. - ARTURO LEGRAND



Type II - Front panel Legrand

Dimensions

L300xB600 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2772.31MX

T2772.32X

T2772.37X

Price €



T2773/.. - ARTURO



Type II - Frontpanel without holes

Dimensions

L300xB600 mm

Materials

Inox 32X

Ref

T2773.32X


Price €



Arturo TYPE 3

INOX

10 jaar
garantie



Arturo, de laadpaal voor het leven,
klaar voor de toekomst.



psmhome

100% Belgische kwaliteit


Arturo TYPE 3 OPTIES

INOX

10 jaar
garantie

Frontplaat 300x400

ABB: PSMT2962.32X
Mennekes: PSMT2963.32X
Smappee: PSMT2964.32X
Easee: PSMT2965.32X
Alfen: PSMT2966.32X
Hager: PSMT2967.32X
blinde plaat: PSMT2975.32X



Optie: T2843


Montageplaat

- Voor ABB schakelkast 4M ABBFORJR4
- Voor aftakdoos ABB-VT 5x10 ABB4TBS555152C0200
- Kleine aftakdoos 5x2.5 - OBQ2000016

Optie: PSMT2844

Montageplaat

- Voor ABB schakelkast 4 mod - ABBFORJR4



Optie: PSMT2842.32X

Wandhaak

Zuilen:

Standaard zuil (1340hx300bx125d)

PSMT2931.32X

Standaard zuil + stopcontact

PSMT2932.32X

Standaard zuil + stopcontact + ledlijn

PSMT2933.32X

Standaard zuil + stopcontact + ledlijn

+ sensor

PSMT2934.32X

Optie: PSMT2855

Tussenplaat
+ 6 x M10 tiges

Optie: PSMT2846

6 x M10 tiges voor
chemische verankering
(zonder tussenplaat)

Optie:

Ingietmal beton - herbruikbaar
◦ 600x600 mm: PSMT2849



T2931/.. - ARTURO



Type III	Ref	Price €
Dimensions	T2931.31MX	●
↔ L1340xB350xD220 mm	T2931.32X	●
↔ B350xD220xH3 mm	T2931.37X	●
Pillar L1335xB260xD115 mm		
Materials		
Inox	31MX 32X 37X	
Options		
T2842/..	ARTURO	
T2845/..	ARTURO	
T2967/..	ARTURO HAGER	
T2847/..	ARTURO	
T2848/..	ARTURO	
T2849/..	ARTURO	
T2975/..	ARTURO	
T2839/..	ARTURO	
T2854/..	ARTURO	
T2855/..	ARTURO - TIGES 14MM DOORDRAAIEN	
T2846/..	ARTURO	

built-up

T2932/.. - ARTURO




Type III	Ref	Price €
Lamptype	T2932.31MX	●
1x powerpoint .	T2932.32X	●
230V	T2932.37X	●
Dimensions		
↔ L1340xB350xD220 mm		
↔ B350xD220xH3 mm		
Pillar L1335xB260xD115 mm		
Materials		
Inox	31MX 32X 37X	
Options		
T2842/..	ARTURO	
T2845/..	ARTURO	
T2967/..	ARTURO HAGER	
T2847/..	ARTURO	
T2848/..	ARTURO	
T2849/..	ARTURO	
T2975/..	ARTURO	
T2839/..	ARTURO	
T2854/..	ARTURO	
T2855/..	ARTURO - TIGES 14MM DOORDRAAIEN	
T2846/..	ARTURO	

built-up

T2933/.. - ARTURO

~230V



built-up



Type III - Connecting STAINLESS STEEL pillar - 300mm wide
-charging station not included, with 1 powerpoint and built-in LED line 50 cm. - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

↔ L1340xB350xD220 mm ↗ B350xD220xH3 mm

Pillar L1335xB260xD115 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO
T2845/.. ARTURO
T2967/.. ARTURO HAGER
T2847/.. ARTURO
T2848/.. ARTURO
T2849/.. ARTURO
T2975/.. ARTURO
T2839/.. ARTURO
T2854/.. ARTURO
T2855/.. ARTURO - TIGES 14MM DOORDRAAIEN
T2846/.. ARTURO

Ref

T2933.31MX
T2933.32X
T2933.37X

Price €

● WW
● WW
● WW

T2934/.. - ARTURO

~230V



built-up

Type I toestel, grondplaat type 1 - info sensor : NIKO 350-20085



Type III - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

↔ L1340xB300xD220 mm ↗ B350xD200xH6 mm

Pillar L1335xB260xH115 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO
T2845/.. ARTURO
T2967/.. ARTURO HAGER
T2847/.. ARTURO
T2848/.. ARTURO
T2849/.. ARTURO
T2975/.. ARTURO
T2839/.. ARTURO
T2854/.. ARTURO
T2855/.. ARTURO - TIGES 14MM DOORDRAAIEN
T2846/.. ARTURO

Ref

T2934.31MX
T2934.32X
T2934.37X

Price €

● WW
● WW
● WW

T2962/.. - ARTURO ABB



Type III - Front panel ABB

Dimensions

Pillar B300xH400 mm

Materials

Inox 31MX | 32X | 37X

Options

- T2931/.. ARTURO
- T2932/.. ARTURO
- T2933/.. ARTURO
- T2934/.. ARTURO

Ref

T2962.31MX

T2962.32X


T2962.37X



Price €

built-up

T2963/.. - ARTURO MENNEKES



Type III - Front panel Mennekes

Dimensions

B500xD220xH6 mm Pillar L300xB400 mm

Materials

Inox 31MX | 32X | 37X

Options

- T2931/.. ARTURO
- T2932/.. ARTURO
- T2933/.. ARTURO
- T2934/.. ARTURO

Ref

T2963.31MX

T2963.32X


T2963.37X



Price €

built-up

T2964/.. - ARTURO SMAPPEE



Type III - Front panel Smappee

Dimensions

Pillar B300xH400 mm

Materials

Inox 31MX | 32X | 37X

Options

- T2931/.. ARTURO
- T2932/.. ARTURO
- T2933/.. ARTURO
- T2934/.. ARTURO

Ref

T2964.31MX

T2964.32X


T2964.37X



Price €

built-up

T2965/.. - ARTURO EASEE



Type III - Front panel Easee

Dimensions

B500xD220xH6 mm Pillar L300xB400xD mm

Materials

Inox 31MX | 32X | 37X

Options

- T2931/.. ARTURO
- T2932/.. ARTURO
- T2933/.. ARTURO
- T2934/.. ARTURO

Ref

T2965.31MX

T2965.32X


T2965.37X



Price €

built-up

T2966/.. - ARTURO ALFEN



Type III - Front panel Alfen

Dimensions

Pillar B300xH400 mm

Materials

Inox 31MX | 32X | 37X


Options

- T2931/.. ARTURO
- T2932/.. ARTURO
- T2933/.. ARTURO
- T2934/.. ARTURO

Ref	Price €
T2966.31MX	<input type="radio"/>
T2966.32X	<input checked="" type="radio"/>
T2966.37X	<input type="radio"/>

built-up

T2967/.. - ARTURO HAGER



Type III - Front panel Hager

Dimensions


↔ L300xB400 mm

Materials

Inox 31MX | 32X | 37X

Ref	Price €
T2967.31MX	<input type="radio"/>
T2967.32X	<input checked="" type="radio"/>
T2967.37X	<input type="radio"/>

T2975/.. - ARTURO



Type III - Frontpanel without holes

Dimensions

↔ L300xB400 mm

Materials

Inox 32X

Ref	Price €
T2975.32X	<input checked="" type="radio"/>

T2842/.. - ARTURO



Wall hook - wall bracket with cable holder

Ref

Price €

Dimensions

T2842.32X

←→ LxBxH mm

Materials

Inox

32X

built-up

T2839/.. - ARTURO



Collision protection for your charging station.

Ref

Price €

Materials

T2839

Aluminium



T2843/.. - ARTURO

🏠 ← CE



Small mounting plate for junction box or control cabinet ABB 4-modules.

Ref

Price €

T2843

Dimensions

↔ LxBxH mm

Materials

Aluminium

built-up

T2844/.. - ARTURO

🏠 ← CE



Large mounting plate for junction box and switch box ABB 4-modules + transformer and small junction box, to be fixed on back column.

Ref

Price €

T2844

Dimensions

↔ LxBxH mm

Materials

Aluminium

built-up

T2815/.. - ARTURO

🏠 ← CE



cable exit side bottom with cable gland Ø32+nut

Ref

Price €

T2815.32X

Dimensions

↔ LxBxH mm

Materials


Inox

32X

built-up

T2845/.. - ARTURO

IP   



Set of 4 stainless steel tiges M10- 12,5 cm + fleet and cap nut, for chemical anchoring.

Ref T2845 Price €

Dimensions

Rod 125 mm

Materials

Inox

T2846/.. - ARTURO



Set of 6 stainless steel tiges M10- 12,5 cm + fleet and cap nut, for chemical anchoring.

Ref T2846 Price €

Dimensions

Rod 125 mm

Materials

Inox

T2854/.. - ARTURO

IP   



stainless steel casting plate + 4x tiges M10 + cap nut for concrete

Ref T2854 Price €

Dimensions


↔ L250xB200xH140 mm

Materials

Inox

T2855/.. - ARTURO - TIGES 14MM DOORDRAAIEN

IP   



stainless steel casting plate + 6x tiges M10 + cap nut for concrete.

Ref T2855 Price €




Dimensions


↔ LxBxH mm

Materials

Inox

T2847/.. - ARTURO

IP   



casting mold for concrete

Ref

Price €

Dimensions

T2847

↔ L400xB400xH120 mm

Materials

Inox

Casting mold is reusable mountable with wing nuts.

T2848/.. - ARTURO

IP   



casting mold for concrete

Ref

Price €

Dimensions

T2848

↔ L500xB500xH120 mm

Materials

Inox

Casting mold is reusable mountable with wing nuts.

T2849/.. - ARTURO

IP   



casting mold for concrete

Ref

Price €

Dimensions

T2849

↔ L600xB600xH120 mm

Materials

Inox

Casting mold is reusable mountable with wing nuts.




Verwisselbare frontplaat



Wandmodel tussenkader

T2999.32X Arturo Type III B300xH400

T2790.32X Arturo Type II B300xH600



Wandmodel INOX

Laadstation niet inbegrepen

WALL UP

TYPE 2

T2790/.. - ARTURO



Type II - Universal wall column stainless steel.

Dimensions

Pillar L300x860xD52 mm

Materials

Inox

31MX | 32X | 37X

Ref

T2790.31MX

T2790.32X

T2790.37X

Price €



built-up



T2780/.. - ARTURO



Type II - Universal wall column stainless steel.

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2780.31MX

T2780.32X

T2780.37X


Price €



built-up

T2781/.. - ARTURO

~230V



Type II - Universal wall-mounted stainless steel column with socket.

Lamptype

1x powerpoint . 230V

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2781.31MX

T2781.32X

T2781.37X


Price €



built-up

T2782/.. - ARTURO

~230V



Type II - Universal wall column in stainless steel with socket + LED line. - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2782.31MX

T2782.32X

T2782.37X

Price €



built-up

T2783/.. - ARTURO

~230V



Type II - Universal-Wandsäule aus Edelstahl mit Steckdose + LED- Linie + Sensor. - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

↔ L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Ref

T2783.31MX

T2783.32X

T2783.37X

Price €



built-up

Type I toestel , grondplaat type 1 - info sensor : NIKO 350-20085



WALL UP

TYPE 2


Verwisselbare frontplaat



Wandmodel tussenkader

T2999.32X Arturo Type III B300xH400



T2790.32X Arturo Type II B300xH600



Wandmodel INOX

Laadstation niet inbegrepen

T2999/.. - ARTURO



Type III - Universal wall column stainless steel.

Dimensions

Pillar L300xB400xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2999.31MX

T2999.32X

T2999.37X

Price €



built-up





WALL UP

TYPE 3

T2994/.. - ARTURO



Type III - Universal wall column stainless steel.

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2994.31MX

T2994.32X

T2994.37X


Price €



built-up

T2995/.. - ARTURO

~230V



Type III - Universal wall-mounted stainless steel column with socket.

Lamptype

1x powerpoint . 230V

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2995.31MX

T2995.32X

T2995.37X


Price €



built-up

T2996/.. - ARTURO

~230V



Type III - Universal wall column in stainless steel with socket + LED line. - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

Pillar L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2996.31MX

T2996.32X

T2996.37X

Price €



built-up

T2997/.. - ARTURO

~230V



Type III - Universal-Wandsäule aus Edelstahl mit Steckdose + LED- Linie + Sensor. - with transformer

Lamptype

1x LED 860lm CRI83 7,2W 24V-DC
1x powerpoint . 230V

Dimensions

↔ L1340xB300xD52 mm

Materials

Inox 31MX | 32X | 37X

Options

T2842/.. ARTURO

Ref

T2997.31MX

T2997.32X

T2997.37X

Price €



built-up

Type I toestel , grondplaat type 1 - info sensor : NIKO 350-20085




WALL UP

TYPE 3

Wandmodel tussenkader hoogte H1340
T2994.32X Arturo Type III voor frontplaat B300xH400

T2780.32X Arturo Type II voor frontplaat B300xH600



Wandmodel INOX
Laadstation niet inbegrepen



100% Belgian quality



INOX

10 jaar
garantie



Arturo inox zuilen bieden een duurzame en universele oplossing voor laadstations van elektrische voertuigen.

Deze robuuste constructies, worden geleverd met een garantie van 10 jaar. Ze zijn speciaal ontworpen om compatibel te zijn met 95% van de oplaadtoestellen op de markt en bieden een breed scala aan opties en configuraties.

Voor meer informatie of specifieke aanvragen kunt u contact met ons opnemen:

Tel.: +32 9 374 19 51

e-mail: info@psmlighting.be

**Arturo, de laadpaal voor het leven,
klaar voor de toekomst.**



psmhome

100% Belgische kwaliteit



Colours

Standaard



Other colours on request



FLOOR UP

ACCESSOIRES ARTURO

003.RALSTOCK/.. - RAL CLASSIC COLOUR STOCK



supplement - fixed price RAL CLASSIC colour NET PRICE!



Ref	Price €
003.RALSTOCK[TX]	
003.RALSTOCK[MT]	
003.RALSTOCK[ST]	
003.RALSTOCK[HG]	

003.RALNOSTOCK/.. - RAL CLASSIC COLOUR NO STOCK



supplement - fixed price RAL CLASSIC colour NET PRICE!



Ref	Price €
003.RALNOSTOCK	



210

B 210 x D 115 x H 1340

TYPE 1

300

B 300 x D 115 x H 1340

TYPE 2

TYPE 3

Eenvoudige
installatie
Gemakkelijk
aanpasbaar



psm home

100% Belgische kwaliteit



Groendreef 60, 9880 Aalter, België

T +32 9 374 19 51 | www.psmlighting.be

Al onze producten zijn wettelijk beschermd. Het ontwerp is eigendom van psmlighting en mag niet worden gekopieerd.