

+30
YEARS

Bedlampjes

Little lights for big dreams



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

2242/.. - GLORIA

~230V



built-up wall light - fixed - wall light

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

B60xH212xD89 mm

120

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M | 23

Ref

2242.1M.TRRB

2242.2M.TRRB

2242.16.TRRB

2242.13M.TRRB

2242.23.TRRB

2242.119.TRRB

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

2256/.. - GLORIA

~230V



built-up wall light - fixed

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

B60xH212xD92 mm

120

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M | 23

Ref

2256.2M.TRRB

2256.1M.TRRB

2256.119.TRRB

2256.16.TRRB

2256.13M.TRRB

2256.23.TRRB

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

2240/.. - GLORIA

~230V



built-up wall light - fixed - with curved arm

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

B80xH330xD238 mm

120

Materials

Messing

16 | 13M

Ref

2240.16.TRRB

2240.13M.TRRB

Price €

WW

WW

built-up

2231/.. - GLORIA

~230V



built-up wall light - fixed - down - wall light

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ B100xH250xD95 mm 120°

Materials

Aluminium

1M | 2M | 119

Messing

16 | 13M

Ref

Price €

2231.1M.TRRB			NW WW
2231.2M.TRRB			NW WW
2231.16.TRRB			NW WW
2231.13M.TRRB			NW WW
2231.119.TRRB			NW WW

built-up

2332/.. - GLORIA ROOM NUMBER

~230V



built-up wall light - fixed - down - with personalized room number

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ B100xH350xD95 mm 120°

Materials

Aluminium

1M | 2M

Messing

16 | 13M

Ref

Price €

2332.1M.TRRB			NW WW
2332.2M.TRRB			NW WW
2332.16.TRRB			NW WW
2332.13M.TRRB			NW WW

built-up
please mention room number when ordering

2333/.. - GLORIA UP/DOWN

~230V



built-up wall light - fixed - down/up - up & down

Lamptype

2x LED 350lm CRI90 4W

230V

Dimensions

↔ L360xB60xD97 mm 120°

Materials

Aluminium

1M | 2M

Messing

16 | 13M | 23

Ref

Price €

2333.1M.TRRB			NW WW
2333.2M.TRRB			NW WW
2333.16.TRRB			NW WW
2333.13M.TRRB			NW WW
2333.23.TRRB			NW WW

built-up



2241/.. - GLORIA

~230V



built-up wall light - fixed - wall light

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ B60xH72xD102 mm

30°

Materials

Aluminium

1M | 2M | 230 | 119

Messing

16 | 13M | 23

Rood koper

Ref

Price €

2241.1M	NW WW
2241.2M	NW WW
2241.16	NW WW
2241.13M	NW WW
2241.23	NW WW
2241.230	NW WW
2241.119	NW WW
2241.30	NW WW

built-up

2232/.. - GLORIA

~230V



built-up wall light - fixed - down - wall light

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ B100xH250xD97 mm

30°

Materials

Aluminium

1M | 2M | 230 | 119

Messing

16 | 13M | 23

Ref

Price €

2232.1M	NW WW
2232.2M	NW WW
2232.16	NW WW
2232.23	NW WW
2232.119	NW WW
2232.13M	NW WW
2232.230	NW WW

built-up

2233/.. - GLORIA

~230V



built-up wall light - fixed - down - wall light

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ B100xH350xD97 mm

30°

Materials

Aluminium

1M | 2M | 230 | 119

Messing

16 | 13M | 23

Ref

Price €

2233.1M	NW WW
2233.2M	NW WW
2233.16	NW WW
2233.13M	NW WW
2233.23	NW WW
2233.230	NW WW
2233.119	NW WW

built-up





1968/.. - GLORIA HALF ROUNDED

~230V



IP44



built-up wall light - glass H250

Lamp type

1x A60 E27 max. 15W

230V

1x ST64 E27 max. 8W

230V

Dimensions

B140xH335xD85 mm Ø132xH320xD185 mm

B45xH320xD30 mm

Materials

Aluminium

2M | 117 | 118 | 119

Ref

1968.2M.TRR

1968.117.TRR

1968.118.TRR

1968.119.TRR

**Price €**

built-up



WALL UP

3602/.. - FLAVIE

~230V



built-up wall light - fixed - up or down - with LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

↔ B40xH95xD95 mm

35°

Materials

Aluminium

1M | 2M | 117 | 118 | 119 | 29 | 49 | 47

Ref	Price €
3602.1M	NW WW
3602.2M	NW WW
3602.117	NW WW
3602.118	NW WW
3602.119	NW WW
3602.29	NW WW
3602.49	NW WW
3602.47	NW WW

built-up

3603/.. - FLAVIE

~230V



built-up wall light - fixed - down/up - with LED driver

Lamp type

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

↔ B100xH95xD95 mm

35°

Materials

Aluminium


1M | 2M | 117 | 118 | 119 | 29 | 49 | 47

Ref	Price €
3603.1M	NW WW
3603.2M	NW WW
3603.117	NW WW
3603.118	NW WW
3603.119	NW WW
3603.29	NW WW
3603.49	NW WW
3603.47	NW WW

built-up

3614/.. - FLAVIE

~230V



built-up wall light - fixed - down/up - with LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

↔ B40xD80xH112 mm

38°

Materials

Aluminium


1M | 2M | 117 | 118 | 119 | 29 | 49 | 47

Ref	Price €
3614.1M	NW WW
3614.2M	NW WW
3614.117	NW WW
3614.118	NW WW
3614.119	NW WW
3614.29	NW WW
3614.49	NW WW
3614.47	NW WW

built-up

3615/.. - FLAVIE

~230V



built-up wall light - fixed - down/up - with LED driver

Lamp type

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

↔ B120xD80xH112 mm

38°

Materials

Aluminium

1M | 2M | 117 | 118 | 119 | 29 | 49 | 47

Ref	Price €
3615.1M	NW WW
3615.2M	NW WW
3615.117	NW WW
3615.118	NW WW
3615.119	NW WW
3615.29	NW WW
3615.49	NW WW
3615.47	NW WW

built-up



3590/.. - ROMANIE

~230V



built-up wall light - down - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

B40xD80xH110 mm 300 mm

48°

Materials

Aluminium

1M | 2M | 117 | 118 | 119

Ref

3590.1M

3590.2M

3590.117

3590.118

3590.119

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

W3591/.. - ROMANIE

~230V



built-up wall light - down - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

B40xD80xH110 mm 300 mm

48°

Materials

Alu Anodisé

31MA | 32A | 119A

Aluminium

117A | 118A

Ref

W3591.31MA

W3591.32A

W3591.117A

W3591.118A

W3591.119A

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up



W1278/.. - ROMANIE

~230V   IP54   0.2020 0.5 m 4.6 



built-up wall light - down

Lamptype

2x LED 266lm CRI80 2,8W

 230V

Dimensions

 B100xH55xD55 mm

Materials

Alu Anodisé

Aluminium

31MA | 32A | 119A

117 | 118

Ref

W1278.31MA

W1278.32A

W1278.117

W1278.118

W1278.119A

Price €

 NW | WW

 NW | WW

 NW | WW

 NW | WW

 NW | WW

built-up



WALL UP

2479/.. - CIGARO

=350mA



built-up wall light - up or down - without LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L95xB28xD95 mm

35°

Materials

Aluminium

Ref

2479.1M

2479.2M

2479.117

2479.118

2479.119

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

1M | 2M | 117 | 118 | 119

built-up

2486/.. - CIGARO

=350mA



built-up wall light - up or down - without LED driver

Lamp type

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L95xB85xD95 mm

35°

Materials

Aluminium

Ref

2486.1M

2486.2M

2486.117

2486.118

2486.119

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


1M | 2M | 117 | 118 | 119

built-up



2572/.. - CIGARO

=350mA



built-up wall light - directional - with kneejoint - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

→ B30xD141xH112 mm 

→ B30xD30xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M | 119

Aluminium / Messing 162 | 132

Aluminium / Roodkoper 282

Ref	Price €
2572.1M	NW WW
2572.2M	NW WW
2572.119	NW WW
2572.162	NW WW
2572.282	NW WW
2572.132	NW WW

built-up
Driver (not included), to be installed externally.

2578/.. - CIGARO

~230V



built-up wall light - directional - with kneejoint - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

→ B40xD151xH112 mm 

→ B40xD35xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M | 119

Aluminium / Messing 162 | 132

Aluminium / Roodkoper 282

Ref	Price €
2578.1M	NW WW
2578.2M	NW WW
2578.119	NW WW
2578.162	NW WW
2578.282	NW WW
2578.132	NW WW

built-up

2579/.. - CIGARO

~230V



built-up wall light - directional - with knee joint and switch - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

→ B40xD151xH112 mm 

→ B40xD35xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M | 119

Aluminium / Messing 162 | 132

Aluminium / Roodkoper 282

Ref	Price €
2579.1M	NW WW
2579.2M	NW WW
2579.119	NW WW
2579.162	NW WW
2579.282	NW WW
2579.132	NW WW


built-up



WALL UP

2574/.. - CIGARO

=350mA



built-up wall light - directional - with kneejoint - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

B30xD141xH112 mm 35°

B30xD30xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M | 119

Aluminium / Messing 162 | 132

Aluminium / Roodkoper 282

Ref

Price €

2574.1M	NW WW
2574.2M	NW WW
2574.119	NW WW
2574.162	NW WW
2574.282	NW WW
2574.132	NW WW

built-up
Driver (not included), to be installed externally.

2576/.. - CIGARO

~230V



built-up wall light - directional - with kneejoint - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

B40xD151xH112 mm 35°

B40xD40xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M | 119

Aluminium / Messing 162 | 132

Aluminium / Roodkoper 282

Ref

Price €

2576.1M	NW WW
2576.2M	NW WW
2576.119	NW WW
2576.162	NW WW
2576.282	NW WW
2576.132	NW WW

built-up

2577/.. - CIGARO

~230V



built-up wall light - directional - with knee joint and switch - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

B40xD151xH112 mm 35°

B40xD40xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M | 119

Aluminium / Messing 162 | 132

Aluminium / Roodkoper 282

Ref

Price €

2577.1M	NW WW
2577.2M	NW WW
2577.119	NW WW
2577.162	NW WW
2577.282	NW WW
2577.132	NW WW

built-up

2467/.. - CIGARO

~230V



built-up



built-up wall light - directional - with dimmable switch - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

 L50xB150xH120 mm  24°

 B50xH120xD30 mm tube Ø28xH85 mm

Materials

Aluminium 1M | 2M

Ref

2467.1M

2467.2M

Price €

 NW | WW

 NW | WW



2580.300/.. - CIGARO FLEX

=350mA



built-up wall light - directional - with flexible arm - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

B60xD410xH60 mm Flex 300 mm

35° flexible L300 mm

B60xD25xH60 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M

Messing 16 | 13M

Ref

2580.300.1M
2580.300.2M
2580.300.16
2580.300.13M


Price €

NW | WW
NW | WW
NW | WW
NW | WW

built-up
Driver (not included), to be installed externally.

2582.300/.. - CIGARO FLEX

~230V



built-up wall light - directional - with movable arm without switch - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

B40xD420xH112 mm Flex 300 mm

35° flexible L300 mm

B40xD35xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216 | 213

Ref

2582.300.1M
2582.300.2M
2582.300.216
2582.300.213


Price €

NW | WW
NW | WW
NW | WW
NW | WW

built-up

2583.300/.. - CIGARO FLEX

~230V



built-up wall light - directional - with movable arm + switch - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

B40xD420xH112 mm Flex 300 mm

35° flexible L300 mm

B40xD35xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216 | 213

Ref

2583.300.1M
2583.300.2M
2583.300.216
2583.300.213

Price €

NW | WW
NW | WW
NW | WW
NW | WW

built-up



2584.300/.. - CIGARO FLEX

~230V



built-up wall light - directional - with movable arm without switch - with LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ B40xD425xH112 mm Flex 300 mm

△ 35° flexible L300 mm

🔧 B40xD40xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M


Aluminium / Messing 216 | 213

Ref	Price €
2584.300.1M	● NW WW
2584.300.2M	● NW WW
2584.300.216	● NW WW
2584.300.213	● NW WW

built-up

2585.300/.. - CIGARO FLEX

~230V



built-up wall light - directional - with movable arm + switch - with LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ B40xD425xH112 mm Flex 300 mm

△ 35° flexible L300 mm

🔧 B40xD40xH112 mm tube Ø28xL85 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216 | 213

Ref	Price €
2585.300.1M	● NW WW
2585.300.2M	● NW WW
2585.300.216	● NW WW
2585.300.213	● NW WW

built-up



Tube available in L400 and L500 - smaller rosettes on request

1897/.. - LIPSTICK

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 168lm CRI80 1,7W 3,40Vf  500mA

Dimensions

→ Ø90xD370 mm Flex 300 mm

△ 25° Base Ø90 mm

Head Ø20xH70 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 162 | 216

Messing 16

Options

S1537/.. LIPSTICK SWITCH

TRMINI500MA/.. DRIVER 500mA

Ref Price €

1897.1M WW

1897.2M WW

1897.16 WW

1897.162 WW

1897.216 WW

semi built-in/up
mount to gyproc box with 2 screws

1898/.. - LIPSTICK by SUMUM

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 168lm CRI80 1,7W 3,40Vf  500mA

Dimensions

→ Ø90xD388 mm Flex 300 mm

△ 25° Base Ø90 mm

Head Ø20xH88 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 162 | 216

Messing 16

Options

S1537/.. LIPSTICK SWITCH

TRMINI500MA/.. DRIVER 500mA

Ref Price €

1898.1M WW

1898.2M WW

1898.16 WW


1898.162 WW

1898.216 WW

semi built-in/up
mount to gyproc box with 2 screws

1899/.. - LIPSTICK

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 168lm CRI80 1,7W 3,40Vf  500mA

Dimensions

→ L80xB80xD370 mm Flex 300 mm

△ 25° Base L80xB80 mm

Head Ø20xH70 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 162 | 216

Messing 16

Options

S1537/.. LIPSTICK SWITCH

TRMINI500MA/.. DRIVER 500mA

Ref Price €

1899.1M WW

1899.2M WW

1899.16 WW

1899.162 WW

1899.216 WW

semi built-in/up
mount to gyproc box with 2 screws

INDOOR | Wall IN | LIPSTICK

Tube available in L400 and L500 - smaller rosettes on request

1900/.. - LIPSTICK by SUMUM

=500mA

IP20 0.2300 0,5 m 5.6



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 168lm CRI80 1,7W 3,40Vf

Dimensions

L80xB80xD388 mm Flex 300 mm
 25° Base L80xB80xD mm

Head Ø20xH88 mm

Materials

Aluminium 1M | 2M
Aluminium / Messing 162 | 216
Messing 16

Options

S1537/.. LIPSTICK SWITCH
TRMINI500MA/.. DRIVER 500mA

RefPrice €

1900.1M	WW
1900.2M	WW
1900.16	WW
1900.162	WW
1900.216	WW

semi built-in/up
mount to gyproc box with 2 screws



Tube available in L400 and L500 - smaller rosettes on request

1848/.. - LIPSTICK

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 168lm CRI80 1,7W 3,40Vf  500mA

Dimensions

→ Ø60xD395 mm Flex 300 mm
 ^ 25° Base Ø60xH25 mm

Head Ø20xH70 mm

Materials

Aluminium 1M | 2M
 Aluminium / Messing 162 | 216
 Messing 16 | 13M

Options

S1537/.. LIPSTICK SWITCH
 TRMINI500MA/.. DRIVER 500mA

Ref	Price €
1848.1M	WW
1848.2M	WW
1848.16	WW
1848.13M	WW
1848.162	WW
1848.216	WW

built-up

1849/.. - LIPSTICK by SUMUM

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 168lm CRI80 1,7W 3,40Vf  500mA

Dimensions

→ Ø60xD413 mm Flex 300 mm
 ^ 25° Base Ø60xH25 mm

Head Ø20xH88 mm

Materials

Aluminium 1M | 2M
 Aluminium / Messing 162 | 216
 Messing 16 | 13M

Options

S1537/.. LIPSTICK SWITCH
 TRMINI500MA/.. DRIVER 500mA

Ref	Price €
1849.1M	WW
1849.2M	WW
1849.16	WW
1849.13M	WW
1849.162	WW
1849.216	WW

built-up

1905/.. - LIPSTICK

~230V



spotlight with flexible tube - directional - without switch - with LED driver

Lamptype

1x LED 168lm CRI80 1,7W 3,40Vf  500mA

Dimensions

→ Ø60xD435 mm Flex 300 mm
 ^ 25° Base Ø60xH65 mm

Head Ø20xH70 mm

Materials

Aluminium 1M | 2M
 Aluminium / Messing 162 | 216
 Messing 16

Options

S1537/.. LIPSTICK SWITCH

Ref	Price €
1905.1M	WW
1905.2M	WW
1905.16	WW
1905.162	WW
1905.216	WW

built-up
 With driver 4W - 500mA

INDOOR | Wall UP | LIPSTICK

Tube available in L400 and L500 - smaller rosettes on request

1906/.. - LIPSTICK by SUMUM

~230V



spotlight with flexible tube - directional - without switch - with LED driver

Lamptype

1x LED 168lm CRI80 1,7W 3,40Vf

500mA

Dimensions

Ø60xD453 mm

Flex 300 mm

25°

Base Ø60xH65 mm

Head Ø20xH88 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

162 | 216

Messing

16

Options

S1537/..

LIPSTICK SWITCH

Ref

Price €

1906.1M

WW

1906.2M

WW

1906.16

WW

1906.162

WW

1906.216

WW


built-up
With driver 4W - 500mA



Tube available in L400 and L500 - smaller rosettes on request

1895/.. - LIPSTICK

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamp type

1x LED 168lm CRI80 1,7W 3,40Vf

IF 500mA

Dimensions

L60xB40xD400 mm

Flex 300 mm

25°

Base L60xB40xH30 mm

Head Ø20xH70 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Options

S1537/.. LIPSTICK SWITCH

TRMINI500MA/.. DRIVER 500mA

Ref

1895.1M

1895.2M

1895.216

Price €

WW

WW

WW

built-up

1896/.. - LIPSTICK by SUMUM

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamp type

1x LED 168lm CRI80 1,7W 3,40Vf

IF 500mA

Dimensions

L60xB40xD418 mm

Flex 300 mm

25°

Base L60xB40xH30 mm

Head Ø20xH88 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Options

S1537/.. LIPSTICK SWITCH

TRMINI500MA/.. DRIVER 500mA

Ref

1896.1M

1896.2M

1896.216

Price €

WW


WW

WW

built-up

S1935/.. - LIPSTICK SEMI JAGGED

IP20  



accessories for built-up spot - semi jagged head

Dimensions

→ Ø20xH15,5 mm

Materials

Aluminium

Messing

1M | 2M

16 | 23

Ref

S1935.1M

S1935.2M

S1935.16


S1935.23

Price €



S1929/.. - LIPSTICK JAGGED

IP20  



accessories for built-up spot - jagged head

Materials

Aluminium

Messing

1M | 2M

16 | 23

Ref

S1929.1M

S1929.2M

S1929.16

S1929.23

Price €



Other bases on request. Flex also available in length 400 and 500mm, price on request.

1233.300/.. - FLEX LITTLE CAPA

~230V



semi built-in/up
mount to gyproc box with 2 screws

spotlight with flexible tube - directional - without switch

Lamp type

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

↔ L80xB80xD340 mm Flex 300 mm
Ø68 mm Base L80xB80 mm
Head Ø33xH43 mm

Materials

Aluminium 1M | 2M | 11
Messing 16 | 23

Ref	Price €
1233.300.1M	
1233.300.2M	
1233.300.11	
1233.300.16	
1233.300.23	

1379.300/.. - FLEX LITTLE CAPA

~230V



semi built-in/up
mount to gyproc box with 2 screws

spotlight with flexible tube - directional - with switch

Lamp type

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

↔ L80xB80xD340 mm Flex 300 mm
Ø68 mm Base L80xB80 mm
Head Ø33xH43 mm

Materials

Aluminium 1M | 2M | 11
Messing 16 | 23

Ref	Price €
1379.300.1M	
1379.300.2M	
1379.300.11	
1379.300.16	
1379.300.23	

1167.300/.. - FLEX LITTLE CAPA

~230V



semi built-in/up
mount to gyproc box with 2 screws

spotlight with flexible tube - directional - without switch

Lamp type

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

↔ Ø90xH340 mm Flex 300 mm
Ø68 mm Base Ø90 mm
Head Ø33xH43 mm

Materials

Aluminium 1M | 2M | 11
Messing 16 | 23

Ref	Price €
1167.300.1M	
1167.300.2M	
1167.300.11	
1167.300.16	
1167.300.23	

1325.300/.. - FLEX LITTLE CAPA

~230V



semi built-in/up
mount to gyproc box with 2 screws

spotlight with flexible tube - directional - with switch

Lamp type

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

↔ Ø90xH340 mm Flex 300 mm
Ø68 mm Base Ø90 mm
Head Ø33xH43 mm

Materials

Aluminium 1M | 2M | 11
Messing 16 | 23

Ref	Price €
1325.300.1M	
1325.300.2M	
1325.300.11	
1325.300.16	
1325.300.23	



Other bases on request. Flex also available in length 400 and 500mm, price on request.

1131.300/.. - FLEX LITTLE CAPA

~230V



built-up

spotlight with flexible tube - directional - without switch

Lamptype

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

↔ L60xB40xD370 mm Flex 300 mm
Base L60xB40xD30 mm Head Ø33xH43 mm


Materials

Aluminium 1M | 2M | 11

Ref	Price €
1131.300.1M	
1131.300.2M	
1131.300.11	

1108.300/.. - FLEX LITTLE CAPA

~230V



built-up

spotlight with flexible tube - directional - with switch

Lamptype

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

↔ L60xB40xD370 mm Flex 300 mm
Base L60xB40xD30 mm Head Ø33xH43 mm

Materials

Aluminium 1M | 2M | 11

Ref	Price €
1108.300.1M	
1108.300.2M	
1108.300.11	




INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1093.300/.. - FLEX LITTLE JAMES

=350mA



semi built-in/up
mount to gyproc box with 2 screws

spotlight with flexible tube - directional - without switch - without LED driver

Lamp type

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

L80xB80xD350 mm Flex 300 mm

Ø68 mm  35°

Base L80xB80 mm Head Ø40xH50 mm

Materials

Aluminium 1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1093.300.1M	NW WW
1093.300.2M	NW WW
1093.300.11	NW WW
1093.300.29	NW WW
1093.300.47	NW WW
1093.300.49	NW WW

1424.300/.. - FLEX LITTLE JAMES

=350mA



semi built-in/up
mount to gyproc box with 2 screws

spotlight with flexible tube - directional - with switch - without LED driver

Lamp type

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

L80xB80xD350 mm Flex 300 mm

Ø68 mm  35°

Base L80xB80 mm Head Ø40xH50 mm

Materials

Aluminium 1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1424.300.1M	NW WW
1424.300.2M	NW WW
1424.300.11	NW WW
1424.300.29	NW WW
1424.300.49	NW WW
1424.300.47	NW WW

1173.300/.. - FLEX LITTLE JAMES

=350mA



semi built-in/up
mount to gyproc box with 2 screws

spotlight with flexible tube - directional - without switch - without LED driver

Lamp type

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

Ø90xH350 mm Flex 300 mm

Ø68 mm  35°

Base Ø90 mm Head Ø40xH50 mm

Materials

Aluminium 1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1173.300.1M	NW WW
1173.300.2M	NW WW
1173.300.11	NW WW
1173.300.29	NW WW
1173.300.49	NW WW
1173.300.47	NW WW

1426.300/.. - FLEX LITTLE JAMES

=350mA



semi built-in/up
mount to gyproc box with 2 screws

spotlight with flexible tube - directional - with switch - without LED driver

Lamp type

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

Ø90xD350 mm Flex 300 mm

Ø68 mm  35°

Base Ø90 mm Head Ø40xH50 mm

Materials

Aluminium 1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1426.300.1M	NW WW
1426.300.2M	NW WW
1426.300.11	NW WW
1426.300.29	NW WW
1426.300.49	NW WW
1426.300.47	NW WW

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1534.300/.. - FLEX LITTLE JAMES

~230V



built-up

spotlight with flexible tube - directional - without switch - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

Ø80xH390 mm

Flex 300 mm

35°

Ø80xH40 mm

Materials

Aluminium

1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1534.300.1M	NW WW
1534.300.2M	NW WW
1534.300.11	NW WW
1534.300.29	NW WW
1534.300.49	NW WW
1534.300.47	NW WW

1535.300/.. - FLEX LITTLE JAMES

~230V



built-up

spotlight with flexible tube - directional - with switch - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

Ø80xH390 mm

Flex 300 mm

35°

Ø80xH40 mm

Materials

Aluminium

1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1535.300.1M	NW WW
1535.300.2M	NW WW
1535.300.11	NW WW
1535.300.29	NW WW
1535.300.49	NW WW
1535.300.47	NW WW



INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1089.300/.. - FLEX LITTLE JAMES			=350mA			IP20					0.3800		0,5 m		5.6		CE
 <i>built-up</i>		spotlight with flexible tube - directional - without switch - without LED driver															
		Lamptype		Ref													
		1x LED 467lm CRI80 3,8W 10,86Vf 		=350mA													
		Dimensions															
			L60xB40xD380 mm	Flex 300 mm													
			35°	Base L60xB40xD30 mm													
		Head Ø40xH50 mm															
		Materials															
		Aluminium		1M 2M 11 29 49 47													

1466.300/.. - FLEX LITTLE JAMES		=350mA	  IP20					 0.4000	 0,5 m	 5.6		
 <i>built-up</i>	 spotlight with flexible tube - directional - with switch - without LED driver	Lamptype	Ref									Price €
		1x LED 467lm CRI80 3,8W 10,86Vf	350mA	1466.300.1M	 NW	 WW						
				1466.300.2M	 NW	 WW						
				1466.300.11	 NW	 WW						
				1466.300.29	 NW	 WW						
				1466.300.47	 NW	 WW						
				1466.300.49	 NW	 WW						
		Dimensions										
		 L60xB40xD380 mm	Flex 300 mm									
		 48°	Base L60xB40xD30 mm									
Head Ø40xH50 mm												
Materials												
Aluminium		1M 2M 11 29 49 47										


1128.300/.. - FLEX LITTLE JAMES		~230V			IP20					0.4933		0,5 m		5.6	
 <i>built-up</i>	 spotlight with flexible tube - directional - without switch - with LED driver														
		Lamptype													
		1x LED 467lm CRI80 3,8W 10,86Vf  350mA													
		Dimensions													
		 L110xB55xD390 mm Flex 300 mm													
		 35° Base L110xB55xD35 mm													
		Head Ø40xH50 mm													
		Materials													
		Aluminium													
		1M 2M 11 29 49 47													
Ref															
1128.300.1M  NW WW															
1128.300.2M  NW WW															
1128.300.11  NW WW															
1128.300.29  NW WW															
1128.300.49  NW WW															
1128.300.47  NW WW															

1116.300/.. - FLEX LITTLE JAMES		~230V			IP20				 0.5533	 0,5 m	 5.6		
 <i>built-up</i>	 spotlight with flexible tube - directional - with switch - with LED driver	Lamptype	Ref										
		1x LED 467lm CRI80 3,8W 10,86Vf  350mA	1116.300.1M  NW WW										
			1116.300.2M  NW WW										
			1116.300.11  NW WW										
			1116.300.29  NW WW										
			1116.300.49  NW WW										
			1116.300.47  NW WW										
		Dimensions											
		 L110xB55xD390 mm	Flex 300 mm										
		 35°	Base L110xB55xD35 mm										
Head Ø40xH50 mm													
Materials													
Aluminium		1M 2M 11 29 49 47											

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1174.300/.. - FLEX LITTLE JACOB

=350mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

L80xB80xD380 mm Flex 300 mm

Ø68 mm 35°

Base L80xB80 mm Head Ø40xH85 mm

Materials


Aluminium 1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1174.300.1M	NW WW
1174.300.2M	NW WW
1174.300.11	NW WW
1174.300.29	NW WW
1174.300.47	NW WW
1174.300.49	NW WW

semi built-in/up
CRI 90 on request
mount to gyproc box with 2 screws

1373.300/.. - FLEX LITTLE JACOB

=350mA



spotlight with flexible tube - directional - with switch - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

L80xB80xD385 mm Flex 300 mm

Ø68 mm 35°

Base L80xB80 mm Head Ø40xH85 mm

Materials

Aluminium 1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1373.300.1M	NW WW
1373.300.2M	NW WW
1373.300.11	NW WW
1373.300.29	NW WW
1373.300.47	NW WW
1373.300.49	NW WW

semi built-in/up
CRI 90 on request
mount to gyproc box with 2 screws

1175.300/.. - FLEX LITTLE JACOB

=350mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø90xH350 mm Flex 300 mm

Ø68 mm 35°

Base Ø90 mm Head Ø40xH85 mm

Materials

Aluminium 1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1175.300.1M	NW WW
1175.300.2M	NW WW
1175.300.11	NW WW
1175.300.29	NW WW
1175.300.47	NW WW
1175.300.49	NW WW

semi built-in/up
CRI 90 on request
mount to gyproc box with 2 screws

1377.300/.. - FLEX LITTLE JACOB

=350mA



spotlight with flexible tube - directional - with switch - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø90xH385 mm Flex 300 mm

Ø68 mm 35°

Base Ø90 mm Head Ø40xH85 mm

Materials


Aluminium 1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1377.300.1M	NW WW
1377.300.2M	NW WW
1377.300.11	NW WW
1377.300.29	NW WW
1377.300.47	NW WW
1377.300.49	NW WW

semi built-in/up
CRI 90 on request
mount to gyproc box with 2 screws


INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1468.300/.. - FLEX LITTLE JACOB		=350mA	  IP20		  	 0,5 m	 5,6	CE
	spotlight with flexible tube - directional - without switch - without LED driver		Ref		Price €			
	Lamptype		1468.300.1M		 NW WW			
	1x LED 467lm CRI80 3,8W 10,86Vf		1468.300.2M		 NW WW			
	Dimensions		1468.300.11		 NW WW			
	 L65xB40xD405 mm Flex 300 mm		1468.300.29		 NW WW			
	 48° Base L65xB40xD20 mm		1468.300.49		 NW WW			
Head Ø40xH85 mm		1468.300.47		 NW WW				
Materials								
Aluminium		1M 2M 11 29 49 47						

built-up
CRI 90 on request

built-up
CRI 90 on request

1469.300/.. - FLEX LITTLE JACOB		=350mA			IP20					0.4500		0,5 m		5.6	
	spotlight with flexible tube - directional - with switch - without LED driver		Ref												
	Lamptype		Price €												
	1x LED 467lm CRI80 3,8W 10,86Vf		 350mA												
	Dimensions														
	 L65xB40xD405 mm Flex 300 mm														
	48°		Base L65xB40xD20 mm												
	Head Ø40xH85 mm		 L100xB55xH40 mm												
	Materials														
Aluminium		1M 2M 11 29 49 47													

built-up
CRI 90 on request

built-up
CRI 90 on request

1126.300/.. - FLEX LITTLE JACOB		~230V			IP20					0.4933		0,5 m		5.6	
			spotlight with flexible tube - directional - without switch - with LED driver												
	Lamptype														
	1x LED 467lm CRI80 3,8W 10,86Vf		 350mA												
	Dimensions														
	 L110xB55xD420 mm		Flex 300 mm												
	 35°		Base L110xB55xD35 mm												
Head Ø40xH85 mm		 L100xB55xH40 mm													
Materials															
Aluminium		1M 2M 11 29 49 47													

built-up
CRI 90 on request

built-up
CRI 90 on request

1127.300/.. - FLEX LITTLE JACOB		~230V			IP20			0.4125		0.5 m		5.6		CE
		spotlight with flexible tube - directional - with switch - with LED driver												
	Lamptype													
	1x LED 467lm CRI80 3,8W 10,86Vf  350mA													
	Dimensions													
		L110xB55xD420 mm	Flex 300 mm											
		35°	Base L110xB55xD35 mm											
Head Ø40xH85 mm														
Materials														
Aluminium		1M 2M 11 29 49 47												
Messing		13M 23												

Ref

1127.300.1M 

1127.300.2M 

1127.300.11 

1127.300.13M 

1127.300.23 

1127.300.29 

1127.300.49 

1127.300.47 

Price €

built-up


CRI 90 on request

built-up
CRI 90 on request

Other bases on request. Flex also available in length 400 and 500mm, price on request.

3021A/.. - ORKA WALL

~230V



built-up wall light - directional - with switch - with LED driver

Lamptype

1x LED 345lm CRI80 2,7W 10,80Vf

250mA

Dimensions

B80xH100xD40 mm

Flex 300 mm

40°

L90xB65 mm

Materials

Aluminium

2M | 14 | 10

Messing

23

Ref

3021A.2M

3021A.10

3021A.14

3021A.23

CW | WW

CW | WW

CW | WW


CW | WW

Price €

built-up
other °angle reflector on demand

3021B/.. - ORKA WALL

~230V



built-up wall light - directional - without switch - with LED driver

Lamptype

1x LED 345lm CRI80 2,7W 10,80Vf

250mA

Dimensions

B80xH100xD40 mm

Flex 300 mm

40°

L90xB65 mm

Materials

Aluminium

14 | 10

Messing

23

Ref

3021B.10

3021B.14

3021B.23

CW | WW

CW | WW

CW | WW

Price €

built-up
other °angle reflector on demand

3022A/.. - ORKA WALL

~230V



built-in wall light - directional - with switch - with Helia built-in box 275 or 276 (4 screws) - with LED driver

Lamptype

1x LED 345lm CRI80 2,7W 10,80Vf

250mA

Dimensions

B80xH90 mm

Flex 300 mm

40°

Materials

Aluminium

1M | 2M | 14

Messing

23

Ref

3022A.1M

3022A.2M

3022A.14

3022A.23

CW | WW

CW | WW

CW | WW


CW | WW

Price €

semi built-in/up
other °angle reflector on demand

3022B/.. - ORKA WALL

~230V



built-in wall light - directional - without switch - with built-in box Helia 275 or 276 (4 screws) - with LED driver

Lamptype

1x LED 345lm CRI80 2,7W 10,80Vf

250mA

Dimensions

B80xH90 mm

Flex 300 mm

40°

Materials

Aluminium

1M | 2M | 14

Messing

23

Ref

3022B.1M

3022B.2M

3022B.14

3022B.23

CW | WW

CW | WW

CW | WW

CW | WW

Price €

semi built-in/up
other °angle reflector on demand

INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

3022C/.. - ORKA WALL		~230V				IP20						CE
	built-in wall light - directional - without switch - with built-in box Helia 275 or 276 (4 screws) - with LED driver										Ref	Price €
	Lamptype										3022C.1M	 CW WW
	2x LED 345lm CRI80 2,7W 10,80Vf  250mA										3022C.2M	 CW WW
	Dimensions										3022C.14	 CW WW
	 B80xH90 mm Flex 300 mm										3022C.23	 CW WW
 40°												
Materials												
Aluminium										1M 2M 14		
Messing										23		

semi built-in/up

other ^angle reflector on demand

semi built-in/up
other °angle reflector on demand







psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.