




+30
YEARS

Cameleon

Lighting that adapts to your interior



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

1501.ZXO.S1/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

90°

Materials

Aluminium

1M | 2M | 14 | 45

Messing

16 | 13 | 13M | 23

Rood koper

28

Ref

Price €

1501.ZXO.S1.1M	NW WW
1501.ZXO.S1.2M	NW WW
1501.ZXO.S1.14	NW WW
1501.ZXO.S1.16	NW WW
1501.ZXO.S1.45	NW WW
1501.ZXO.S1.13	NW WW
1501.ZXO.S1.13M	NW WW
1501.ZXO.S1.23	NW WW
1501.ZXO.S1.28	NW WW

1501.ZXO.S2/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

90°

Materials

Aluminium

1M | 2M | 14 | 45

Messing

16 | 13 | 13M | 23

Rood koper

28

Ref

Price €

1501.ZXO.S2.1M	NW WW
1501.ZXO.S2.2M	NW WW
1501.ZXO.S2.14	NW WW
1501.ZXO.S2.16	NW WW
1501.ZXO.S2.45	NW WW
1501.ZXO.S2.13	NW WW
1501.ZXO.S2.13M	NW WW
1501.ZXO.S2.23	NW WW
1501.ZXO.S2.28	NW WW

1502.ZXO.S1/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed - conical

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

90°

Materials

Aluminium

1M | 2M | 14 | 45

Rood koper

28

Ref

Price €

1502.ZXO.S1.1M	NW WW
1502.ZXO.S1.2M	NW WW
1502.ZXO.S1.14	NW WW
1502.ZXO.S1.45	NW WW
1502.ZXO.S1.28	NW WW

1502.ZXO.S2/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed - conical

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

90°

Materials

Aluminium

1M | 2M | 14 | 45

Rood koper

28

Ref

Price €

1502.ZXO.S2.1M	NW WW
1502.ZXO.S2.2M	NW WW
1502.ZXO.S2.14	NW WW
1502.ZXO.S2.45	NW WW
1502.ZXO.S2.28	NW WW

1503.ZXO.S1/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed - conical

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

95°

Materials

Aluminium

1M | 2M | 14 | 45

Rood koper

Ref

Price €

1503.ZXO.S1.1M	NW WW
1503.ZXO.S1.2M	NW WW
1503.ZXO.S1.14	NW WW
1503.ZXO.S1.45	NW WW
1503.ZXO.S1.28	NW WW

1503.ZXO.S2/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed - conical

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø89xH125 mm

Ø80 mm

135 mm

95°

Materials

Aluminium

1M | 2M | 14 | 45

Rood koper


Ref

Price €

1503.ZXO.S2.1M	NW WW
1503.ZXO.S2.2M	NW WW
1503.ZXO.S2.14	NW WW
1503.ZXO.S2.45	NW WW
1503.ZXO.S2.28	NW WW

1504.ZXO.S1/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed - with plexiglass

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

110°

Materials

Aluminium

1M | 2M | 14 | 45

Rood koper

Ref

Price €

1504.ZXO.S1.1M	NW WW
1504.ZXO.S1.2M	NW WW
1504.ZXO.S1.14	NW WW
1504.ZXO.S1.45	NW WW
1504.ZXO.S1.28	NW WW

1504.ZXO.S2/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed - with plexiglass

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

110°

Materials

Aluminium

1M | 2M | 14 | 45

Rood koper

Ref

Price €

1504.ZXO.S2.1M	NW WW
1504.ZXO.S2.2M	NW WW
1504.ZXO.S2.14	NW WW
1504.ZXO.S2.28	NW WW
1504.ZXO.S2.45	NW WW

1506.ZXO.S1/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed - conical

Lamp type

1x LED 860lm CRI90 10W

F G 230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

70°

Materials

Aluminium

1M | 2M | 14 | 45

Rood koper

Ref

1506.ZXO.S1.1M

NW | WW

1506.ZXO.S1.2M

NW | WW

1506.ZXO.S1.14

NW | WW

1506.ZXO.S1.45

NW | WW

1506.ZXO.S1.28

NW | WW

Price €

1506.ZXO.S2/.. - CAMELEON DIM LED

~230V



built-in



downlight - round - fixed - conical

Lamp type

1x LED 860lm CRI90 10W

F G 230V

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

70°

Materials

Aluminium

1M | 2M | 14 | 45

Rood koper

Ref

1506.ZXO.S2.1M

NW | WW

1506.ZXO.S2.2M

NW | WW

1506.ZXO.S2.14

NW | WW

1506.ZXO.S2.28

NW | WW

1506.ZXO.S2.45




NW | WW

Price €











1505.ZXO.S1/.. - CAMELEON DIM LED ~230V

1505.ZXO.S1/.. - CAMELEON DIM LED ~230V



1505.ZXO.S1/.. - CAMELEON DIM LED ~230V

1505.ZXO.S1/.. - CAMELEON DIM LED ~230V

 $\angle 30^\circ$

NW | WW

built-in

1505.ZX0.S2/.. - CAMELEON DIM LED ~230V

1505.ZX0.S2/.. - CAMELEON DIM LED ~230V



1505.ZX0.S2/.. - CAMELEON DIM LED ~230V

1505.ZX0.S2/.. - CAMELEON DIM LED ~230V

 $\angle 30^\circ$

NW | WW

built-in



1571.333.S1/.. - CAMELEON

=500mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf 500mA

Dimensions

Ø89xH120 mm Ø80 mm
125 mm 90°

Materials

Aluminium 1M | 2M | 14 | 45
Messing 16 | 13 | 13M | 23
Rood koper 28

Ref

1571.333.S1.1M
1571.333.S1.2M
1571.333.S1.14
1571.333.S1.16
1571.333.S1.45
1571.333.S1.13
1571.333.S1.13M
1571.333.S1.23
1571.333.S1.28

Price €

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

1571.333.S2/.. - CAMELEON

=500mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf 500mA

Dimensions

Ø89xH120 mm Ø80 mm
125 mm 90°

Materials

Aluminium 1M | 2M | 14 | 45
Messing 16 | 13 | 13M | 23
Rood koper 28

Ref

1571.333.S2.1M
1571.333.S2.2M
1571.333.S2.45
1571.333.S2.14
1571.333.S2.16
1571.333.S2.13
1571.333.S2.13M
1571.333.S2.23
1571.333.S2.28

Price €

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

1572.333.S1/.. - CAMELEON

=500mA



built-in



downlight - round - fixed - conical - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf 500mA

Dimensions

Ø89xH120 mm Ø80 mm
125 mm 90°

Materials

Aluminium 1M | 2M | 14 | 45
Rood koper 28

Ref

1572.333.S1.1M
1572.333.S1.2M
1572.333.S1.14
1572.333.S1.45
1572.333.S1.28

Price €

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

1572.333.S2/.. - CAMELEON

=500mA



built-in



downlight - round - fixed - conical - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf 500mA

Dimensions

Ø89xH120 mm Ø80 mm
125 mm 90°

Materials

Aluminium 1M | 2M | 14 | 45
Rood koper 28

Ref

1572.333.S2.1M
1572.333.S2.2M
1572.333.S2.14
1572.333.S2.45
1572.333.S2.28

Price €

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW



CEILING IN

LEDMODULES

1573.333.S1/.. - CAMELEON

=500mA



built-in



downlight - round - fixed - conical - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf 500mA

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

95°

Materials

Aluminium 1M | 2M | 14 | 45

Rood koper 28

Ref

1573.333.S1.1M

1573.333.S1.2M

1573.333.S1.45

1573.333.S1.14

1573.333.S1.28

Price €

NW | WW

NW | WW


NW | WW

NW | WW

NW | WW

1573.333.S2/.. - CAMELEON

=500mA



built-in



downlight - round - fixed - conical - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf 500mA

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

95°

Materials

Aluminium 1M | 2M | 14 | 45

Rood koper 28

Ref

1573.333.S2.1M

1573.333.S2.2M

1573.333.S2.45

1573.333.S2.14

1573.333.S2.28

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

1574.333.S1/.. - CAMELEON

=500mA



built-in

color 14 not in humid environment



downlight - round - fixed - with plexiglass - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf 500mA

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

120°

Materials

Aluminium 1M | 2M | 14 | 45

Rood koper 28

Ref

1574.333.S1.1M

1574.333.S1.2M

1574.333.S1.14

1574.333.S1.45

1574.333.S1.28

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

1574.333.S2/.. - CAMELEON

=500mA



built-in

color 14 not in humid environment



downlight - round - fixed - with plexiglass - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf 500mA

Dimensions

Ø89xH120 mm

Ø80 mm

125 mm

120°

Materials

Aluminium 1M | 2M | 14 | 45

Rood koper 28

Ref

1574.333.S2.1M

1574.333.S2.2M

1574.333.S2.45

1574.333.S2.14

1574.333.S2.28

Price €

NW | WW

NW | WW


NW | WW

NW | WW

NW | WW

1510.333/.. - CAMELEON LED

~230V



built-up



built-up ceiling light - round - fixed

Lamptype

1x LED 860lm CRI90 10W

230V

Dimensions

Ø90xH120 mm

90°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Aluminium / Roodkoper

58

Rood koper

52

Ref

Price €

1510.333.1M

● NW | WW

1510.333.2M

● NW | WW

1510.333.45

● NW | WW

1510.333.14

● NW | WW

1510.333.29

● NW | WW

1510.333.49

● NW | WW

1510.333.58

● NW | WW

1510.333.52

● NW | WW





F **G** 230V

↔ Ø90xH120 mm



Aluminium

1M | 2M | 14 | 45 | 29 | 59 | 55












F **G** 230V

↔ Ø90xH120 mm



Aluminium

1M | 2M | 14 | 45 | 29 | 49

Aluminium / Roodkoper

58

Rood koper

52

NW | WW

built-up



1521.ZXO/.. - CAMELEON DIM LED

~230V



built-up ceiling light - round - fixed - down - with glass

Lamptype

1x LED 860lm CRI90 10W

F G 230V

Dimensions

Ø90xH120 mm

30°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Aluminium / Roodkoper

Rood koper

Ref

Price €

1521.ZXO.1M	NW WW
1521.ZXO.2M	NW WW
1521.ZXO.14	NW WW
1521.ZXO.29	NW WW
1521.ZXO.45	NW WW
1521.ZXO.49	NW WW
58 1521.ZXO.58	NW WW
52 1521.ZXO.52	NW WW

built-up
anodised

2069.333/.. - CAMELEON CTZ

=500mA



built-up ceiling light - round - fixed - with glass - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf

500mA

Dimensions

Ø90xH120 mm

90°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Aluminium / Roodkoper

Rood koper






Ref

Price €

2069.333.1M	NW WW
2069.333.2M	NW WW
2069.333.45	NW WW
2069.333.14	NW WW
2069.333.29	NW WW
2069.333.49	NW WW
58 2069.333.58	NW WW
52 2069.333.52	NW WW

built-up
suited for showers
anodised

CAMELEON COLOUR COMBINATIONS





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.