

+30
YEARS

Capa Capucine

Simplicity, spotlighted.



psmlighting
Delighted to help you



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

4500/.. - CAPUCINE

~230V



built-up ceiling light - directional - with base 005

Lamptype

1x QPAR 51 GU10 max. 20W

230V

OR 1x QPAR70 GU10 max. 8W

230V

Dimensions

↔ Ø60xH120 mm

↗ Ø60xH25 mm

Materials

Aluminium

1M | 2M | 63 | 46 | 33M

Ref

4500.1M

4500.2M

4500.33M

4500.46

4500.63



built-up

4501/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

1x QPAR 51 GU10 max. 20W

230V

OR 1x QPAR70 GU10 max. 8W

230V

Dimensions

↔ Ø100xH120 mm

↗ Ø80 mm

Materials

Aluminium

1M | 2M | 63 | 46 | 33M

Ref

4501.1M

4501.2M

4501.33M

4501.46

4501.63



built-up

4502/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

2x QPAR 51 GU10 max. 20W

230V

OR 2x QPAR70 GU10 max. 7W

230V

Dimensions

↔ Ø150xH120 mm

↗ Ø125 mm

Materials

Aluminium

1M | 2M | 63 | 46 | 33M

Ref

4502.1M

4502.2M

4502.33M

4502.46


4502.63



built-up

4503/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

3x QPAR 51 GU10 max. 20W

230V

OR 3x QPAR70 GU10 max. 7W

230V

Dimensions

↔ Ø200xH120 mm

↗ Ø175 mm

Materials

Aluminium

1M | 2M | 63 | 46 | 33M

Ref

4503.1M

4503.2M

4503.33M

4503.46

4503.63



built-up

4503X/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

3x QPAR 51 GU10 max. 20W 230V
OR 3x QPAR70 GU10 max. 7W 230V

Dimensions

Ø250xH120 mm Ø220 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref

4503X.1M
4503X.2M
4503X.33M
4503X.46
4503X.63

built-up

4504/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

4x QPAR 51 GU10 max. 20W 230V
OR 4x QPAR70 GU10 max. 7W 230V

Dimensions

Ø250xH120 mm Ø220 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref

4504.1M
4504.2M
4504.33M
4504.46
4504.63

built-up



4510/.. - CAPUCINE

~230V



built-up ceiling light - directional - with base 025

Lamptype

1x QPAR 51 GU10 max. 20W
OR 1x QPAR70 GU10 max. 8W

230V
230V

Dimensions

L60xB60xH120 mm L60xB60 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref


4510.1M
4510.2M
4510.33M
4510.46
4510.63



built-up

4511/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

1x QPAR 51 GU10 max. 20W
1x QPAR70 GU10 max. 8W

230V
230V

Dimensions

L85xB85xH125 mm L60xB60 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref

4511.1M
4511.2M
4511.33M
4511.46
4511.63




built-up



4512/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

2x QPAR 51 GU10 max. 20W 230V
OR 2x QPAR70 GU10 max. 7W 230V

Dimensions

L200xB85xH125 mm L175xB60 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M


Ref

4512.1M
4512.2M
4512.33M
4512.46
4512.63

built-up

4513/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

3x QPAR 51 GU10 max. 20W 230V
OR 3x QPAR70 GU10 max. 7W 230V

Dimensions

L300xB85xH125 mm L275xB60 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M


Ref

4513.1M
4513.2M
4513.33M
4513.46
4513.63

built-up

4514/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

4x QPAR 51 GU10 max. 20W 230V
OR 4x QPAR70 GU10 max. 7W 230V

Dimensions

L400xB85xH125 mm L375xB60 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M


Ref

4514.1M
4514.2M
4514.33M
4514.46
4514.63

built-up

4515/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

4x QPAR 51 GU10 max. 20W 230V
OR 4x QPAR70 GU10 max. 7W 230V

Dimensions

L200xB200xH125 mm L185xB185 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref

4515.1M
4515.2M
4515.63
4515.46
4515.33M

built-up

4541/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with base 005

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ Ø60xH165 mm

Base Ø60xH25 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4541.1M

4541.2M



built-up

4545/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ Ø150xH187 mm

Base Ø150xH47 mm

↔ Ø125 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4545.1M

4545.2M



built-up

4546/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

3x QPAR 51 GU10 max. 20W

230V

3x QPAR70 GU10 max. 7W

230V

Dimensions

↔ Ø200xH178 mm

Base Ø200xH38 mm

↔ Ø170 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4546.1M

4546.2M



built-up

4547/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

4x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ Ø250xH178 mm

Base Ø250xH38 mm

↔ Ø220 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4547.1M


4547.2M



built-up

4542/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Juba base

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ L200xB40xH180 mm Base L200xB40xH40 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4542.1M

4542.2M

built-up

4543/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Juba base

Lamptype

3x QPAR 51 GU10 max. 20W

230V

3x QPAR70 GU10 max. 7W

230V

Dimensions

↔ L400xB40xH180 mm Base L400xB40xH40 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4543.1M

4543.2M

built-up

4544/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Juba base

Lamptype

4x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ L600xB40xH180 mm Base L600xB40xH40 mm

Spot Ø54xH140 mm

Materials

Aluminium


1M | 2M


Ref

4544.1M

4544.2M

built-up





Spot Ø55xH130 mm

4 | 16

4530.16




NW | WW



 IP20
 


 0.7500
  0.5 m
  5.6
 



Spot Ø55xH130 mm

4 | 16

4531 16




● **NYAC / YACAC**



 IP20
 


 0.2667
  0.5 m
  5.6
 



Spot Ø55xH130 mm

4 | 16

4532.16




NEW YORK

 IP20

 0.3850

 0.5 m

 5.6



Spot Ø55xH130 mm

4 | 16

4522.16



INW | WWW

9

INDOOR | Ceiling UP | Luminaires | CAPUCINE XL





built-up



built-up ceiling light - directional - with Rondobox base

Lamptype

4x LED 700lm CRI92 9,5W

230V

Dimensions

Ø250xH206 mm

36°

Ø220xH25 mm

Spot Ø55xH130 mm

Materials

Aluminium

Messing

Ref

4534.1M

4534.2M

4534.14

4534.4

4534.16

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

~230V

LED C

IP20

0.4875

0.5 m

5.6

CE



4535/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with base 025

Lamptype

1x LED 700lm CRI92 9,5W

230V

Dimensions

L60xB60xH205 mm

36°

L60xB60xH25 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

4535.1M

NW | WW

4535.2M

NW | WW

4535.14

NW | WW

4535.4

NW | WW

4535.16

NW | WW

4516/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with Juba base

Lamptype

2x LED 700lm CRI92 9,5W

230V

Dimensions

L200xB85xH210 mm

36°

L175xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Ref

4516.1M

NW | WW

4516.2M


NW | WW

4516.14

NW | WW

4517/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with Juba base

Lamptype

3x LED 700lm CRI92 9,5W

230V

Dimensions

L400xB85xH210 mm

36°

L275xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Ref

4517.1M

NW | WW

4517.2M


NW | WW

4517.14

NW | WW

4518/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with Juba base

Lamptype

4x LED 700lm CRI92 9,5W

230V

Dimensions

L600xB85xH210 mm

36°

L375xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Ref

4518.1M

NW | WW

4518.2M

NW | WW

4518.14

NW | WW

4536/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Texo base

Lamptype

1x LED 700lm CRI92 9,5W

230V

Dimensions

L85xB85xH210 mm

36°

L60xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

4536.1M

NW | WW

4536.2M

NW | WW

4536.14

NW | WW

4536.4

NW | WW

4536.16

NW | WW

built-up

4537/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Texo base

Lamptype

2x LED 700lm CRI92 9,5W

230V

Dimensions

L200xB85xH210 mm

36°

L175xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

4537.1M

NW | WW

4537.2M

NW | WW

4537.14

NW | WW

4537.4

NW | WW


4537.16

NW | WW

built-up

4538/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Texo base

Lamptype

3x LED 700lm CRI92 9,5W

230V

Dimensions

L300xB85xH210 mm

36°

L275xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

4538.1M

NW | WW

4538.2M

NW | WW

4538.14

NW | WW

4538.4

NW | WW


4538.16

NW | WW

built-up

4539/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Texo base

Lamptype

4x LED 700lm CRI92 9,5W

230V

Dimensions

L400xB85xH210 mm

36°

L375xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

4539.1M

NW | WW

4539.2M

NW | WW

4539.14

NW | WW

4539.4

NW | WW


4539.16

NW | WW

built-up

4540/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Texo base

Lamptype

4x LED 700lm CRI92 9,5W

 230V

Dimensions

 L215xB215xH210 mm

 36°

 L375xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

4540.1M

 NW | WW

4540.2M

 NW | WW

4540.14

 NW | WW

4540.4

 NW | WW

4540.16

 NW | WW

built-up



CEILING UP

LUMINAIRES

INDOOR | Ceiling UP | Pendants | CAPA

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

7701.B3/.. - CAPA

~230V



pendant + swivel, rod shorten.

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø32xH40 mm

Rod 800 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

7701.B3.1M

7701.B3.2M

7701.B3.11M

7701.B3.14

built-up

5051.B3/.. - CAPA X

~230V



pendant + swivel, rod shorten.

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH84 mm

Rod 800 mm

Materials

Aluminium

1M | 2M | 46

Ref

5051.B3.1M

5051.B3.2M

5051.B3.46

built-up

5051.M10/.. - CAPA X

~230V



pendant - with fixed rod - rod can be shortened

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH84 mm

Rod 800 mm

Materials

Aluminium

1M | 2M | 46

Ref

5051.M10.1M

5051.M10.2M

5051.M10.46

built-up

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

7700../.. - CAPA




built-up

~230V

IP20

built-up

CEILING UP

SPOTS




INDOOR | Ceiling UP | Spots | CAPA

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

78../.. - CAPA X

~230V



built-up spot M10 - round - directional - without LED lamp

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø54xH140 mm Head Ø54xH85 mm

Materials

Aluminium 1M | 2M | 14 | 11M

Messing 4 | 16 | 13 | 13M | 23

Options

002/.. ROSETTE IN
005/.. ROSETTE UP
024/.. CONNECTOR FOR TRACKS

Kleur	7800/..	7810/..	7815/..	7820/..
	H50	H100	H150	H200
1M				
2M				
14				
11M				
4				
16				
13				
13M				
23				

built-up

3989M/.. - CAPA XL

~230V



built-up spot M10 - round - directional - without LED lamp

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø60xH169 mm Head Ø60xH122 mm

Materials

Aluminium 1M | 2M | 29 | 49

Messing 20 | 4 | 16 | 13 | 23

Options


005/.. ROSETTE UP

Ref	
3989M.1M	
3989M.2M	
3989M.20	
3989M.4	
3989M.16	
3989M.13	
3989M.23	
3989M.29	
3989M.49	

built-up

7600.AC/.. - CAPA X AC

~230V



spotlight - round - directional - with LED module

Lamptype

1x LED 800lm CRI92 9,4W 230V

Dimensions

Ø58xH180 mm 36°

Head Ø58xH130 mm

Materials

Aluminium 1M | 2M | 14 | 45

Messing 4 | 16

Ref	
7600.AC.1M	CW NW WW
7600.AC.2M	CW NW WW
7600.AC.14	CW NW WW
7600.AC.4	CW NW WW
7600.AC.16	CW NW WW
7600.AC.45	CW NW WW

built-up
dimmable leading and trailing edge

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.







7600.1500.DC/.. - CAPA X

spotlight - round - directional - with LED module - without LED driver

Lamptype

1x LED 1500lm CRI92 12W Vf

Dimensions

Ø58xH180 mm

Head Ø58xH130 mm

Materials

Aluminium

Messing

=350mA

  350mA

36°

1M | 2M | 14 | 45

4 | 16

Ref

7600.1500.DC.1M	CW NW WW
7600.1500.DC.2M	CW NW WW
7600.1500.DC.14	CW NW WW
7600.1500.DC.45	CW NW WW
7600.1500.DC.4	CW NW WW
7600.1500.DC.16	CW NW WW

built-up



CEILING UP


SPOTS

INDOOR | Ceiling UP | Spots | CAPA

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

7900/.. - CAPA

~230V



built-up spot M10 - round - directional - without LED lamp

Lamptype

1x QPAR70 GU10 max. 7W

230V

Dimensions

Ø75xH160 mm

Head Ø75xH100 mm

Materials

Aluminium

1M | 2M | 46

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

024/.. CONNECTOR FOR TRACKS

Ref

7900.1M


7900.2M

7900.46

built-up

7901/.. - CAPA

~230V



built-up spot M10 - round - directional - without LED lamp

Lamptype

1x QPAR70 GU10 max. 7W

230V

Dimensions

Head Ø85xH105 mm

tube Ø85xH165 mm

Materials

Aluminium

1M | 2M | 46

Options

002/.. ROSETTE IN

005/.. ROSETTE UP


Ref

7901.1M

7901.2M

7901.46

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

Colours



CEILING UP

SPOTS





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.