



Capa Capucine

timeless classic lighting



psmlighting

Delighted to help you



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

7701.B3/.. - CAPA

~230V



IP20



0.8 m



0.1500



1 m



4.6



pendant with swivel - rod can be shortened

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø32xH40 mm

Rod 800 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

7701.B3.1M

7701.B3.2M

7701.B3.11M

7701.B3.14

Price €



built-up

5051.B3/.. - CAPA X

~230V



IP20



0.8 m



0.3500



0.5 m



4.6



pendant with swivel - rod can be shortened

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH84 mm

Rod 800 mm

Materials

Aluminium

1M | 2M | 46

Ref

5051.B3.1M

5051.B3.2M

5051.B3.46

Price €



built-up

5051.M10/.. - CAPA X

~230V



IP20



0.8 m



0.2500



0.5 m



4.6



pendant - with fixed rod - rod can be shortened

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH84 mm

Rod 800 mm

Materials

Aluminium

1M | 2M | 46

Ref

5051.M10.1M

5051.M10.2M

5051.M10.46

Price €



built-up

INDOOR | Ceiling UP | Spots | CAPA

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.





built-up
dimmable leading and trailing edge



spotlight - round - directional - with LED module

Lamptype
1x LED 800lm CRI92 9,4W

Dimensions
Ø58xH180 mm
Head Ø58xH130 mm

Materials
Aluminium
Messing

36°

~230V

LED C

IP20

0,5 m

5.6

CE

Ref	Price €
7600.800.AC.1M	CW NW WW
7600.800.AC.2M	CW NW WW
7600.800.AC.14	CW NW WW
7600.800.AC.4	CW NW WW
7600.800.AC.16	CW NW WW
7600.800.AC.45	CW NW WW

1M 2M 14 45
4 16



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

7700../.. - CAPA

~230V



built-up spot M10 - round - directional - without LED lamp

Lamptype

1x QPAR 51 GU10 max. 20W	230V
1x QPAR70 GU10 max. 8W	230V

Dimensions

Ø32xH84 mm 50 mm

Head Ø32xH40 mm

Materials

Aluminium	1M 2M 14 11M
Messing	4 16 13 23

Options

002/..	ROSETTE IN
005/..	ROSETTE UP
024/..	CONNECTOR FOR TRACKS

Kleur	7700/..	7710/..	7720/..
	H50	H100	H200
1M	€	€	€
2M	€	€	€
14	€	€	€
11M	€	€	€
4	€	€	€
16	€	€	€
13	€	€	€
23	€	€	€

built-up


CEILING UP

SPOTS

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

7900/.. - CAPA

~230V



built-up

built-up spot M10 - round - directional - without LED lamp

Lamptype

1x QPAR70 GU10 max. 7W

230V

Dimensions

Ø75xH160 mm

Head Ø75xH100 mm

Materials

Aluminium

1M | 2M | 46

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

024/.. CONNECTOR FOR TRACKS

Ref

7900.1M

7900.2M


7900.46

Price €



7901/.. - CAPA

~230V



built-up

built-up spot M10 - round - directional - without LED lamp

Lamptype

1x QPAR70 GU10 max. 7W

230V

Dimensions

Head Ø85xH105 mm

tube Ø85xH165 mm

Materials

Aluminium

1M | 2M | 46

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

Ref

7901.1M

7901.2M

7901.46

Price €



4500/.. - CAPUCINE

~230V



built-up ceiling light - directional - with base 005

Lamptype

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

Ø60xH120 mm Ø60xH25 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref	Price €
4500.1M	
4500.2M	
4500.33M	
4500.46	
4500.63	

built-up

4501/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

Ø100xH120 mm Ø80 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref	Price €
4501.1M	
4501.2M	
4501.33M	
4501.46	
4501.63	

built-up

4502/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

2x QPAR 51 GU10 max. 20W 230V
OR 2x QPAR70 GU10 max. 7W 230V

Dimensions

Ø150xH120 mm Ø125 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref	Price €
4502.1M	
4502.2M	
4502.33M	
4502.46	
4502.63	

built-up

4503/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

3x QPAR 51 GU10 max. 20W 230V
OR 3x QPAR70 GU10 max. 7W 230V

Dimensions

Ø200xH120 mm Ø175 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref	Price €
4503.1M	
4503.2M	
4503.33M	
4503.46	
4503.63	

built-up

4503X/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

3x QPAR 51 GU10 max. 20W

230V

OR 3x QPAR70 GU10 max. 7W

230V

Dimensions

↔ Ø250xH120 mm

↗ Ø220 mm

Materials

Aluminium

1M | 2M | 63 | 46 | 33M

Ref

4503X.1M

4503X.2M

4503X.33M

4503X.46

4503X.63

Price €



built-up

4504/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

4x QPAR 51 GU10 max. 20W

230V

OR 4x QPAR70 GU10 max. 7W

230V

Dimensions

↔ Ø250xH120 mm

↗ Ø220 mm

Materials

Aluminium

1M | 2M | 63 | 46 | 33M

Ref

4504.1M

4504.2M

4504.33M

4504.46

4504.63

Price €



built-up

4510/.. - CAPUCINE

~230V



built-up ceiling light - directional - with base 025

Lamptype

1x QPAR 51 GU10 max. 20W

230V

OR 1x QPAR70 GU10 max. 8W

230V

Dimensions

↔ L60xB60xH120 mm

↗ L60xB60 mm

Materials

Aluminium

1M | 2M | 63 | 46 | 33M

Ref

4510.1M

4510.2M

4510.33M

4510.46

4510.63

Price €



built-up

4511/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

1x QPAR 51 GU10 max. 20W

230V

1x QPAR70 GU10 max. 8W

230V

Dimensions

↔ L85xB85xH125 mm

↗ L60xB60 mm

Materials

Aluminium

1M | 2M | 63 | 46 | 33M

Ref

4511.1M

4511.2M

4511.33M

4511.46

4511.63

Price €



built-up



4512/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

2x QPAR 51 GU10 max. 20W 230V
OR 2x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L200xB85xH125 mm ↗ L175xB60 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref Price €

4512.1M	●
4512.2M	●
4512.33M	●
4512.46	●
4512.63	●

built-up

4513/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

3x QPAR 51 GU10 max. 20W 230V
OR 3x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L300xB85xH125 mm ↗ L275xB60 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref Price €

4513.1M	●
4513.2M	●
4513.33M	●
4513.46	●
4513.63	●

built-up

4514/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

4x QPAR 51 GU10 max. 20W 230V
OR 4x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L400xB85xH125 mm ↗ L375xB60 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref Price €

4514.1M	●
4514.2M	●
4514.33M	●
4514.46	●
4514.63	●

built-up

4515/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base

Lamptype

4x QPAR 51 GU10 max. 20W 230V
OR 4x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L200xB200xH125 mm ↗ L185xB185 mm

Materials

Aluminium 1M | 2M | 63 | 46 | 33M

Ref Price €

4515.1M	●
4515.2M	●
4515.63	●
4515.46	●
4515.33M	●

built-up



4541/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with base 005

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ Ø60xH165 mm

Base Ø60xH25 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4541.1M

4541.2M

Price €

built-up

4545/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ Ø150xH187 mm

Base Ø150xH47 mm

↔ Ø125 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4545.1M

4545.2M

Price €

built-up

4546/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Juba base

Lamptype

3x QPAR 51 GU10 max. 20W

230V

3x QPAR70 GU10 max. 7W

230V

Dimensions

↔ Ø200xH178 mm

Base Ø200xH38 mm

↔ Ø170 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4546.1M


4546.2M

Price €

built-up

4547/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Juba base

Lamptype

4x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ Ø250xH178 mm

Base Ø250xH38 mm

↔ Ø220 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref

4547.1M


4547.2M

Price €

built-up

4542/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Juba base

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ L200xB40xH180 mm Base L200xB40xH40 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref	Price €
4542.1M	
4542.2M	

built-up

4543/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Juba base

Lamptype

3x QPAR 51 GU10 max. 20W

230V

3x QPAR70 GU10 max. 7W

230V

Dimensions

↔ L400xB40xH180 mm Base L400xB40xH40 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref	Price €
4543.1M	
4543.2M	

built-up

4544/.. - CAPUCINE X

~230V



built-up ceiling light - directional - with Juba base

Lamptype

4x QPAR 51 GU10 max. 20W

230V

Dimensions

↔ L600xB40xH180 mm Base L600xB40xH40 mm

Spot Ø54xH140 mm

Materials

Aluminium

1M | 2M

Ref	Price €
4544.1M	
4544.2M	

built-up

4530/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with base 005

Lamp type

1x LED 700lm CRI92 9,5W

230V

Dimensions

Ø60xH205 mm

36°

Ø60xH25 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref Price €

4530.1M	NW WW
4530.2M	NW WW
4530.14	NW WW
4530.4	NW WW
4530.16	NW WW

4531/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with Rondobox base

Lamp type

1x LED 700lm CRI92 9,5W

230V

Dimensions

Ø100xH205 mm

36°

Ø80xH25 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref Price €

4531.1M	NW WW
4531.2M	NW WW
4531.14	NW WW
4531.4	NW WW
4531.16	NW WW

4532/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with Rondobox base

Lamp type

2x LED 700lm CRI92 9,5W

230V

Dimensions

Ø150xH205 mm

36°

Ø125xH25 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref Price €

4532.1M	NW WW
4532.2M	NW WW
4532.14	NW WW
4532.4	NW WW
4532.16	NW WW

4533/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with Rondobox base

Lamp type

3x LED 700lm CRI92 9,5W

230V

Dimensions

Ø250xH206 mm

36°

Ø220 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing


4 | 16

Ref Price €

4533.1M	NW WW
4533.2M	NW WW
4533.14	NW WW
4533.4	NW WW
4533.16	NW WW

4534/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Rondobox base

Lamptype

4x LED 700lm CRI92 9,5W

230V

Dimensions

Ø250xH206 mm

36°

Ø220xH25 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

Price €

4534.1M

● NW | WW

4534.2M

● NW | WW

4534.14

● NW | WW

4534.4

● NW | WW

4534.16

● NW | WW



built-up



4539/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with Texo base

Lamptype

4x LED 700lm CRI92 9,5W

230V

Dimensions

L400xB85xH210 mm

36°

L375xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

Price €

4539.1M

NW | WW

4539.2M

NW | WW

4539.14

NW | WW

4539.4

NW | WW

4539.16


NW | WW

4540/.. - CAPUCINE XL

~230V



built-up



built-up ceiling light - directional - with Texo base

Lamptype

4x LED 700lm CRI92 9,5W

230V

Dimensions

L215xB215xH210 mm

36°

L375xB60xH30 mm

Spot Ø55xH130 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16

Ref

Price €

4540.1M

NW | WW

4540.2M

NW | WW

4540.14

NW | WW

4540.4




NW | WW

4540.16

NW | WW



Colours



Other colours on request



CEILING UP

LUMINAIRES



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.