



Cigaro

Design lovers go for



psmighting
Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

2406/.. - CIGARO

=350mA



built-up
Other optics : 15° - 24° - 45° on demand



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH125 mm

35°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2406.1M

2406.2M

2406.142

2406.42

2406.162

2406.282

2406.562

2406.233

2406.132

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

2450/.. - CIGARO

=350mA



built-up
Other optics : 15° - 24° - 45° on demand



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH125 mm

35°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2450.1M

2450.2M

2450.42

2450.132

2450.142

2450.162

2450.233

2450.282

2450.562

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW



33M8/.. - ZIA BASE Ø30

III ZT S1 IP20 0.0530 CE



built-in

built-in base with swivel - round - directional - without transformer

Dimensions

Ø33xH50 mm Ø30 mm
L 60 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
Messing 4 | 13 | 16

Options

S6.30/.. PLASTERKIT

Ref	Price €
33M8.1	
33M8.1M	
33M8.2	
33M8.2M	
33M8.4	
33M8.11	
33M8.13	
33M8.14	
33M8.16	

43M8/.. - ZIA BASE Ø39-40

III ZT S1 IP20 0.0800 CE



built-in

built-in base with swivel - round - directional - without transformer

Dimensions

Ø43xH50 mm Ø39-40 mm
L 60 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
Messing 4 | 13 | 16


Options

S6.40/.. PLASTERKIT

Ref	Price €
43M8.1	
43M8.1M	
43M8.2	
43M8.2M	
43M8.4	
43M8.11	
43M8.13	
43M8.14	
43M8.16	

50M8/.. - ZIA BASE Ø39-40

III ZT S1 IP20 0.0800 CE



built-in

built-in base with swivel - round - directional - without transformer

Dimensions

Ø50xH50 mm Ø39-40 mm
L 60 mm

Materials


Aluminium 1M | 2M | 14
Messing 4 | 16 | 13

Ref	Price €
50M8.1M	
50M8.2M	
50M8.4	
50M8.13	
50M8.14	
50M8.16	



8381.2406/.. - LUCY CIGARO | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Price €
8381.2406.1M	NW WW
8381.2406.2M	NW WW
8381.2406.42	NW WW
8381.2406.132	NW WW
8381.2406.142	NW WW
8381.2406.162	NW WW
8381.2406.233	NW WW
8381.2406.282	NW WW
8381.2406.562	NW WW

built-up

Other optics : 15° - 24° - 45° on demand

8382.2406/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Price €
8382.2406.1M	NW WW
8382.2406.2M	NW WW
8382.2406.42	NW WW
8382.2406.233	NW WW
8382.2406.562	NW WW
8382.2406.132	NW WW
8382.2406.142	NW WW
8382.2406.162	NW WW
8382.2406.282	NW WW

built-up

Other optics : 15° - 24° - 45° on demand

8384.2406/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Price €
8384.2406.1M	NW WW
8384.2406.2M	NW WW
8384.2406.42	NW WW
8384.2406.132	NW WW
8384.2406.142	NW WW
8384.2406.162	NW WW
8384.2406.233	NW WW
8384.2406.282	NW WW
8384.2406.562	NW WW

built-up

Other optics : 15° - 24° - 45° on demand

8388.2406/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 14M2 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Price €
8388.2406.1M	NW WW
8388.2406.2M	NW WW
8388.2406.42	NW WW
8388.2406.132	NW WW
8388.2406.142	NW WW
8388.2406.14M2	NW WW
8388.2406.162	NW WW
8388.2406.233	NW WW
8388.2406.282	NW WW
8388.2406.562	NW WW

built-up

Other optics : 15° - 24° - 45° on demand

8584.2406/.. - MYLA CIGARO | DALI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - fixed

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH135 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8584.2406.1M

8584.2406.2M

8584.2406.142

8584.2406.42

8584.2406.162

8584.2406.282

8584.2406.562

8584.2406.233

8584.2406.132

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
Other optics : 15° - 24° - 45° on demand



2417/.. - CIGARO

~230V



built-up



built-up ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø65xH170 mm

35°

Base Ø65xH45 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Price €
2417.1M	NW WW
2417.2M	NW WW
2417.42	NW WW
2417.132	NW WW
2417.142	NW WW
2417.162	NW WW
2417.233	NW WW
2417.282	NW WW
2417.562	NW WW

2418/.. - CIGARO

=350mA



built-up



built-up ceiling light - directional - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø60xH150 mm

35°

Base Ø60xH25 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132


Aluminium / Roodkoper

282 | 562

Ref	Price €
2418.1M	NW WW
2418.2M	NW WW
2418.142	NW WW
2418.42	NW WW
2418.162	NW WW
2418.282	NW WW
2418.562	NW WW
2418.233	NW WW
2418.132	NW WW

2424/.. - CIGARO

~230V



built-up



ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L65xB65xH165 mm

35°

Base L65xB65xH40 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132


Aluminium / Roodkoper

282 | 562

Ref	Price €
2424.1M	NW WW
2424.2M	NW WW
2424.42	NW WW
2424.132	NW WW
2424.142	NW WW
2424.162	NW WW
2424.233	NW WW
2424.282	NW WW
2424.562	NW WW

2426/.. - CIGARO

=350mA



built-up



ceiling light - directional - with base 025 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L60xB60xH150 mm

35°

Base L60xB60xH25 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132


Aluminium / Roodkoper

282 | 562

Ref	Price €
2426.1M	NW WW
2426.2M	NW WW
2426.42	NW WW
2426.132	NW WW
2426.142	NW WW
2426.162	NW WW
2426.233	NW WW
2426.282	NW WW
2426.562	NW WW

2399/.. - CIGARO

=350mA



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH97 mm

Ø40 mm

35°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2399.1M

NW | WW

2399.2M

NW | WW

2399.142

NW | WW

2399.42

NW | WW

2399.162

NW | WW

2399.282

NW | WW

2399.562

NW | WW

2399.233

NW | WW


2399.132

NW | WW

semi built-in/up
with swivel - 360° directional

2419/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø150xH157 mm

35°

Base Ø170xH32 mm

Ø150xH30 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2419.1M

NW | WW

2419.2M

NW | WW

2419.42

NW | WW

2419.132

NW | WW

2419.142

NW | WW

2419.162

NW | WW

2419.233

NW | WW

2419.282

NW | WW


2419.562

NW | WW

built-up

2421/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø170xH157 mm

35°

Base Ø170xH32 mm

Ø150xH30 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2421.1M

NW | WW

2421.2M

NW | WW

2421.142

NW | WW

2421.42

NW | WW

2421.162

NW | WW

2421.282

NW | WW

2421.562

NW | WW

2421.233

NW | WW


2421.132

NW | WW

built-up

2422/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø300xH153 mm

35°

Base Ø300xH28 mm

Ø270xH26 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2422.1M

NW | WW

2422.2M

NW | WW

2422.42

NW | WW

2422.132

NW | WW

2422.142

NW | WW

2422.162

NW | WW

2422.233

NW | WW

2422.282

NW | WW



2422.562

NW | WW

built-up

2455/.. - CIGARO

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L215xB215xH157 mm

35°

Base L215xB215xH32 mm

L185xB185xH30 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2455.1M

NW | WW

2455.2M

NW | WW

2455.142

NW | WW

2455.42

NW | WW

2455.162

NW | WW

2455.282

NW | WW

2455.562

NW | WW

2455.233

NW | WW

2455.132

NW | WW

built-up



CEILING UP

LUMINAIRES



2451/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L200xB40xH165 mm 35°

Base L200xB40xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref



Price €

2451.1M	NW WW
2451.2M	NW WW
2451.142	NW WW
2451.42	NW WW
2451.162	NW WW
2451.282	NW WW
2451.562	NW WW
2451.233	NW WW
2451.132	NW WW

built-up

2452/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L320xB40xH165 mm 35°

Base L320xB40xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref



Price €

2452.1M	NW WW
2452.2M	NW WW
2452.42	NW WW
2452.233	NW WW
2452.562	NW WW
2452.132	NW WW
2452.142	NW WW
2452.162	NW WW
2452.282	NW WW

built-up

2453/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB40xH165 mm 35°

Base L600xB40xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref


Price €

2453.1M	NW WW
2453.2M	NW WW
2453.42	NW WW
2453.233	NW WW
2453.562	NW WW
2453.132	NW WW
2453.142	NW WW
2453.162	NW WW
2453.282	NW WW

built-up

2454/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH165 mm 35°

Base L1200xB40xH40 mm Spot Ø28xH125 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref

Price €

2454.1M	NW WW
2454.2M	NW WW
2454.42	NW WW
2454.233	NW WW
2454.562	NW WW
2454.132	NW WW
2454.142	NW WW
2454.162	NW WW
2454.282	NW WW

built-up

2456/.. - CIGARO

~230V



ceiling light - directional - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH165 mm

35°

Base L1200xB40xH40 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2456.1M

2456.2M

2456.42

2456.233

2456.562

2456.132

2456.142

2456.162

2456.282

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up


CEILING UP

LUMINAIRES



2460/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH85 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref

Price €

2460.1M	NW WW
2460.2M	NW WW
2460.4	NW WW
2460.14	NW WW
2460.16	NW WW
2460.28	NW WW
2460.56	NW WW
2460.13M	NW WW
2460.230	NW WW

98,00

built-up

2461/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH150 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref

Price €

2461.1M	NW WW
2461.2M	NW WW
2461.4	NW WW
2461.14	NW WW
2461.16	NW WW
2461.28	NW WW
2461.56	NW WW
2461.13M	NW WW
2461.230	NW WW

built-up

2462/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH200 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref


Price €

2462.1M	NW WW
2462.2M	NW WW
2462.4	NW WW
2462.14	NW WW
2462.16	NW WW
2462.28	NW WW
2462.56	NW WW
2462.13M	NW WW
2462.230	NW WW

built-up

2463/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH250 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref

Price €

2463.1M	NW WW
2463.2M	NW WW
2463.4	NW WW
2463.14	NW WW
2463.16	NW WW
2463.28	NW WW
2463.56	NW WW
2463.13M	NW WW
2463.230	NW WW

built-up

2464/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH300 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref

Price €

2464.1M	NW WW
2464.2M	NW WW
2464.4	NW WW
2464.14	NW WW
2464.16	NW WW
2464.28	NW WW
2464.56	NW WW
2464.13M	NW WW
2464.230	NW WW

built-up

2465/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH350 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref

Price €

2465.1M	NW WW
2465.2M	NW WW
2465.4	NW WW
2465.14	NW WW
2465.16	NW WW
2465.28	NW WW
2465.56	NW WW
2465.13M	NW WW
2465.230	NW WW

built-up

2466/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH400 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref

Price €

2466.1M	NW WW
2466.2M	NW WW
2466.14	NW WW
2466.4	NW WW
2466.16	NW WW
2466.13M	NW WW
2466.230	NW WW
2466.28	NW WW
2466.56	NW WW

built-up

2470/.. - CIGARO

~230V



built-up

built-up ceiling light - fixed - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø65xH130 mm

35°

Base Ø65xH45 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2470.1M	NW WW
2470.2M	NW WW
2470.42	NW WW
2470.132	NW WW
2470.142	NW WW
2470.162	NW WW
2470.233	NW WW
2470.282	NW WW
2470.562	NW WW

2475/.. - CIGARO

=350mA



built-up

ceiling light - fixed - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø60xH110 mm

35°

Base Ø60xH25 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562


Ref

Price €

2475.1M	NW WW
2475.2M	NW WW
2475.42	NW WW
2475.132	NW WW
2475.142	NW WW
2475.162	NW WW
2475.282	NW WW
2475.233	NW WW
2475.562	NW WW

2471/.. - CIGARO

~230V



built-up

built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø170xH115 mm

35°

Base Ø170xH32 mm

Ø150xH30 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref


Price €

2471.1M	NW WW
2471.2M	NW WW
2471.142	NW WW
2471.42	NW WW
2471.162	NW WW
2471.282	NW WW
2471.562	NW WW
2471.233	NW WW
2471.132	NW WW



2472/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

Ø170xH282 mm 

Base Ø170xH32 mm  Ø150xH30 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref

Price €

2472.1M	● NW WW
2472.2M	● NW WW
2472.142	● NW WW
2472.42	● NW WW
2472.162	● NW WW
2472.282	● NW WW
2472.562	● NW WW
2472.233	● NW WW
2472.132	● NW WW

built-up
1x150mm - 1x200mm - 1x250mm

2473/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

Ø300xH328 mm 

Base Ø300xH28 mm  Ø270xH26 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref

Price €

2473.1M	● NW WW
2473.2M	● NW WW
2473.142	● NW WW
2473.42	● NW WW
2473.162	● NW WW
2473.282	● NW WW
2473.562	● NW WW
2473.233	● NW WW
2473.132	● NW WW

built-up
1x 150mm - 2x 200mm - 1x 250mm - 1x 300mm

2474/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

Ø350xH328 mm 

Base Ø350xH28 mm  Ø320xH26 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref


Price €

2474.1M	● NW WW
2474.2M	● NW WW
2474.42	● NW WW
2474.132	● NW WW
2474.142	● NW WW
2474.162	● NW WW
2474.233	● NW WW
2474.282	● NW WW
2474.562	● NW WW

built-up
1x85mm - 3x 150mm - 1x 200mm - 1x 250mm - 1x 300mm

2420.150/.. - CIGARO

=350mA



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH150 mm

Cable 1500 mm

45°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56



Ref

Price €

2420.150.1M.KX1	NW WW
2420.150.2M.KX2	NW WW
2420.150.14.KX2	NW WW
2420.150.4.KX2	NW WW
2420.150.16.KX2	NW WW
2420.150.13M.KX2	NW WW
2420.150.23.KX2	NW WW
2420.150.230.KX2	NW WW
2420.150.28.KX2	NW WW
2420.150.56.KX2	NW WW

2420.200/.. - CIGARO

=350mA



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH200 mm

Cable 1500 mm

45°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56



Ref

Price €

2420.200.1M.KX1	NW WW
2420.200.2M.KX2	NW WW
2420.200.14.KX2	NW WW
2420.200.4.KX2	NW WW
2420.200.16.KX2	NW WW
2420.200.13M.KX2	NW WW
2420.200.23.KX2	NW WW
2420.200.230.KX2	NW WW
2420.200.28.KX2	NW WW
2420.200.56.KX2	NW WW

2420.250/.. - CIGARO

=350mA



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH250 mm

Cable 1500 mm

45°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56



Ref

Price €

2420.250.1M.KX1	NW WW
2420.250.2M.KX2	NW WW
2420.250.4.KX2	NW WW
2420.250.14.KX2	NW WW
2420.250.16.KX2	NW WW
2420.250.23.KX2	NW WW
2420.250.28.KX2	NW WW
2420.250.56.KX2	NW WW
2420.250.13M.KX2	NW WW
2420.250.230.KX2	NW WW

2420.300/.. - CIGARO

=350mA



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH300 mm

Cable 1500 mm

45°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

Price €

2420.300.1M.KX1	NW WW
2420.300.2M.KX2	NW WW
2420.300.14.KX2	NW WW
2420.300.4.KX2	NW WW
2420.300.16.KX2	NW WW
2420.300.13M.KX2	NW WW
2420.300.23.KX2	NW WW
2420.300.230.KX2	NW WW
2420.300.28.KX2	NW WW
2420.300.56.KX2	NW WW

2420.350/.. - CIGARO

=350mA



IP20



1.5 m



0.7040



0.5 m



5.6



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH350 mm

Cable 1500 mm

45°

Materials

Aluminium

Messing

Rood koper

1M | 2M | 14 | 230

4 | 16 | 13M | 23

28 | 56

Ref

2420.350.1M.KX1

2420.350.2M.KX2

2420.350.14.KX2

2420.350.4.KX2

2420.350.16.KX2

2420.350.13M.KX2

2420.350.23.KX2

2420.350.230.KX2

2420.350.28.KX2

2420.350.56.KX2

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
with extra thin cable Ø3mm

2420.400/.. - CIGARO

=350mA



IP20



1.5 m



0.4833



0.5 m



5.6



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH400 mm

Cable 1500 mm

45°

Materials

Aluminium

Messing

Rood koper

1M | 2M | 14 | 230

4 | 16 | 13M | 23

28 | 56

Ref

2420.400.1M.KX1

2420.400.2M.KX2

2420.400.4.KX2

2420.400.14.KX2

2420.400.16.KX2

2420.400.23.KX2

2420.400.28.KX2

2420.400.56.KX2

2420.400.13M.KX2

2420.400.230.KX2

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

NW | WW

NW | WW

built-up
with extra thin cable Ø3mm



P038/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



Accessories for pendant lamps - strain relief for cable Ø3mm

Dimensions

↔ Ø12xH20 mm

Materials

Aluminium 1M | 2M

Ref	Price €
P038.1M	
P038.2M	

built-up
to be fixed to rosette or ceiling base
for cable KX and K

P039/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 44 | 53 | 46 | 21
Messing 4 | 16 | 13 | 23
Rood koper 28

Ref	Price €
P039.1	
P039.1M	
P039.2	
P039.2M	
P039.14	
P039.11	
P039.44	
P039.4	
P039.16	
P039.13	
P039.23	
P039.53	
P039.46	
P039.28	
P039.21	

built-up
to be fixed to rosette or ceiling base

P040/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20 mm

Materials


Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13 | 23
Rood koper 28

Ref	Price €
P040.1	
P040.1M	
P040.2	
P040.2M	
P040.14	
P040.11	
P040.4	
P040.16	
P040.13	
P040.23	
P040.28	

built-up
to be fixed to rosette or ceiling base

61.10../. - ROSETTE IN

S1 IP20   0.0719 



built-in

rosette to build in - round

Dimensions

Ø60 mm

Ø40 mm

55 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Inox 316

5

Messing

4 | 16 | 13

Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

61.10.1

61.10.1M

61.10.2

61.10.2M

61.10.14

61.10.11

61.10.5


61.10.4

61.10.16

61.10.13

71.10../. - ROSETTE IN

S1 IP20   0.0900 



built-in

rosette to build in - round

Dimensions

Ø70 mm

Ø50 mm

55 mm

Materials

Aluminium

1M | 2M

Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref


Price €

71.10.1M

71.10.2M

81.10../. - ROSETTE IN

S1 IP20   0.1011 



built-in

rosette to build in - round

Dimensions

Ø80 mm

Ø60 mm

55 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Inox 316

5

Messing

4 | 16 | 13 | 23

Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

81.10.1

81.10.1M

81.10.2

81.10.2M

81.10.14

81.10.11

81.10.5

81.10.4


81.10.16

81.10.13

81.10.23

91.10../. - ROSETTE IN

S1 IP20   0.1267 



built-in

rosette to build in - round

Dimensions

Ø90 mm

Ø60 mm

55 mm

Materials

Aluminium

1M | 2M

Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

91.10.1M

91.10.2M

054B/.. - ROSETTE for textile cable

IP20   0.1267 



built-up base - built-up base with strain relief for 1 textile cable

Dimensions

↔ Ø64xH41 mm

Materials

Aluminium	1M 2M 14
Aluminium / Roodkoper	282
Messing	4 16 13 23
Rood koper	28

Ref	Price €
054B.1M	
054B.2M	
054B.14	
054B.4	
054B.16	
054B.13	
054B.23	
054B.28	
054B.282	

055B/.. - ROSETTE for textile cable

IP20   0.1332 



built-up base - with strain relief for 1 textile cable

Dimensions

↔ Ø62xH30 mm

Materials

Aluminium	1M 2M 14
Aluminium / Roodkoper	282
Messing	4 16 13 23
Rood koper	28

Ref	Price €
055B.1M	
055B.2M	
055B.14	
055B.4	
055B.16	
055B.13	
055B.23	
055B.28	
055B.282	

057/.. - ROSETTE for textile cable

IP20   0.0767 



built-up base - built-up base with strain relief for 1 textile cable + 2,25m steel cable

Dimensions

↔ Ø62xH30 mm


Materials

Aluminium	1M 2M 14
Messing	16 13 23
Rood koper	28

Ref	Price €
057.1M	
057.2M	
057.13	
057.14	
057.16	
057.23	
057.28	


005/.. - ROSETTE UP



		Ref	Price €
 built-up	built-up base - round		
	Dimensions		
	↔ Ø60xH25 mm	005.1	
		005.1M	
	Materials	005.2	
	Aluminium 1 1M 2 2M 14 11 119 53	005.2M	
	46 21	005.14	
	Messing 4 16 13 13M 23	005.11	
	Options	005.4	
	P040/.. STRAIN RELIEF - TREKONTLASTING	005.16	
	P039/.. STRAIN RELIEF - TREKONTLASTING	005.13	
	P038/.. STRAIN RELIEF - TREKONTLASTING	005.13M	
		005.23	
		005.119	
		005.53	
		005.46	
		005.21	


1653/.. - ROSETTE UP + DRIVER



		Ref	Price €
 built-up	built-up base - round - with driver 350mA 4,5W - dimmable phase cut - with LED driver		
	Dimensions	1653.1M	
	↔ Ø65xH45 mm	1653.2M	
	Materials		
	Aluminium 1M 2M		
	Options		
	P040/.. STRAIN RELIEF - TREKONTLASTING		
	P039/.. STRAIN RELIEF - TREKONTLASTING		
	P038/.. STRAIN RELIEF - TREKONTLASTING		

1654/.. - ROSETTE UP + DRIVER



		Ref	Price €
 built-up	built-up base - square - with driver 350mA 4,5W - dimmable phase cut - with LED driver		
	Dimensions	1654.1M	
	↔ L65xB65xH40 mm	1654.2M	
	Materials		
	Aluminium 1M 2M		
	Options		
	P040/.. STRAIN RELIEF - TREKONTLASTING		
	P039/.. STRAIN RELIEF - TREKONTLASTING		
	P038/.. STRAIN RELIEF - TREKONTLASTING		


2481/.. - CIGARO GLASS ~230V IP20 1.5 m 0.5 m 5.6 CE




 IP20
 


 1.5 m
 

 0.5 m
 
 5.6
 



F 350mA

Base Ø250xH28 mm

 Ø220xH26 mm

Aluminium / Roodkoper 282

Ref		Price €
2481.1M.KX1	 NW WW	
2481.2M.KX2	 NW WW	
2481.162.KX2	 NW WW	
2481.282.KX2	 NW WW	

2482/.. - CIGARO GLASS ~230V IP20 1.5 m 4.5250 0,5 m 5.6




 IP20
 



 1.5 m
 

 4.5/5.0
 
 0.5 m
 
 5.6
 



F 350mA

Base Ø300xH28 mm

 Ø270xH26 mm

Aluminium / Roodkoper 282

Ref		Price €
2482.1M.KX1	 NW WW	
2482.2M.KX2	 NW WW	
2482.162.KX2	 NW WW	
2482.282.KX2	 NW WW	

2483/- - CIGARO GLASS ~230V 1.5 m 0.5 m 5.6




 IP20
 


 1.5 m
 






F 350mA

Base Ø350xH28 mm

 Ø320xH26 mm

Aluminium / Roodkoper 282

Ref		Price €
2483.1M.KX1	 NW WW	
2483.2M.KX2	 NW WW	
2483.162.KX2	 NW WW	
2483.282.KX2	 NW WW	



2484/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm

pendant - fixed - down - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB40xH1740 mm Cable 1500 mm

45°

Base L600xB40xH40 mm

Glass Ø50xH150 mm

tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282

Ref

2484.1M.KX1

2484.2M.KX2

2484.162.KX2

2484.282.KX2

Price €

NW | WW

NW | WW

NW | WW

NW | WW

2485/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm

pendant - fixed - down - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH1740 mm Cable 1500 mm

45°

Base L1200xB40xH40 mm

Glass Ø50xH150 mm

tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282

Ref

2485.1M.KX1

2485.2M.KX2

2485.162.KX2

2485.282.KX2

Price €

NW | WW


NW | WW

NW | WW

NW | WW

2477/.. - CIGARO SWIVEL

=350mA



built-up
3 x pendule - 5 x tube

pendant - directional - down - with swivel arm - without LED driver

Lamptype

8x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L900xB100xH500 mm Cable 1500 mm

35°

Materials


Aluminium / Roodkoper	MIX28
-----------------------	-------

Ref

2477.MIX28.KX2

Price €

NW | WW



2423/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø250xH1750 mm

Cable 1500 mm

45°

Base Ø250xH28 mm

Ø220xH26 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2423.1M.KX1

2423.2M.KX2

2423.42.KX2

2423.132.KX2

2423.142.KX2

2423.162.KX2

2423.282.KX2

2423.233.KX2

2423.562.KX2

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


built-up

with extra thin cable Ø3mm

1x 200mm - 1x 250mm - 1x 300mm

2425/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø300xH1800 mm

Cable 1500 mm

45°

Base Ø300xH28 mm

Ø270xH26 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

tube Ø28xH350 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2425.1M.KX1

2425.2M.KX2

2425.142.KX2

2425.42.KX2

2425.162.KX2

2425.282.KX2

2425.562.KX2

2425.233.KX2

2425.132.KX2

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


built-up

with extra thin cable Ø3mm

1x 150mm - 1x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

2427/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø350xH1800 mm

Cable 1500 mm

45°

Base Ø350xH28 mm

Ø320xH26 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

tube Ø28xH350 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2427.1M.KX1

2427.2M.KX2

2427.42.KX2

2427.132.KX2

2427.142.KX2

2427.162.KX2

2427.282.KX2

2427.233.KX2

2427.562.KX2

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up


with extra thin cable Ø3mm

2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

INDOOR | Ceiling UP | Pendants | CIGARO

2428/.. - CIGARO

~230V



*built-up
with extra thin cable Ø3mm*



pendant - fixed - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB40xH1700 mm Cable 1500 mm

45°

Base L600xB40xH40 mm

tube Ø28xH200 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2428.1M.KX1

NW | WW

2428.2M.KX2

NW | WW

2428.42.KX2

NW | WW

2428.132.KX2

NW | WW

2428.142.KX2

NW | WW

2428.162.KX2

NW | WW

2428.282.KX2

NW | WW

2428.233.KX2


NW | WW

2428.562.KX2

NW | WW

2429/.. - CIGARO

~230V



*built-up
with extra thin cable Ø3mm*



pendant - fixed - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH1750 mm Cable 1500 mm

45°

Base L1200xB40xH40 mm

tube Ø28xH200 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2429.1M.KX1

NW | WW

2429.2M.KX2

NW | WW

2429.42.KX2

NW | WW

2429.132.KX2

NW | WW

2429.142.KX2

NW | WW

2429.162.KX2

NW | WW

2429.233.KX2

NW | WW

2429.282.KX2

NW | WW

2429.562.KX2

NW | WW



2468/.. - CIGARO COMBI GLASS BZ

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Ref

Price €

2468.MIX13

NW | WW

Lamptype

11x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø400xH1900 mm

Cable 1500 mm

45°

Base Ø350xH28 mm

Glass Ø50xH150 mm

Ø320xH26 mm

tube Ø28xH200 mm

Materials

Aluminium / Messing

MIX13

built-up

with extra thin cable Ø3mm

2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

2469/.. - CIGARO COMBI GLASS RC

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Ref

Price €

2469.156

NW | WW

Lamptype

11x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø400xH1900 mm

Cable 1500 mm

45°

Base Ø350xH28 mm

Glass Ø50xH150 mm

Ø320xH26 mm

tube Ø28xH200 mm

Materials

Rood koper

156

built-up



with extra thin cable Ø3mm

2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm



2350.200/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH200 mm

Cable 1500 mm

45°

Glass Ø50xH150 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2350.200.1M.KX1.TR

NW | WW

2350.200.2M.KX2.TR

NW | WW

2350.200.4.KX2.TR

NW | WW

2350.200.14.KX2.TR

NW | WW

2350.200.16.KX2.TR

NW | WW

2350.200.23.KX2.TR

NW | WW

2350.200.28.KX2.TR

NW | WW

2350.200.56.KX2.TR

NW | WW

2350.200.13M.KX2.TR

NW | WW

2350.200.230.KX2.TR



NW | WW

Price €

built-up

2350.250/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH250 mm

Cable 1500 mm

45°

Glass Ø50xH150 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2350.250.1M.KX1.TR

NW | WW

2350.250.2M.KX2.TR

NW | WW

2350.250.4.KX2.TR

NW | WW

2350.250.14.KX2.TR

NW | WW

2350.250.16.KX2.TR

NW | WW

2350.250.23.KX2.TR

NW | WW

2350.250.28.KX2.TR

NW | WW

2350.250.56.KX2.TR

NW | WW

2350.250.13M.KX2.TR

NW | WW

2350.250.230.KX2.TR



NW | WW

Price €

built-up

2350.300/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH300 mm

1500 mm

45°

Glass Ø50xH150 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2350.300.1M.KX1.TR

NW | WW

2350.300.2M.KX2.TR

NW | WW

2350.300.4.KX2.TR

NW | WW

2350.300.14.KX2.TR

NW | WW

2350.300.16.KX2.TR

NW | WW

2350.300.23.KX2.TR

NW | WW

2350.300.28.KX2.TR

NW | WW

2350.300.56.KX2.TR

NW | WW

2350.300.13M.KX2.TR

NW | WW

2350.300.230.KX2.TR


NW | WW

Price €

built-up

2350.350/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH350 mm

Cable 1500 mm

45°

Glass Ø50xH250 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2350.350.1M.KX1.TR

NW | WW

2350.350.2M.KX2.TR

NW | WW

2350.350.14.KX2.TR

NW | WW

2350.350.4.KX2.TR

NW | WW

2350.350.16.KX2.TR

NW | WW

2350.350.13M.KX2.TR

NW | WW

2350.350.23.KX2.TR

NW | WW

2350.350.230.KX2.TR

NW | WW

2350.350.28.KX2.TR

NW | WW

2350.350.56.KX2.TR

NW | WW

Price €

built-up

2350.400/.. - CIGARO SMOOTH GLASS

≈350mA



IP20




1.5 m



1.8000

0,5 m

5,6



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH400 mm

Cable 1500 mm

45°

Glass Ø50xH250 mm

Materials

Aluminium

Messing

Rood koper

1M | 2M | 14 | 230

4 | 16 | 13M | 23


28 | 56

Ref

Price €

2350.400.1M.KX1.TR				NW WW
2350.400.2M.KX2.TR				NW WW
2350.400.14.KX2.TR				NW WW
2350.400.4.KX2.TR				NW WW
2350.400.16.KX2.TR				NW WW
2350.400.13M.KX2.TR				NW WW
2350.400.23.KX2.TR				NW WW
2350.400.230.KX2.TR				NW WW
2350.400.28.KX2.TR				NW WW
2350.400.56.KX2.TR				NW WW

built-up




CEILING UP

PENDANTS

2430.200/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - down - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH200 mm

Cable 1500 mm

45°

Glass Ø50xH150 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2430.200.1M.KX1.TRR

NW | WW

2430.200.2M.KX2.TRR

NW | WW

2430.200.4.KX2.TRR

NW | WW

2430.200.14.KX2.TRR

NW | WW

2430.200.16.KX2.TRR

NW | WW

2430.200.23.KX2.TRR

NW | WW

2430.200.28.KX2.TRR

NW | WW

2430.200.56.KX2.TRR

NW | WW

2430.200.13M.KX2.TRR

NW | WW

2430.200.230.KX2.TRR

NW | WW

Price €

built-up

2430.250/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH250 mm

1500 mm

45°

Glass Ø50xH150 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2430.250.1M.KX1.TRR

NW | WW

2430.250.2M.KX2.TRR

NW | WW

2430.250.14.KX2.TRR

NW | WW

2430.250.4.KX2.TRR

NW | WW

2430.250.16.KX2.TRR

NW | WW

2430.250.13M.KX2.TRR

NW | WW

2430.250.23.KX2.TRR

NW | WW

2430.250.230.KX2.TRR

NW | WW

2430.250.28.KX2.TRR

NW | WW

2430.250.56.KX2.TRR

NW | WW

Price €

built-up

2430.300/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH300 mm

1500 mm

45°

Glass Ø50xH150 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2430.300.1M.KX1.TRR

NW | WW

2430.300.2M.KX2.TRR

NW | WW

2430.300.4.KX2.TRR

NW | WW

2430.300.14.KX2.TRR

NW | WW

2430.300.16.KX2.TRR

NW | WW

2430.300.23.KX2.TRR

NW | WW

2430.300.28.KX2.TRR

NW | WW

2430.300.56.KX2.TRR

NW | WW

2430.300.13M.KX2.TRR

NW | WW

2430.300.230.KX2.TRR

NW | WW

Price €

built-up

2430.350/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - down - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH350 mm

Cable 1500 mm

45°

Glass Ø50xH250 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2430.350.1M.KX1.TRR

NW | WW

2430.350.2M.KX2.TRR

NW | WW

2430.350.4.KX2.TRR

NW | WW

2430.350.14.KX2.TRR

NW | WW

2430.350.16.KX2.TRR

NW | WW

2430.350.23.KX2.TRR

NW | WW

2430.350.28.KX2.TRR

NW | WW

2430.350.56.KX2.TRR

NW | WW

2430.350.13M.KX2.TRR

NW | WW

2430.350.230.KX2.TRR


NW | WW

Price €

built-up

2430.400/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lamp holder's side - without LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH400 mm

1500 mm



45°

Glass Ø50xH250 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2430.400.1M.KX1.TRR

NW | WW

2430.400.2M.KX2.TRR

NW | WW

2430.400.4.KX2.TRR

NW | WW

2430.400.14.KX2.TRR

NW | WW

2430.400.16.KX2.TRR

NW | WW

2430.400.23.KX2.TRR

NW | WW

2430.400.28.KX2.TRR

NW | WW

2430.400.56.KX2.TRR

NW | WW

2430.400.13M.KX2.TRR

NW | WW

2430.400.230.KX2.TRR

NW | WW

Price €

built-up





CEILING UP

PENDANTS

2442/.. - CIGARO

=350mA



built-up

pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø56xH312 mm

Cable 1500 mm

45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1647/..

ROSETTE UP + DRIVER

Ref

Price €

2442.1M.TX1

NW | WW

2442.2M.TX2

NW | WW

2442.4.TX2

NW | WW

2442.14.TX2

NW | WW

2442.16.TX2

NW | WW

2442.28.TX2

NW | WW

2442.56.TX2

NW | WW

2442.13M.TX2



NW | WW

2442.230.TX2

NW | WW

2443/.. - CIGARO

=350mA



built-up

pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2443.1M.TX1

NW | WW

2443.2M.TX2

NW | WW

2443.4.TX2

NW | WW

2443.14.TX2

NW | WW

2443.16.TX2

NW | WW

2443.28.TX2

NW | WW

2443.56.TX2

NW | WW

2443.13M.TX2



NW | WW

2443.230.TX2

NW | WW

2444/.. - CIGARO

=350mA



built-up

pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2444.1M.TX1

NW | WW

2444.2M.TX2

NW | WW

2444.4.TX2

NW | WW

2444.14.TX2

NW | WW

2444.16.TX2

NW | WW

2444.28.TX2

NW | WW

2444.56.TX2

NW | WW

2444.13M.TX2

NW | WW

2444.230.TX2

NW | WW

2448/.. - CIGARO

=350mA




IP20



1.5 m



0.5 m



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 233

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2448.1M.TX1

NW | WW

2448.2M.TX2

NW | WW

2448.4.TX2

NW | WW

2448.14.TX2

NW | WW

2448.16.TX2

NW | WW

2448.28.TX2

NW | WW

2448.56.TX2

NW | WW

2448.13M.TX2

NW | WW

2448.233.TX2

NW | WW

built-up



CEILING UP

PENDANTS

2447/.. - CIGARO

≈350mA



IP20



1.5 m



3.5000

0,5 m

5,6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

45°

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2447.1M.TX1

NW | WW

2447.2M.TX2

NW | WW

2447.14.TX2

NW | WW

2447.4.TX2

NW | WW

2447.16.TX2

NW | WW

2447.13M.TX2

NW | WW

2447.230.TX2

NW | WW

2447.28.TX2

NW | WW


2447.56.TX2

NW | WW

built-up



1647/.. - ROSETTE UP + DRIVER



built-up base - round - with 1x TR89800255 | 15W - 350mA - with LED driver

Dimensions

↔ Ø70xH170 mm


Materials

Aluminium 1M | 2M

Ref	Price €
1647.1M	
1647.2M	

built-up

1649/.. - ROSETTE UP + DRIVER



built-up base - round - with 2x TR89800255 | 30W - 350mA - with LED driver

Dimensions

↔ Ø70xH170 mm

Materials

Aluminium 1M | 2M

Ref	Price €
1649.1M	
1649.2M	

built-up

CEILING UP

LUMINAIRES

029/.. - STEELCABLE HOLDER

IP20   



accessories for lighting systems - steelcable holder

Dimensions

↔ Ø20xH48 mm

Materials

Aluminium 2M | 14

Ref	Price €
029.2M	
029.14	

built-up

031/.. - STEELCABLE HOLDER

IP20  



accessories for lighting systems - steelcable holder

Dimensions

↔ Ø16xH34 mm

Materials

Aluminium 2M | 14

Ref	Price €
031.2M	
031.14	

2020/.. - METRO

IP20   



accessories for lighting systems - ceiling base for steel wire

Dimensions

↔ Ø20xH30 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 10

Ref	Price €
2020.1	
2020.1M	
2020.2	
2020.2M	
2020.10	

S2494/.. - CIGARO

IP20  



supplement - housing with centre supply without driver + height controller + steel cable


Materials

Aluminium 1M | 2M

Ref	Price €
S2494.1M	
S2494.2M	

2492/.. - CIGARO 13 TUBES

~230V



built-up



pendant - fixed - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L364xB28xH200 mm

Cable 1500 mm

45°

L364xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562


Ref

Price €

2492.1M	NW WW
2492.2M	NW WW
2492.42	NW WW
2492.132	NW WW
2492.142	NW WW
2492.162	NW WW
2492.233	NW WW
2492.282	NW WW
2492.562	NW WW

2499/.. - CIGARO 21 TUBES

~230V



built-up



pendant - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L590xB28xH200 mm

Cable 1500 mm

45°

L360xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562



Ref

Price €

2499.1M	NW WW
2499.2M	NW WW
2499.42	NW WW
2499.132	NW WW
2499.142	NW WW
2499.162	NW WW
2499.233	NW WW
2499.282	NW WW
2499.562	NW WW

2493/.. - CIGARO 35 TUBES

~230V



built-up



pendant - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L980xB28xH200 mm

1500 mm

45°

L364xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2493.1M	NW WW
2493.2M	NW WW
2493.42	NW WW
2493.132	NW WW
2493.142	NW WW
2493.162	NW WW
2493.233	NW WW
2493.282	NW WW
2493.562	NW WW



Verkrijgbaar op aanvraag in andere combinaties en kleuren.
Available on request in other combinations and colours.
Disponible sur demande dans d'autres combinaisons et couleurs.
Auf Anfrage in anderen Kombinationen und Farben erhältlich.

2495/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L310xB90xH150 mm

Cable 1500 mm

45°

L250xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2495.1M	NW WW
2495.2M	NW WW
2495.42	NW WW
2495.132	NW WW
2495.142	NW WW
2495.162	NW WW
2495.233	NW WW
2495.282	NW WW
2495.562	NW WW

2491/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB90xH150 mm

Cable 1500 mm

45°

L250xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562



Ref

Price €

2491.1M	NW WW
2491.2M	NW WW
2491.42	NW WW
2491.132	NW WW
2491.142	NW WW
2491.162	NW WW
2491.282	NW WW
2491.233	NW WW
2491.562	NW WW

2490/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

9x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1270xB90xH150 mm

Cable 1500 mm

45°

L420xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562


Ref

Price €

2490.1M	NW WW
2490.2M	NW WW
2490.42	NW WW
2490.132	NW WW
2490.142	NW WW
2490.162	NW WW
2490.233	NW WW
2490.282	NW WW
2490.562	NW WW

2480/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

12x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1064xB252xH200 mm

Cable 1500 mm

45°

Ø60xH25 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562


Ref

Price €

2480.1M	NW WW
2480.2M	NW WW
2480.42	NW WW
2480.132	NW WW
2480.142	NW WW
2480.162	NW WW
2480.233	NW WW
2480.282	NW WW
2480.562	NW WW

2496.1200.3/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref


Price €

2496.1200.3.1M	NW WW
2496.1200.3.2M	NW WW
2496.1200.3.42	NW WW
2496.1200.3.132	NW WW
2496.1200.3.142	NW WW
2496.1200.3.162	NW WW
2496.1200.3.282	NW WW
2496.1200.3.233	NW WW
2496.1200.3.562	NW WW

Add additional suspension, box or driver box.
(not included in price)

2496.1200.4/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref


Price €

2496.1200.4.1M	NW WW
2496.1200.4.2M	NW WW
2496.1200.4.42	NW WW
2496.1200.4.233	NW WW
2496.1200.4.562	NW WW
2496.1200.4.132	NW WW
2496.1200.4.142	NW WW
2496.1200.4.162	NW WW
2496.1200.4.282	NW WW

Add additional suspension, box or driver box.
(not included in price)

2496.1200.5/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €



2496.1200.5.1M	NW WW
2496.1200.5.2M	NW WW
2496.1200.5.42	NW WW
2496.1200.5.233	NW WW
2496.1200.5.562	NW WW
2496.1200.5.132	NW WW
2496.1200.5.142	NW WW
2496.1200.5.162	NW WW
2496.1200.5.282	NW WW

Add additional suspension, box or driver box.
(not included in price)



2496.1200.6A/.. - CIGARO EXCL. DRIVER

=350mA



Add additional suspension, box or driver box.
(not included in price)

pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2496.1200.6A.1M

NW | WW

2496.1200.6A.2M

NW | WW

2496.1200.6A.42

NW | WW

2496.1200.6A.233

NW | WW

2496.1200.6A.562

NW | WW

2496.1200.6A.132

NW | WW

2496.1200.6A.142

NW | WW

2496.1200.6A.162



NW | WW

2496.1200.6A.282

NW | WW

2496.1200.6B/.. - CIGARO EXCL. DRIVER

=350mA



Add additional suspension, box or driver box.
(not included in price)

pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2496.1200.6B.1M

NW | WW

2496.1200.6B.2M

NW | WW

2496.1200.6B.42

NW | WW

2496.1200.6B.233

NW | WW

2496.1200.6B.562

NW | WW

2496.1200.6B.132

NW | WW

2496.1200.6B.142

NW | WW

2496.1200.6B.162



NW | WW

2496.1200.6B.282

NW | WW

2496.1600.6A/.. - CIGARO EXCL. DRIVER

=350mA



Add additional suspension, box or driver box.
(not included in price)

pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2496.1600.6A.1M

NW | WW

2496.1600.6A.2M

NW | WW

2496.1600.6A.42

NW | WW

2496.1600.6A.132

NW | WW

2496.1600.6A.142

NW | WW

2496.1600.6A.162

NW | WW

2496.1600.6A.233

NW | WW

2496.1600.6A.282



NW | WW

2496.1600.6A.562

NW | WW

2496.1600.6B/.. - CIGARO EXCL. DRIVER

=350mA



Add additional suspension, box or driver box.
(not included in price)

pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2496.1600.6B.1M

NW | WW

2496.1600.6B.2M

NW | WW

2496.1600.6B.42

NW | WW

2496.1600.6B.233

NW | WW

2496.1600.6B.562

NW | WW

2496.1600.6B.132

NW | WW

2496.1600.6B.142

NW | WW

2496.1600.6B.162


NW | WW

2496.1600.6B.282

NW | WW

2497.1200.3/.. - CIGARO DRIVER INCL. ASSYM

~230V



built-up
Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2497.1200.3.1M NW | WW

2497.1200.3.2M NW | WW

2497.1200.3.42 NW | WW

2497.1200.3.233 NW | WW

2497.1200.3.562 NW | WW

2497.1200.3.132 NW | WW


2497.1200.3.142 NW | WW

2497.1200.3.162 NW | WW

2497.1200.3.282 NW | WW

2497.1200.4/.. - CIGARO DRIVER INCL. ASSYM

~230V



built-up
Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2497.1200.4.1M NW | WW

2497.1200.4.2M NW | WW

2497.1200.4.42 NW | WW

2497.1200.4.233 NW | WW

2497.1200.4.562 NW | WW

2497.1200.4.132 NW | WW


2497.1200.4.142 NW | WW

2497.1200.4.162 NW | WW

2497.1200.4.282 NW | WW

2497.1200.5/.. - CIGARO DRIVER INCL. ASSYM

~230V



built-up
Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2497.1200.5.1M NW | WW

2497.1200.5.2M NW | WW

2497.1200.5.42 NW | WW

2497.1200.5.233 NW | WW

2497.1200.5.562 NW | WW

2497.1200.5.132 NW | WW


2497.1200.5.142 NW | WW

2497.1200.5.162 NW | WW

2497.1200.5.282 NW | WW

2497.1200.6A/.. - CIGARO DRIVER INCL. ASSYM

~230V



built-up
Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562



Ref

Price €

2497.1200.6A.1M NW | WW
2497.1200.6A.2M NW | WW
2497.1200.6A.42 NW | WW
2497.1200.6A.233 NW | WW
2497.1200.6A.562 NW | WW
2497.1200.6A.132 NW | WW
2497.1200.6A.142 NW | WW
2497.1200.6A.162 NW | WW
2497.1200.6A.282 NW | WW

2497.1200.6B/.. - CIGARO DRIVER INCL. ASSYM

~230V



built-up
Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562



Ref

Price €

2497.1200.6B.1M NW | WW
2497.1200.6B.2M NW | WW
2497.1200.6B.142 NW | WW
2497.1200.6B.42 NW | WW
2497.1200.6B.162 NW | WW
2497.1200.6B.282 NW | WW
2497.1200.6B.562 NW | WW
2497.1200.6B.233 NW | WW
2497.1200.6B.132 NW | WW

2497.1600.6A/.. - CIGARO DRIVER INCL. ASSYM

~230V



built-up
Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562



Ref

Price €

2497.1600.6A.1M NW | WW
2497.1600.6A.2M NW | WW
2497.1600.6A.42 NW | WW
2497.1600.6A.233 NW | WW
2497.1600.6A.562 NW | WW
2497.1600.6A.132 NW | WW
2497.1600.6A.142 NW | WW
2497.1600.6A.162 NW | WW
2497.1600.6A.282 NW | WW

2497.1600.6B/.. - CIGARO DRIVER INCL. ASSYM

~230V



built-up
Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref

Price €

2497.1600.6B.1M NW | WW
2497.1600.6B.2M NW | WW
2497.1600.6B.42 NW | WW
2497.1600.6B.233 NW | WW
2497.1600.6B.562 NW | WW
2497.1600.6B.132 NW | WW
2497.1600.6B.142 NW | WW
2497.1600.6B.162 NW | WW
2497.1600.6B.282 NW | WW

2498.1200.3/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2498.1200.3.1M NW | WW

2498.1200.3.2M NW | WW

2498.1200.3.42 NW | WW

2498.1200.3.233 NW | WW


2498.1200.3.562 NW | WW

2498.1200.3.132 NW | WW

2498.1200.3.142 NW | WW

2498.1200.3.162 NW | WW

2498.1200.3.282 NW | WW



built-up

2498.1200.4/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2498.1200.4.1M NW | WW

2498.1200.4.2M NW | WW

2498.1200.4.142 NW | WW

2498.1200.4.42 NW | WW


2498.1200.4.162 NW | WW

2498.1200.4.282 NW | WW

2498.1200.4.562 NW | WW

2498.1200.4.233 NW | WW

2498.1200.4.132 NW | WW



built-up

2498.1200.5/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2498.1200.5.1M NW | WW

2498.1200.5.2M NW | WW

2498.1200.5.42 NW | WW

2498.1200.5.132 NW | WW


2498.1200.5.142 NW | WW

2498.1200.5.162 NW | WW

2498.1200.5.233 NW | WW

2498.1200.5.282 NW | WW



2498.1200.5.562 NW | WW



built-up

2498.1200.6A/.. - CIGARO DRIVER INCL. CENTER

~230V



built-up

pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562


Ref

Price €

2498.1200.6A.1M	NW WW
2498.1200.6A.2M	NW WW
2498.1200.6A.42	NW WW
2498.1200.6A.233	NW WW
2498.1200.6A.562	NW WW
2498.1200.6A.132	NW WW
2498.1200.6A.142	NW WW
2498.1200.6A.162	NW WW
2498.1200.6A.282	NW WW

2498.1200.6B/.. - CIGARO DRIVER INCL. CENTER

~230V



built-up

pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562


Ref

Price €

2498.1200.6B.1M	NW WW
2498.1200.6B.2M	NW WW
2498.1200.6B.142	NW WW
2498.1200.6B.42	NW WW
2498.1200.6B.162	NW WW
2498.1200.6B.282	NW WW
2498.1200.6B.562	NW WW
2498.1200.6B.233	NW WW
2498.1200.6B.132	NW WW

2498.1600.6A/.. - CIGARO DRIVER INCL. CENTER

~230V



built-up

pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L550xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562



Ref

Price €

2498.1600.6A.1M	NW WW
2498.1600.6A.2M	NW WW
2498.1600.6A.42	NW WW
2498.1600.6A.132	NW WW
2498.1600.6A.142	NW WW
2498.1600.6A.162	NW WW
2498.1600.6A.233	NW WW
2498.1600.6A.282	NW WW
2498.1600.6A.562	NW WW

2498.1600.6B/.. - CIGARO DRIVER INCL. CENTER

~230V



built-up

pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L550xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

2498.1600.6B.1M	NW WW
2498.1600.6B.2M	NW WW
2498.1600.6B.42	NW WW
2498.1600.6B.132	NW WW
2498.1600.6B.142	NW WW
2498.1600.6B.162	NW WW
2498.1600.6B.233	NW WW
2498.1600.6B.282	NW WW
2498.1600.6B.562	NW WW

2500/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for driver 15W (3 LEDs 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref Price €

2500.1M

2500.2M

2508/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for 2 drivers 15W (4-5-6 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials


Aluminium 1M | 2M

Ref Price €

2508.1M

2508.2M

2515/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with end feed for driver 17W (3-4 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref Price €

2515.1M

2515.2M

2519/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with midfeed for driver 17W (3-4 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials


Aluminium 1M | 2M

Ref Price €

2519.1M

2519.2M

2509/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for DALI driver 17W (3-4 LEDs 4W)dimmmable 350MA - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref	Price €
2509.1M	
2509.2M	

2510/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with endfeed for DALI driver 25W (4-5-6 LEDs 4W)dimmmable 350MA - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref	Price €
2510.1M	
2510.2M	

2517/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with midfeed for DALI driver 25W (4-5-6 LEDs 4W)dimmmable 350MA - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M


Ref	Price €
2517.1M	
2517.2M	



CEILING UP

PENDANTS





2435/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB40xD63 mm

24°

L166xB40xD35 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2435.1M

2435.2M

2435.142

2435.42

2435.162

2435.282

2435.562

2435.233

2435.132

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up

2434/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB96xD63 mm

24°

L146xB84xD35 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2434.1M

2434.2M

2434.142

2434.42

2434.162

2434.282

2434.562

2434.233

2434.132

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up

2436/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB96xD63 mm

24°

L146xB84xD35 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2436.1M

2436.2M

2436.142

2436.42

2436.162

2436.282

2436.562

2436.233

2436.132

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up

2437/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB164xD63 mm

24°

L121xB152xD35 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2437.1M

2437.2M

2437.42

2437.132

2437.142

2437.162

2437.233

2437.282

2437.562

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

2438/.. - CIGARO

~230V



built-up



built-up wall light - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB164xD63 mm

24°

L121xB152xD35 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562


Ref

Price €

2438.1M	NW WW
2438.2M	NW WW
2438.142	NW WW
2438.42	NW WW
2438.162	NW WW
2438.282	NW WW
2438.562	NW WW
2438.233	NW WW
2438.132	NW WW

2439/.. - CIGARO

~230V



built-up



built-up wall light - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB164xD63 mm

24°

L121xB152xD35 mm

tube Ø28xH200 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132


Aluminium / Roodkoper

282 | 562

Ref

Price €

2439.1M	NW WW
2439.2M	NW WW
2439.42	NW WW
2439.132	NW WW
2439.142	NW WW
2439.162	NW WW
2439.233	NW WW
2439.282	NW WW
2439.562	NW WW



2432/.. - CIGARO

~230V



IP20



built-up wall light - fixed

Lamptype

1x C35 E14 max. 5W

230V

Dimensions

L250xB40xD63 mm



L170xB40xD35 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2432.1M

2432.2M

2432.142

2432.42

2432.162

2432.282

2432.562

2432.233

2432.132

Price €

98,00

98,00


built-up
Lamp not included

2433/.. - CIGARO

~230V



IP20



built-up wall light - fixed

Lamptype

3x C35 E14 max. 5W

230V

Dimensions

L250xB112xD58 mm



L100xB60xD30 mm

tube Ø28xH150 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2433.1M

2433.2M

2433.142

2433.42

2433.162

2433.282

2433.562

2433.233

2433.132


Price €

built-up
Lamps not included



2479/.. - CIGARO

=350mA



built-up wall light - directional - up or down - built-up base - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L95xB28xD95 mm

24°

Materials

Aluminium

1M | 2M | 117 | 118 | 119

Ref

2479.1M

2479.2M

2479.117

2479.118

2479.119

Price €

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up

2486/.. - CIGARO

=350mA



built-up wall light - directional - up or down - without LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L95xB85xD95 mm

24°

Materials

Aluminium

1M | 2M | 117 | 118 | 119

Ref

2486.1M

2486.2M

2486.117

2486.118

2486.119

Price €

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up

2572/.. - CIGARO

=350mA



built-up wall light - directional - with kneejoint - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L141xB112xD30 mm

35°

L112xB30xD30 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 119

Aluminium / Messing

162 | 132

Aluminium / Roodkoper

282

Ref

2572.1M

2572.2M

2572.119

2572.162

2572.282

2572.132

Price €

NW | WW

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up

2574/.. - CIGARO

=350mA



built-up wall light - directional - with kneejoint - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L141xB112xD30 mm

35°

L112xB30xD30 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 119

Aluminium / Messing

162 | 132

Aluminium / Roodkoper

282

Ref

2574.1M

2574.2M

2574.119

2574.162

2574.282

2574.132

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

2467/.. - CIGARO

~230V



reading lamp - directional - with dimmable switch - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

 L50xB150xH120 mm  24°
 B50xH120xD30 mm tube Ø28xH85 mm

Materials

Aluminium 1M | 2M


Ref	Price €
2467.1M	NW WW
2467.2M	NW WW


built-up



WALL UP

Colours





Andere kleuren op aanvraag | Autres couleurs sur demande | Other colours on request
Andere Farben auf Anfrage



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.