



Cigaro Jacob

Design lovers go for



psmighting

Delighted to help you



Cigaro

Design lovers go for



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

2406/.. - CIGARO

=350mA



built-up
Other optics : 15° - 24° - 45° on demand



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH125 mm

35°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2406.1M

2406.2M

2406.142

2406.42

2406.162

2406.282

2406.562

2406.233

2406.132

Price €

● NW | WW 84,00

● NW | WW 84,00

● NW | WW 98,00

● NW | WW 130,00

● NW | WW 116,00

● NW | WW 124,00

● NW | WW 140,00

● NW | WW 108,00

● NW | WW 116,00

2450/.. - CIGARO

=350mA



built-up
Other optics : 15° - 24° - 45° on demand



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH125 mm

35°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2450.1M

2450.2M

2450.42

2450.132

2450.142

2450.162

2450.233

2450.282

2450.562

Price €

● NW | WW 90,00

● NW | WW 90,00

● NW | WW 136,00

● NW | WW 122,00

● NW | WW 104,00

● NW | WW 122,00

● NW | WW 114,00

● NW | WW 130,00

● NW | WW 146,00

CEILING UP

SPOTS



33M8/.. - ZIA BASE Ø30



built-in base with swivel - round - directional - without transformer

Dimensions

↔ Ø33xH50 mm Ø30 mm

⌒ L 60 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
Messing 4 | 13 | 16

Options

S6.30/.. PLASTERKIT

| Ref | | Price € |
|---------|--|---------|
| 33M8.1 | | 32,37 |
| 33M8.1M | | 33,01 |
| 33M8.2 | | 32,37 |
| 33M8.2M | | 33,01 |
| 33M8.4 | | 36,48 |
| 33M8.11 | | 32,37 |
| 33M8.13 | | 41,08 |
| 33M8.14 | | 35,08 |
| 33M8.16 | | 36,48 |

built-in

43M8/.. - ZIA BASE Ø39-40



built-in base with swivel - round - directional - without transformer

Dimensions

↔ Ø43xH50 mm Ø39-40 mm

⌒ L 60 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
Messing 4 | 13 | 16

Options

S6.40/.. PLASTERKIT

| Ref | | Price € |
|---------|--|---------|
| 43M8.1 | | 32,37 |
| 43M8.1M | | 33,01 |
| 43M8.2 | | 32,37 |
| 43M8.2M | | 33,01 |
| 43M8.4 | | 36,48 |
| 43M8.11 | | 32,37 |
| 43M8.13 | | 41,08 |
| 43M8.14 | | 35,08 |
| 43M8.16 | | 36,48 |

built-in

50M8/.. - ZIA BASE Ø39-40



built-in base with swivel - round - directional - without transformer

Dimensions

↔ Ø50xH50 mm Ø39-40 mm



⌒ L 60 mm

Materials

Aluminium 1M | 2M | 14
Messing 4 | 16 | 13

| Ref | | Price € |
|---------|--|---------|
| 50M8.1M | | 37,80 |
| 50M8.2M | | 37,80 |
| 50M8.4 | | 46,20 |
| 50M8.13 | | 54,60 |
| 50M8.14 | | 39,90 |
| 50M8.16 | | 42,00 |

built-in



8381.2406/.. - LUCY CIGARO | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8381.2406.1M

8381.2406.2M

8381.2406.42

8381.2406.132

8381.2406.142

8381.2406.162

8381.2406.233

8381.2406.282

8381.2406.562

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

182,70

182,70

231,00

216,30

197,40

210,00

207,90

224,70


241,50

built-up

Other optics : 15° - 24° - 45° on demand

8382.2406/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8382.2406.1M

8382.2406.2M

8382.2406.42

8382.2406.233

8382.2406.562

8382.2406.132

8382.2406.142

8382.2406.162

8382.2406.282

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

208,95

208,95

257,25

250,95

242,55

259,35

223,65

242,55


242,55

built-up

Other optics : 15° - 24° - 45° on demand

8384.2406/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8384.2406.1M

8384.2406.2M

8384.2406.42

8384.2406.132

8384.2406.142

8384.2406.162

8384.2406.233

8384.2406.282

8384.2406.562

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

208,95

208,95

257,25

259,35

223,65

242,55

250,95

242,55


242,55

built-up

Other optics : 15° - 24° - 45° on demand

8388.2406/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 14M2 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8388.2406.1M

8388.2406.2M

8388.2406.42

8388.2406.132

8388.2406.142

8388.2406.14M2

8388.2406.162

8388.2406.233

8388.2406.282

8388.2406.562

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

325,50

325,50

373,80

359,10

340,20

340,20

367,50

352,80

367,50

384,30

built-up

Other optics : 15° - 24° - 45° on demand

INDOOR | Ceiling UP | TRACK | CIGARO-MYLA

8584.2406/.. - MYLA CIGARO | DALI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - fixed

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

∅28xH135 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8584.2406.1M

8584.2406.2M

8584.2406.142

8584.2406.42

8584.2406.162

8584.2406.282

8584.2406.562

8584.2406.233

8584.2406.132

Price €

228,90

228,90

243,60

270,90

262,50

270,90

602,70

273,00

281,40

built-up

Other optics : 15° - 24° - 45° on demand



2417/.. - CIGARO

~230V



built-up



built-up ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ Ø65xH170 mm

Base Ø65xH45 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|---------|
| 2417.1M | ● NW WW | 166,00 |
| 2417.2M | ● NW WW | 166,00 |
| 2417.42 | ● NW WW | 212,00 |
| 2417.132 | ● NW WW | 198,00 |
| 2417.142 | ● NW WW | 180,00 |
| 2417.162 | ● NW WW | 198,00 |
| 2417.233 | ● NW WW | 190,00 |
| 2417.282 | ● NW WW | 206,00 |
| 2417.562 | ● NW WW | 222,00 |

2418/.. - CIGARO

=350mA



built-up



built-up ceiling light - directional - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ Ø60xH150 mm

Base Ø60xH25 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|---------|
| 2418.1M | ● NW WW | 136,00 |
| 2418.2M | ● NW WW | 136,00 |
| 2418.142 | ● NW WW | 150,00 |
| 2418.42 | ● NW WW | 172,00 |
| 2418.162 | ● NW WW | 168,00 |
| 2418.282 | ● NW WW | 276,00 |
| 2418.562 | ● NW WW | 292,00 |
| 2418.233 | ● NW WW | 160,00 |
| 2418.132 | ● NW WW | 168,00 |

2424/.. - CIGARO

~230V



built-up



ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ L65xB65xH165 mm

Base L65xB65xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|---------|
| 2424.1M | ● NW WW | 164,00 |
| 2424.2M | ● NW WW | 164,00 |
| 2424.42 | ● NW WW | 210,00 |
| 2424.132 | ● NW WW | 196,00 |
| 2424.142 | ● NW WW | 178,00 |
| 2424.162 | ● NW WW | 196,00 |
| 2424.233 | ● NW WW | 188,00 |
| 2424.282 | ● NW WW | 204,00 |
| 2424.562 | ● NW WW | 220,00 |

2426/.. - CIGARO

=350mA



built-up



ceiling light - directional - with base 025 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ L60xB60xH150 mm

Base L60xB60xH25 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|---------|
| 2426.1M | ● NW WW | 128,00 |
| 2426.2M | ● NW WW | 128,00 |
| 2426.42 | ● NW WW | 174,00 |
| 2426.132 | ● NW WW | 160,00 |
| 2426.142 | ● NW WW | 142,00 |
| 2426.162 | ● NW WW | 160,00 |
| 2426.233 | ● NW WW | 152,00 |
| 2426.282 | ● NW WW | 172,00 |
| 2426.562 | ● NW WW | 184,00 |

INDOOR | Ceiling UP | Luminaires | CIGARO

2399/.. - CIGARO


=350mA   IP20    0.1000  0.5 m  5.6 




semi built-in/up
with swivel - 360° directional

spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 

Dimensions

→ Ø50xH97 mm 

^ 35° tube Ø28xH85 mm

Materials










Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|---------|
| 2399.1M | ● NW WW | 120,00 |
| 2399.2M | ● NW WW | 120,00 |
| 2399.142 | ● NW WW | 136,00 |
| 2399.42 | ● NW WW | 174,00 |
| 2399.162 | ● NW WW | 156,00 |
| 2399.282 | ● NW WW | 164,00 |
| 2399.562 | ● NW WW | 176,00 |
| 2399.233 | ● NW WW | 152,00 |
| 2399.132 | ● NW WW | 160,00 |

2419/.. - CIGARO


~230V    IP20    0.8500  0.5 m  5.6 



built-up

built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf 

Dimensions

→ Ø150xH157 mm ^ 35°

Base Ø170xH32 mm 

Spot Ø28xH125 mm

Materials










Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|---------|
| 2419.1M | ● NW WW | 423,21 |
| 2419.2M | ● NW WW | 412,54 |
| 2419.42 | ● NW WW | 504,54 |
| 2419.132 | ● NW WW | 476,54 |
| 2419.142 | ● NW WW | 440,54 |
| 2419.162 | ● NW WW | 476,54 |
| 2419.233 | ● NW WW | 460,54 |
| 2419.282 | ● NW WW | 492,54 |
| 2419.562 | ● NW WW | 524,54 |

2421/.. - CIGARO

~230V    IP20    0.8375  0.5 m  5.6 



built-up

built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf 

Dimensions

→ Ø170xH157 mm ^ 35°

Base Ø170xH32 mm 

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|---------|
| 2421.1M | ● NW WW | 507,21 |
| 2421.2M | ● NW WW | 496,54 |
| 2421.142 | ● NW WW | 538,54 |
| 2421.42 | ● NW WW | 634,54 |
| 2421.162 | ● NW WW | 592,54 |
| 2421.282 | ● NW WW | 616,54 |
| 2421.562 | ● NW WW | 664,54 |
| 2421.233 | ● NW WW | 568,54 |
| 2421.132 | ● NW WW | 592,54 |

2422/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ Ø300xH153 mm 35°

Base Ø300xH28 mm Ø270xH26 mm

Spot Ø28xH125 mm

Materials

| | |
|-----------------------|---------------------|
| Aluminium | 1M 2M 142 233 |
| Aluminium / Messing | 42 162 132 |
| Aluminium / Roodkoper | 282 562 |

Ref

| Ref | Color | Price € |
|----------|-----------|----------|
| 2422.1M | ● NW WW | 762,40 |
| 2422.2M | ● NW WW | 750,54 |
| 2422.42 | ● NW WW | 980,54 |
| 2422.132 | ● NW WW | 910,54 |
| 2422.142 | ● NW WW | 860,00 |
| 2422.162 | ● NW WW | 910,54 |
| 2422.233 | ● NW WW | 880,00 |
| 2422.282 | ● NW WW | 950,54 |
| 2422.562 | ● NW WW | 1.030,54 |

built-up

2455/.. - CIGARO

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ L215xB215xH157 mm 35°

Base L215xB215xH32 mm L185xB185xH30 mm

Spot Ø28xH125 mm

Materials

| | |
|-----------------------|---------------------|
| Aluminium | 1M 2M 142 233 |
| Aluminium / Messing | 42 162 132 |
| Aluminium / Roodkoper | 282 562 |

Ref

| Ref | Color | Price € |
|----------|-----------|---------|
| 2455.1M | ● NW WW | 562,00 |
| 2455.2M | ● NW WW | 562,00 |
| 2455.142 | ● NW WW | 592,00 |
| 2455.42 | ● NW WW | 720,00 |
| 2455.162 | ● NW WW | 684,00 |
| 2455.282 | ● NW WW | 696,00 |
| 2455.562 | ● NW WW | 760,00 |
| 2455.233 | ● NW WW | 632,00 |
| 2455.132 | ● NW WW | 664,00 |

built-up



CEILING UP

LUMINAIRES

INDOOR | Ceiling UP | Luminaires | CIGARO

2451/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L200xB40xH165 mm 35°

Base L200xB40xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

| Ref | Price € |
|----------|---------|
| 2451.1M | 319,81 |
| 2451.2M | 314,05 |
| 2451.142 | 342,05 |
| 2451.42 | 406,05 |
| 2451.162 | 378,05 |
| 2451.282 | 394,05 |
| 2451.562 | 426,05 |
| 2451.233 | 362,05 |
| 2451.132 | 378,05 |

built-up

2452/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L320xB40xH165 mm 35°

Base L320xB40xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

| Ref | Price € |
|----------|---------|
| 2452.1M | 432,25 |
| 2452.2M | 425,14 |
| 2452.42 | 563,14 |
| 2452.233 | 497,14 |
| 2452.562 | 593,14 |
| 2452.132 | 521,14 |
| 2452.142 | 467,14 |
| 2452.162 | 521,14 |
| 2452.282 | 545,14 |

built-up

2453/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L600xB40xH165 mm 35°

Base L600xB40xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

| Ref | Price € |
|----------|---------|
| 2453.1M | 665,12 |
| 2453.2M | 653,59 |
| 2453.42 | 837,59 |
| 2453.233 | 749,59 |
| 2453.562 | 877,59 |
| 2453.132 | 781,59 |
| 2453.142 | 709,59 |
| 2453.162 | 781,59 |
| 2453.282 | 865,00 |

built-up

2454/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L1200xB40xH165 mm 35°

Base L1200xB40xH40 mm Spot Ø28xH125 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

| Ref | Price € |
|----------|----------|
| 2454.1M | 797,69 |
| 2454.2M | 783,57 |
| 2454.42 | 989,57 |
| 2454.233 | 895,57 |
| 2454.562 | 1.043,57 |
| 2454.132 | 923,57 |
| 2454.142 | 845,57 |
| 2454.162 | 923,57 |
| 2454.282 | 975,57 |

built-up

2456/.. - CIGARO

~230V



ceiling light - directional - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L 1200xB40xH165 mm

35°

Base L1200xB40xH40 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

| Ref | Color | Price € |
|----------|-----------|----------|
| 2456.1M | ● NW WW | 809,69 |
| 2456.2M | ● NW WW | 795,57 |
| 2456.42 | ● NW WW | 1.025,57 |
| 2456.233 | ● NW WW | 915,57 |
| 2456.562 | ● NW WW | 1.075,57 |
| 2456.132 | ● NW WW | 955,57 |
| 2456.142 | ● NW WW | 865,57 |
| 2456.162 | ● NW WW | 955,57 |
| 2456.282 | ● NW WW | 995,57 |

built-up








CEILING UP
















LUMINAIRES



INDOOR | Ceiling UP | Luminaires | CIGARO

2460/.. - CIGARO
















=350mA   IP20   0.1200  0.5 m  5.6 

| | | | | |
|--|--|------------|---|----------------|
|    | built-up ceiling light - fixed - without LED driver | Ref | | Price € |
| | Lamptype | 2460.1M |  NW WW | 78,00 |
| | 1x LED 410lm CRI90 4W 11,43Vf  | 2460.2M |  NW WW | 78,00 |
| | Dimensions | 2460.4 |  NW WW | 112,00 |
| |  Ø28xH85 mm  | 2460.14 |  NW WW | 88,00 |
| | Materials | 2460.16 |  NW WW | 100,00 |
| | Aluminium 1M 2M 14 230 | 2460.28 |  NW WW | 114,00 |
| | Messing 4 16 13M | 2460.56 |  NW WW | 124,00 |
| | Rood koper 28 56 | 2460.13M |  NW WW | 100,00 |
| | | 2460.230 |  NW WW | 98,00 |

built-up








2461/.. - CIGARO
















=350mA   IP20   0.5 m  5.6 

| | | | | |
|--|---|------------|---|----------------|
|    | built-up ceiling light - fixed - without LED driver | Ref | | Price € |
| | Lamptype | 2461.1M |  NW WW | 82,00 |
| | 1x LED 410lm CRI90 4W 11,43Vf  | 2461.2M |  NW WW | 82,00 |
| | Dimensions | 2461.4 |  NW WW | 119,00 |
| |  Ø28xH150 mm  | 2461.14 |  NW WW | 94,00 |
| | Materials | 2461.16 |  NW WW | 108,00 |
| | Aluminium 1M 2M 14 230 | 2461.28 |  NW WW | 120,00 |
| | Messing 4 16 13M | 2461.56 |  NW WW | 134,00 |
| | Rood koper 28 56 | 2461.13M |  NW WW | 112,00 |
| | | 2461.230 |  NW WW | 108,00 |

built-up



2462/.. - CIGARO















=350mA   IP20   0.1600  0.5 m  5.6 

| | | | | |
|--|---|------------|---|----------------|
|    | built-up ceiling light - fixed - without LED driver | Ref | | Price € |
| | Lamptype | 2462.1M |  NW WW | 86,00 |
| | 1x LED 410lm CRI90 4W 11,43Vf  | 2462.2M |  NW WW | 86,00 |
| | Dimensions | 2462.4 |  NW WW | 130,00 |
| |  Ø28xH200 mm  | 2462.14 |  NW WW | 100,00 |
| | Materials | 2462.16 |  NW WW | 116,00 |
| | Aluminium 1M 2M 14 230 | 2462.28 |  NW WW | 128,00 |
| | Messing 4 16 13M | 2462.56 |  NW WW | 156,00 |
| | Rood koper 28 56 | 2462.13M |  NW WW | 122,00 |
| | | 2462.230 |  NW WW | 118,00 |

built-up








2463/.. - CIGARO

=350mA   IP20   0.5 m  5.6 

| | | | | |
|--|---|------------|---|----------------|
|    | built-up ceiling light - fixed - without LED driver | Ref | | Price € |
| | Lamptype | 2463.1M |  NW WW | 90,00 |
| | 1x LED 410lm CRI90 4W 11,43Vf  | 2463.2M |  NW WW | 90,00 |
| | Dimensions | 2463.4 |  NW WW | 141,00 |
| |  Ø28xH250 mm  | 2463.14 |  NW WW | 106,00 |
| | Materials | 2463.16 |  NW WW | 124,00 |
| | Aluminium 1M 2M 14 230 | 2463.28 |  NW WW | 136,00 |
| | Messing 4 16 13M | 2463.56 |  NW WW | 164,00 |
| | Rood koper 28 56 | 2463.13M |  NW WW | 132,00 |
| | | 2463.230 |  NW WW | 128,00 |












built-up

2464/.. - CIGARO

=350mA   IP20   0.3500  0.5 m  5.6 



built-up












| | Ref | | Price € |
|---|----------|---|---------|
| built-up ceiling light - fixed - without LED driver | | | |
| Lamptype | 2464.1M |  NW WW | 94,00 |
| 1x LED 410lm CRI90 4W 11,43Vf  | 2464.2M |  NW WW | 94,00 |
| Dimensions | 2464.4 |  NW WW | 152,00 |
| ↔ Ø28xH300 mm  | 2464.14 |  NW WW | 112,00 |
| Materials | 2464.16 |  NW WW | 132,00 |
| Aluminium 1M 2M 14 230 | 2464.28 |  NW WW | 144,00 |
| Messing 4 16 13M | 2464.56 |  NW WW | 174,00 |
| Rood koper 28 56 | 2464.13M |  NW WW | 142,00 |
| | 2464.230 |  NW WW | 138,00 |

2465/.. - CIGARO








=350mA   IP20   0.5 m  5.6 



built-up












| | Ref | | Price € |
|---|----------|---|---------|
| built-up ceiling light - fixed - without LED driver | | | |
| Lamptype | 2465.1M |  NW WW | 98,00 |
| 1x LED 410lm CRI90 4W 11,43Vf  | 2465.2M |  NW WW | 98,00 |
| Dimensions | 2465.4 |  NW WW | 163,00 |
| ↔ Ø28xH350 mm  | 2465.14 |  NW WW | 118,00 |
| Materials | 2465.16 |  NW WW | 140,00 |
| Aluminium 1M 2M 14 230 | 2465.28 |  NW WW | 152,00 |
| Messing 4 16 13M | 2465.56 |  NW WW | 184,00 |
| Rood koper 28 56 | 2465.13M |  NW WW | 152,00 |
| | 2465.230 |  NW WW | 148,00 |

2466/.. - CIGARO

=350mA   IP20   0.4500  0.5 m  5.6 



built-up

| | Ref | | Price € |
|---|----------|---|---------|
| built-up ceiling light - fixed - without LED driver | | | |
| Lamptype | 2466.1M |  NW WW | 102,00 |
| 1x LED 410lm CRI90 4W 11,43Vf  | 2466.2M |  NW WW | 102,00 |
| Dimensions | 2466.14 |  NW WW | 124,00 |
| ↔ Ø28xH400 mm  | 2466.4 |  NW WW | 174,00 |
| Materials | 2466.16 |  NW WW | 148,00 |
| Aluminium 1M 2M 14 230 | 2466.13M |  NW WW | 162,00 |
| Messing 4 16 13M | 2466.230 |  NW WW | 158,00 |
| Rood koper 28 56 | 2466.28 |  NW WW | 160,00 |
| | 2466.56 |  NW WW | 194,00 |

INDOOR | Ceiling UP | Luminaires | CIGARO

2470/.. - CIGARO

~230V



built-up ceiling light - fixed - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø65xH130 mm

35°

Base Ø65xH45 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2470.1M

2470.2M

2470.42

2470.132

2470.142

2470.162

2470.233

2470.282

2470.562

Price €

NW | WW 160,00

NW | WW 160,00

NW | WW 194,00

NW | WW 216,00

NW | WW 170,00

NW | WW 182,00

NW | WW 208,00

NW | WW 190,00

NW | WW 202,00

built-up

2475/.. - CIGARO

=350mA



ceiling light - fixed - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø60xH110 mm

35°

Base Ø60xH25 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2475.1M

2475.2M

2475.42

2475.132

2475.142

2475.162

2475.282

2475.233

2475.562

Price €

NW | WW 130,00

NW | WW 130,00

NW | WW 164,00

NW | WW 186,00

NW | WW 140,00

NW | WW 152,00

NW | WW 160,00


NW | WW 182,00

NW | WW 178,00

built-up

2471/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø170xH115 mm

35°

Base Ø170xH32 mm

Ø150xH30 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2471.1M

2471.2M

2471.142

2471.42

2471.162

2471.282

2471.562

2471.233

2471.132

Price €

NW | WW 411,21

NW | WW 400,54

NW | WW 420,54

NW | WW 468,54

NW | WW 444,54

NW | WW 472,54

NW | WW 492,54

NW | WW 440,54

NW | WW 444,54

built-up



2472/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø170xH282 mm

Base Ø170xH32 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|---------|
| 2472.1M | ● NW WW | 513,21 |
| 2472.2M | ● NW WW | 502,54 |
| 2472.142 | ● NW WW | 544,54 |
| 2472.42 | ● NW WW | 634,54 |
| 2472.162 | ● NW WW | 592,54 |
| 2472.282 | ● NW WW | 628,54 |
| 2472.562 | ● NW WW | 698,54 |
| 2472.233 | ● NW WW | 598,54 |
| 2472.132 | ● NW WW | 610,54 |

built-up
1x150mm - 1x200mm - 1x250mm

2473/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø300xH328 mm

Base Ø300xH28 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|----------|
| 2473.1M | ● NW WW | 780,40 |
| 2473.2M | ● NW WW | 768,54 |
| 2473.142 | ● NW WW | 842,54 |
| 2473.42 | ● NW WW | 1.002,54 |
| 2473.162 | ● NW WW | 926,54 |
| 2473.282 | ● NW WW | 986,54 |
| 2473.562 | ● NW WW | 1.114,54 |
| 2473.233 | ● NW WW | 940,54 |
| 2473.132 | ● NW WW | 960,54 |

built-up
1x 150mm - 2x 200mm - 1x 250mm - 1x 300mm

2474/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø350xH328 mm

Base Ø350xH28 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

| Ref | | Price € |
|----------|-----------|----------|
| 2474.1M | ● NW WW | 1.004,00 |
| 2474.2M | ● NW WW | 1.004,00 |
| 2474.42 | ● NW WW | 1.278,00 |
| 2474.132 | ● NW WW | 1.263,00 |
| 2474.142 | ● NW WW | 1.106,00 |
| 2474.162 | ● NW WW | 1.237,00 |
| 2474.233 | ● NW WW | 1.237,00 |
| 2474.282 | ● NW WW | 1.226,00 |
| 2474.562 | ● NW WW | 1.444,00 |

built-up
1x85mm - 3x 150mm - 1x 200mm - 1x 250mm - 1x 300mm

INDOOR | Ceiling UP | Pendants | CIGARO

2420.150/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

← Ø28xH150 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

| Ref | Price € |
|------------------|---------|
| 2420.150.1M.KX1 | 104,00 |
| 2420.150.2M.KX2 | 104,00 |
| 2420.150.14.KX2 | 116,00 |
| 2420.150.4.KX2 | 141,00 |
| 2420.150.16.KX2 | 130,00 |
| 2420.150.13M.KX2 | 134,00 |
| 2420.150.23.KX2 | 130,00 |
| 2420.150.230.KX2 | 133,00 |
| 2420.150.28.KX2 | 142,00 |
| 2420.150.56.KX2 | 156,00 |

*built-up
with extra thin cable Ø3mm*

2420.200/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

← Ø28xH200 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

| Ref | Price € |
|------------------|---------|
| 2420.200.1M.KX1 | 108,00 |
| 2420.200.2M.KX2 | 108,00 |
| 2420.200.14.KX2 | 122,00 |
| 2420.200.4.KX2 | 152,00 |
| 2420.200.16.KX2 | 138,00 |
| 2420.200.13M.KX2 | 144,00 |
| 2420.200.23.KX2 | 140,00 |
| 2420.200.230.KX2 | 139,00 |
| 2420.200.28.KX2 | 150,00 |
| 2420.200.56.KX2 | 176,00 |

*built-up
with extra thin cable Ø3mm*

2420.250/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

← Ø28xH250 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

| Ref | Price € |
|------------------|---------|
| 2420.250.1M.KX1 | 112,00 |
| 2420.250.2M.KX2 | 112,00 |
| 2420.250.4.KX2 | 163,00 |
| 2420.250.14.KX2 | 128,00 |
| 2420.250.16.KX2 | 146,00 |
| 2420.250.23.KX2 | 150,00 |
| 2420.250.28.KX2 | 158,00 |
| 2420.250.56.KX2 | 186,00 |
| 2420.250.13M.KX2 | 154,00 |
| 2420.250.230.KX2 | 146,00 |

*built-up
with extra thin cable Ø3mm*

2420.300/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

← Ø28xH300 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

| Ref | Price € |
|------------------|---------|
| 2420.300.1M.KX1 | 116,00 |
| 2420.300.2M.KX2 | 116,00 |
| 2420.300.14.KX2 | 134,00 |
| 2420.300.4.KX2 | 174,00 |
| 2420.300.16.KX2 | 154,00 |
| 2420.300.13M.KX2 | 164,00 |
| 2420.300.23.KX2 | 160,00 |
| 2420.300.230.KX2 | 155,00 |
| 2420.300.28.KX2 | 166,00 |
| 2420.300.56.KX2 | 196,00 |

*built-up
with extra thin cable Ø3mm*

2420.350/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

Ø28xH350 mm Cable 1500 mm

45°

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref

| Ref | Color | Material | Price € |
|------------------|------------|----------|---------|
| 2420.350.1M.KX1 | White | NW WW | 120,00 |
| 2420.350.2M.KX2 | Black | NW WW | 120,00 |
| 2420.350.14.KX2 | White | NW WW | 140,00 |
| 2420.350.4.KX2 | Gold | NW WW | 185,00 |
| 2420.350.16.KX2 | Gold | NW WW | 162,00 |
| 2420.350.13M.KX2 | Black | NW WW | 174,00 |
| 2420.350.23.KX2 | Black | NW WW | 170,00 |
| 2420.350.230.KX2 | Black | NW WW | 164,00 |
| 2420.350.28.KX2 | Red Copper | NW WW | 174,00 |
| 2420.350.56.KX2 | Red Copper | NW WW | 206,00 |

built-up
with extra thin cable Ø3mm

2420.400/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

Ø28xH400 mm Cable 1500 mm

45°

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref

| Ref | Color | Material | Price € |
|------------------|------------|----------|---------|
| 2420.400.1M.KX1 | White | NW WW | 124,00 |
| 2420.400.2M.KX2 | Black | NW WW | 124,00 |
| 2420.400.4.KX2 | Gold | NW WW | 196,00 |
| 2420.400.14.KX2 | White | NW WW | 146,00 |
| 2420.400.16.KX2 | Gold | NW WW | 170,00 |
| 2420.400.23.KX2 | Black | NW WW | 180,00 |
| 2420.400.28.KX2 | Red Copper | NW WW | 182,00 |
| 2420.400.56.KX2 | Red Copper | NW WW | 216,00 |
| 2420.400.13M.KX2 | Black | NW WW | 184,00 |
| 2420.400.230.KX2 | Black | NW WW | 172,00 |

built-up
with extra thin cable Ø3mm



P038/.. - STRAIN RELIEF - TREKONTLASTING

IP20     0.0800





Accessories for pendant lamps - strain relief for cable Ø3mm

Dimensions

↔ Ø12xH20 mm

Materials

Aluminium 1M | 2M

| Ref | | Price € |
|---------|---|---------|
| P038.1M |  | 9,88 |
| P038.2M |  | 9,88 |

built-up
to be fixed to rosette or ceiling base
for cable KX and K

P039/.. - STRAIN RELIEF - TREKONTLASTING

IP20     0.0356


















Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 44 | 53 | 46 | 21
Messing 4 | 16 | 13 | 23
Rood koper 28

| Ref | | Price € |
|---------|---|---------|
| P039.1 |  | 9,23 |
| P039.1M |  | 9,88 |
| P039.2 |  | 9,23 |
| P039.2M |  | 9,88 |
| P039.14 |  | 11,86 |
| P039.11 |  | 9,23 |
| P039.44 |  | 9,88 |
| P039.4 |  | 14,50 |
| P039.16 |  | 14,50 |
| P039.13 |  | 17,13 |
| P039.23 |  | 17,13 |
| P039.53 |  | 9,88 |
| P039.46 |  | 9,88 |
| P039.28 |  | 19,77 |
| P039.21 |  | 9,88 |

built-up
to be fixed to rosette or ceiling base

P040/.. - STRAIN RELIEF - TREKONTLASTING

IP20     0.0414














Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13 | 23
Rood koper 28

| Ref | | Price € |
|---------|---|---------|
| P040.1 |  | 9,23 |
| P040.1M |  | 9,88 |
| P040.2 |  | 9,23 |
| P040.2M |  | 9,88 |
| P040.14 |  | 11,86 |
| P040.11 |  | 9,23 |
| P040.4 |  | 14,50 |
| P040.16 |  | 14,50 |
| P040.13 |  | 17,13 |
| P040.23 |  | 17,13 |
| P040.28 |  | 19,77 |

built-up
to be fixed to rosette or ceiling base

61.10/.. - ROSETTE IN

S1 IP20    0.0719 



rosette to build in - round

Dimensions

↔ Ø60 mm  Ø40 mm











⊥ 55 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
 Inox 316 5
 Messing 4 | 16 | 13





Options

S2/.. SET FLAT SPRINGS
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING
 P038/.. STRAIN RELIEF - TREKONTLASTING

| Ref | Color | Price € |
|----------|---|---------|
| 61.10.1 |  | 17,46 |
| 61.10.1M |  | 18,33 |
| 61.10.2 |  | 17,46 |
| 61.10.2M |  | 18,33 |
| 61.10.14 |  | 21,18 |
| 61.10.11 |  | 17,46 |
| 61.10.5 |  | 31,63 |
| 61.10.4 |  | 28,27 |
| 61.10.16 |  | 28,27 |
| 61.10.13 |  | 34,42 |

built-in

71.10/.. - ROSETTE IN

S1 IP20    0.0900 



rosette to build in - round

Dimensions

↔ Ø70 mm  Ø50 mm



⊥ 55 mm

Materials

Aluminium 1M | 2M

Options

S2/.. SET FLAT SPRINGS
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING
 P038/.. STRAIN RELIEF - TREKONTLASTING

| Ref | Color | Price € |
|----------|---|---------|
| 71.10.1M |  | 23,15 |
| 71.10.2M |  | 23,15 |

built-in

81.10/.. - ROSETTE IN

S1 IP20    0.1011 



rosette to build in - round

Dimensions

↔ Ø80 mm  Ø60 mm












⊥ 55 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
 Inox 316 5
 Messing 4 | 16 | 13 | 23





Options

S2/.. SET FLAT SPRINGS
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING
 P038/.. STRAIN RELIEF - TREKONTLASTING

| Ref | Color | Price € |
|----------|---|---------|
| 81.10.1 |  | 26,73 |
| 81.10.1M |  | 28,07 |
| 81.10.2 |  | 26,73 |
| 81.10.2M |  | 28,07 |
| 81.10.14 |  | 30,92 |
| 81.10.11 |  | 26,73 |
| 81.10.5 |  | 40,86 |
| 81.10.4 |  | 42,79 |
| 81.10.16 |  | 42,79 |
| 81.10.13 |  | 51,12 |
| 81.10.23 |  | 51,12 |

built-in


91.10/.. - ROSETTE IN

S1 IP20    0.1267 



rosette to build in - round

Dimensions

↔ Ø90 mm  Ø60 mm



⊥ 55 mm

Materials

Aluminium 1M | 2M

Options

S2/.. SET FLAT SPRINGS
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING
 P038/.. STRAIN RELIEF - TREKONTLASTING

| Ref | Color | Price € |
|----------|---|---------|
| 91.10.1M |  | 29,49 |
| 91.10.2M |  | 29,49 |

built-in

054B/.. - ROSETTE for textile cable

IP20    CE












built-up base - built-up base with strain relief for 1 textile cable

Dimensions

↔ Ø64xH41 mm

Materials

| | |
|-----------------------|------------------|
| Aluminium | 1M 2M 14 |
| Aluminium / Roodkoper | 282 |
| Messing | 4 16 13 23 |
| Rood koper | 28 |

| Ref | | Price € |
|----------|---|---------|
| 054B.1M |  | 56,67 |
| 054B.2M |  | 56,67 |
| 054B.14 |  | 61,94 |
| 054B.4 |  | 73,81 |
| 054B.16 |  | 73,81 |
| 054B.13 |  | 77,76 |
| 054B.23 |  | 77,76 |
| 054B.28 |  | 80,40 |
| 054B.282 |  | 76,40 |

built-up

055B/.. - ROSETTE for textile cable

IP20    CE












built-up base - with strain relief for 1 textile cable

Dimensions

↔ Ø62xH30 mm

Materials

| | |
|-----------------------|------------------|
| Aluminium | 1M 2M 14 |
| Aluminium / Roodkoper | 282 |
| Messing | 4 16 13 23 |
| Rood koper | 28 |

| Ref | | Price € |
|----------|---|---------|
| 055B.1M |  | 55,35 |
| 055B.2M |  | 55,35 |
| 055B.14 |  | 60,63 |
| 055B.4 |  | 72,49 |
| 055B.16 |  | 72,49 |
| 055B.13 |  | 76,44 |
| 055B.23 |  | 76,44 |
| 055B.28 |  | 79,08 |
| 055B.282 |  | 76,40 |

built-up

057/.. - ROSETTE for textile cable

IP20    CE





built-up base - built-up base with strain relief for 1 textile cable + 2,25m steel cable

Dimensions

↔ Ø62xH30 mm

Materials



| | |
|------------|--------------|
| Aluminium | 1M 2M 14 |
| Messing | 16 13 23 |
| Rood koper | 28 |

| Ref | | Price € |
|--------|---|---------|
| 057.1M |  | 63,26 |
| 057.2M |  | 63,26 |
| 057.13 |  | 84,35 |
| 057.14 |  | 68,53 |
| 057.16 |  | 80,40 |
| 057.23 |  | 84,35 |
| 057.28 |  | 86,99 |

built-up
the workload is 4 - 15 kg



005/.. - ROSETTE UP



| | | | | | | |
|---|---|--|--|--------|----------------|-------|
|  <p>built-up</p> |  | built-up base - round | Ref | | Price € | |
| | | Dimensions | 005.1 | | 31,63 | |
| | | ↳ Ø60xH25 mm | 005.1M | | 32,95 | |
| | | Materials | 005.2 | | 31,63 | |
| | | Aluminium | 1 1M 2 2M 14 11 119 53 46 21 | 005.2M | | 32,95 |
| | | Messing | 4 16 13 13M 23 | 005.14 | | 36,90 |
| | | Options | 005.11 | | 31,63 | |
| | | P040/.. STRAIN RELIEF - TREKONTLASTING | 005.4 | | 47,45 | |
| | | P039/.. STRAIN RELIEF - TREKONTLASTING | 005.16 | | 47,45 | |
| | | P038/.. STRAIN RELIEF - TREKONTLASTING | 005.13 | | 57,99 | |
| | | | 005.13M | | 57,99 | |
| | | | 005.23 | | 57,99 | |
| | | | 005.119 | | 46,13 | |
| | | | 005.53 | | 46,13 | |
| | | | 005.46 | | 44,10 | |
| | 005.21 | | 32,95 | | | |



1653/.. - ROSETTE UP + DRIVER



| | | | | | |
|---|--|---|------------|--|----------------|
|  <p>built-up</p> |  | built-up base - round - with driver 350mA 4,5W - dimmable phase cut - with LED driver | Ref | | Price € |
| | | Dimensions | 1653.1M | | 90,41 |
| | | ↳ Ø65xH45 mm | 1653.2M | | 90,41 |
| | | Materials | | | |
| | | Aluminium | 1M 2M | | |
| Options | | | | | |
| P040/.. STRAIN RELIEF - TREKONTLASTING | | | | | |
| P039/.. STRAIN RELIEF - TREKONTLASTING | | | | | |
| P038/.. STRAIN RELIEF - TREKONTLASTING | | | | | |

1654/.. - ROSETTE UP + DRIVER



| | | | | | |
|---|---|--|------------|--|----------------|
|  <p>built-up</p> |  | built-up base - square - with driver 350mA 4,5W - dimmable phase cut - with LED driver | Ref | | Price € |
| | | Dimensions | 1654.1M | | 90,41 |
| | | ↳ L65xB65xH40 mm | 1654.2M | | 90,41 |
| | | Materials | | | |
| | | Aluminium | 1M 2M | | |
| Options | | | | | |
| P040/.. STRAIN RELIEF - TREKONTLASTING | | | | | |
| P039/.. STRAIN RELIEF - TREKONTLASTING | | | | | |
| P038/.. STRAIN RELIEF - TREKONTLASTING | | | | | |

INDOOR | Ceiling UP | Pendants | CIGARO

2481/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm
1x 200mm - 1x 250mm - 1x 300mm

pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø250xH1750 mm Cable 1500 mm
 ▲ 45° Base Ø250xH28 mm
 Glass Ø50xH150 mm Ø220xH26 mm
 tube Ø28xH200 mm


Materials

Aluminium 1M | 2M
 Aluminium / Messing 162
 Aluminium / Roodkoper 282

| Ref | Price € |
|--------------|---------|
| 2481.1M.KX1 | 747,00 |
| 2481.2M.KX2 | 747,00 |
| 2481.162.KX2 | 819,00 |
| 2481.282.KX2 | 852,00 |

2482/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm
1x 150mm - 1x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø300xH1750 mm Cable 1500 mm
 ▲ 45° Base Ø300xH28 mm
 Glass Ø50xH150 mm Ø270xH26 mm
 tube Ø28xH200 mm

Materials

Aluminium 1M | 2M
 Aluminium / Messing 162
 Aluminium / Roodkoper 282

| Ref | Price € |
|--------------|----------|
| 2482.1M.KX1 | 1.223,00 |
| 2482.2M.KX2 | 1.223,00 |
| 2482.162.KX2 | 1.343,00 |
| 2482.282.KX2 | 1.398,00 |

2483/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm
2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø350xH1750 mm Cable 1500 mm
 ▲ 45° Base Ø350xH28 mm
 Glass Ø50xH150 mm Ø320xH26 mm
 tube Ø28xH200 mm

Materials

Aluminium 1M | 2M
 Aluminium / Messing 162
 Aluminium / Roodkoper 282

| Ref | Price € |
|--------------|----------|
| 2483.1M.KX1 | 1.656,00 |
| 2483.2M.KX2 | 1.656,00 |
| 2483.162.KX2 | 1.824,00 |
| 2483.282.KX2 | 1.901,00 |



INDOOR | Ceiling UP | Pendants | CIGARO

2484/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm

pendant - fixed - down - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB40xH1740 mm Cable 1500 mm

45°

Base L600xB40xH40 mm

Glass Ø50xH150 mm

tube Ø28xH200 mm

Materials

| | |
|-----------------------|---------|
| Aluminium | 1M 2M |
| Aluminium / Messing | 162 |
| Aluminium / Roodkoper | 282 |

Ref

2484.1M.KX1

2484.2M.KX2

2484.162.KX2

2484.282.KX2

NW | WW

NW | WW

NW | WW

NW | WW

Price €

840,00

840,00

912,00

945,00

2485/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm

pendant - fixed - down - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH1740 mm Cable 1500 mm

45°

Base L1200xB40xH40 mm

Glass Ø50xH150 mm

tube Ø28xH200 mm

Materials

| | |
|-----------------------|---------|
| Aluminium | 1M 2M |
| Aluminium / Messing | 162 |
| Aluminium / Roodkoper | 282 |

Ref

2485.1M.KX1

2485.2M.KX2

2485.162.KX2

2485.282.KX2

NW | WW

NW | WW

NW | WW

NW | WW

Price €

1.307,00


1.307,00

1.427,00

1.482,00

2477/.. - CIGARO SWIVEL

=350mA



built-up
3 x pendule - 5 x tube

pendant - directional - down - with swivel arm - without LED driver

Lamptype

8x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L900xB100xH500 mm Cable 1500 mm

35°

Materials

| | |
|-----------------------|-------|
| Aluminium / Roodkoper | MIX28 |
|-----------------------|-------|

Ref

2477.MIX28.KX2

NW | WW

Price €

1.600,00



2423/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø250xH1750 mm

Cable 1500 mm

45°

Base Ø250xH28 mm

Ø220xH26 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2423.1M.KX1

2423.2M.KX2

2423.42.KX2

2423.132.KX2

2423.142.KX2

2423.162.KX2

2423.282.KX2

2423.233.KX2

2423.562.KX2



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW

Price €

583,08

575,05

728,05

701,05

623,05

677,05

713,05

679,05

797,05

built-up
with extra thin cable Ø3mm
1x 200mm - 1x 250mm - 1x 300mm

2425/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø300xH1800 mm

Cable 1500 mm

45°

Base Ø300xH28 mm

Ø270xH26 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

tube Ø28xH350 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2425.1M.KX1

2425.2M.KX2

2425.142.KX2

2425.42.KX2

2425.162.KX2

2425.282.KX2

2425.562.KX2

2425.233.KX2

2425.132.KX2



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW

Price €

950,02

938,17

1.018,17

1.193,17

1.110,17

1.168,17

1.298,17

1.115,17

1.148,17

built-up
with extra thin cable Ø3mm
1x 150mm - 1x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

2427/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

7x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø350xH1800 mm

Cable 1500 mm

45°

Base Ø350xH28 mm

Ø320xH26 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

tube Ø28xH350 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2427.1M.KX1

2427.2M.KX2

2427.42.KX2

2427.132.KX2

2427.142.KX2

2427.162.KX2

2427.282.KX2

2427.233.KX2

2427.562.KX2



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW

Price €

1.224,58

1.212,72

1.548,72

1.488,72

1.318,72

1.440,72

1.522,72

1.449,72


1.692,72

built-up
with extra thin cable Ø3mm
2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

INDOOR | Ceiling UP | Pendants | CIGARO

2428/.. - CIGARO

~230V



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB40xH1700 mm Cable 1500 mm

45°

Base L600xB40xH40 mm

tube Ø28xH200 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2428.1M.KX1

2428.2M.KX2

2428.42.KX2

2428.132.KX2

2428.142.KX2

2428.162.KX2

2428.282.KX2

2428.233.KX2

2428.562.KX2

Price €

977,31

963,20

1.183,20

1.143,00

1.033,20

1.113,20


1.173,20

1.118,20

1.303,20

2429/.. - CIGARO

~230V



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH1750 mm Cable 1500 mm

45°

Base L1200xB40xH40 mm

tube Ø28xH200 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2429.1M.KX1

2429.2M.KX2

2429.42.KX2

2429.132.KX2

2429.142.KX2

2429.162.KX2

2429.233.KX2

2429.282.KX2

2429.562.KX2

Price €

960,00

960,00

1.126,00

1.054,00

956,00

1.036,00

1.046,00


1.096,00

1.226,00



2468/.. - CIGARO COMBI GLASS BZ

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Ref

Price €

2468.MIX13

NW | WW

2.478,90

Lamp type

11x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø400xH1900 mm Cable 1500 mm

∧ 45° Base Ø350xH28 mm

Glass Ø50xH150 mm Ø320xH26 mm

tube Ø28xH200 mm

Materials

Aluminium / Messing MIX13

built-up

with extra thin cable Ø3mm
2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

2469/.. - CIGARO COMBI GLASS RC

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Ref

Price €

2469.156

NW | WW

2.598,51

Lamp type

11x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø400xH1900 mm Cable 1500 mm

∧ 45° Base Ø350xH28 mm

Glass Ø50xH150 mm Ø320xH26 mm

tube Ø28xH200 mm

Materials

Rood koper 156

built-up


with extra thin cable Ø3mm
2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm



INDOOR | Ceiling UP | Pendants | CIGARO

2350.200/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø50xH200 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

built-up

| Ref | Color | Material | Price € |
|---------------------|------------|----------|---------|
| 2350.200.1M.KX1.TR | White | NW WW | 152,87 |
| 2350.200.2M.KX2.TR | Black | NW WW | 152,87 |
| 2350.200.4.KX2.TR | Gold | NW WW | 196,87 |
| 2350.200.14.KX2.TR | Grey | NW WW | 166,87 |
| 2350.200.16.KX2.TR | Yellow | NW WW | 182,87 |
| 2350.200.23.KX2.TR | Black | NW WW | 184,87 |
| 2350.200.28.KX2.TR | Brown | NW WW | 194,87 |
| 2350.200.56.KX2.TR | Orange | NW WW | 220,87 |
| 2350.200.13M.KX2.TR | Dark Brown | NW WW | 188,87 |
| 2350.200.230.KX2.TR | Dark Grey | NW WW | 183,87 |

2350.250/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø50xH250 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

built-up

| Ref | Color | Material | Price € |
|---------------------|------------|----------|---------|
| 2350.250.1M.KX1.TR | White | NW WW | 156,87 |
| 2350.250.2M.KX2.TR | Black | NW WW | 156,87 |
| 2350.250.4.KX2.TR | Gold | NW WW | 207,87 |
| 2350.250.14.KX2.TR | Grey | NW WW | 172,87 |
| 2350.250.16.KX2.TR | Yellow | NW WW | 190,87 |
| 2350.250.23.KX2.TR | Black | NW WW | 194,87 |
| 2350.250.28.KX2.TR | Brown | NW WW | 202,87 |
| 2350.250.56.KX2.TR | Orange | NW WW | 230,87 |
| 2350.250.13M.KX2.TR | Dark Brown | NW WW | 198,87 |
| 2350.250.230.KX2.TR | Dark Grey | NW WW | 190,87 |

2350.300/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø50xH300 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

built-up

| Ref | Color | Material | Price € |
|---------------------|------------|----------|---------|
| 2350.300.1M.KX1.TR | White | NW WW | 160,87 |
| 2350.300.2M.KX2.TR | Black | NW WW | 160,87 |
| 2350.300.4.KX2.TR | Gold | NW WW | 218,87 |
| 2350.300.14.KX2.TR | Grey | NW WW | 178,87 |
| 2350.300.16.KX2.TR | Yellow | NW WW | 198,87 |
| 2350.300.23.KX2.TR | Black | NW WW | 204,87 |
| 2350.300.28.KX2.TR | Brown | NW WW | 210,87 |
| 2350.300.56.KX2.TR | Orange | NW WW | 240,87 |
| 2350.300.13M.KX2.TR | Dark Brown | NW WW | 208,87 |
| 2350.300.230.KX2.TR | Dark Grey | NW WW | 199,87 |

2350.350/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø50xH350 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH250 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

built-up

| Ref | Color | Material | Price € |
|---------------------|------------|----------|---------|
| 2350.350.1M.KX1.TR | White | NW WW | 175,62 |
| 2350.350.2M.KX2.TR | Black | NW WW | 175,62 |
| 2350.350.14.KX2.TR | Grey | NW WW | 195,62 |
| 2350.350.4.KX2.TR | Gold | NW WW | 240,62 |
| 2350.350.16.KX2.TR | Yellow | NW WW | 217,62 |
| 2350.350.13M.KX2.TR | Dark Brown | NW WW | 229,62 |
| 2350.350.23.KX2.TR | Black | NW WW | 225,62 |
| 2350.350.230.KX2.TR | Dark Grey | NW WW | 219,62 |
| 2350.350.28.KX2.TR | Brown | NW WW | 229,62 |
| 2350.350.56.KX2.TR | Orange | NW WW | 261,62 |

2350.400/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH400 mm

Cable 1500 mm

45°

Glass Ø50xH250 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing


4 | 16 | 13M | 23

Rood koper

28 | 56

| Ref | | Price € |
|---------------------|--|----------------|
| 2350.400.1M.KX1.TR | | NW WW 179,62 |
| 2350.400.2M.KX2.TR | | NW WW 179,62 |
| 2350.400.14.KX2.TR | | NW WW 201,62 |
| 2350.400.4.KX2.TR | | NW WW 251,62 |
| 2350.400.16.KX2.TR | | NW WW 225,62 |
| 2350.400.13M.KX2.TR | | NW WW 239,62 |
| 2350.400.23.KX2.TR | | NW WW 235,62 |
| 2350.400.230.KX2.TR | | NW WW 227,62 |
| 2350.400.28.KX2.TR | | NW WW 237,62 |
| 2350.400.56.KX2.TR | | NW WW 271,62 |

built-up




CEILING UP

PENDANTS

INDOOR | Ceiling UP | Pendants | CIGARO

2430.200/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - down - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø50xH200 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

| Ref | Color | Price € |
|----------------------|---------|---------|
| 2430.200.1M.KX1.TRR | NW WW | 157,32 |
| 2430.200.2M.KX2.TRR | NW WW | 157,32 |
| 2430.200.4.KX2.TRR | NW WW | 201,32 |
| 2430.200.14.KX2.TRR | NW WW | 171,32 |
| 2430.200.16.KX2.TRR | NW WW | 187,32 |
| 2430.200.23.KX2.TRR | NW WW | 189,32 |
| 2430.200.28.KX2.TRR | NW WW | 199,32 |
| 2430.200.56.KX2.TRR | NW WW | 225,32 |
| 2430.200.13M.KX2.TRR | NW WW | 193,32 |
| 2430.200.230.KX2.TRR | NW WW | 188,32 |

built-up

2430.250/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø50xH250 mm 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

| Ref | Color | Price € |
|----------------------|---------|---------|
| 2430.250.1M.KX1.TRR | NW WW | 161,32 |
| 2430.250.2M.KX2.TRR | NW WW | 161,32 |
| 2430.250.14.KX2.TRR | NW WW | 177,32 |
| 2430.250.4.KX2.TRR | NW WW | 212,32 |
| 2430.250.16.KX2.TRR | NW WW | 195,32 |
| 2430.250.13M.KX2.TRR | NW WW | 203,32 |
| 2430.250.23.KX2.TRR | NW WW | 199,32 |
| 2430.250.230.KX2.TRR | NW WW | 195,32 |
| 2430.250.28.KX2.TRR | NW WW | 207,32 |
| 2430.250.56.KX2.TRR | NW WW | 235,32 |

built-up

2430.300/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø50xH300 mm 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

| Ref | Color | Price € |
|----------------------|---------|---------|
| 2430.300.1M.KX1.TRR | NW WW | 165,32 |
| 2430.300.2M.KX2.TRR | NW WW | 165,32 |
| 2430.300.4.KX2.TRR | NW WW | 223,32 |
| 2430.300.14.KX2.TRR | NW WW | 183,32 |
| 2430.300.16.KX2.TRR | NW WW | 203,32 |
| 2430.300.23.KX2.TRR | NW WW | 209,32 |
| 2430.300.28.KX2.TRR | NW WW | 215,32 |
| 2430.300.56.KX2.TRR | NW WW | 245,32 |
| 2430.300.13M.KX2.TRR | NW WW | 213,32 |
| 2430.300.230.KX2.TRR | NW WW | 204,32 |

built-up

2430.350/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - down - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø50xH350 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH250 mm

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

| Ref | Color | Price € |
|----------------------|---------|---------|
| 2430.350.1M.KX1.TRR | NW WW | 176,00 |
| 2430.350.2M.KX2.TRR | NW WW | 176,00 |
| 2430.350.4.KX2.TRR | NW WW | 241,00 |
| 2430.350.14.KX2.TRR | NW WW | 196,00 |
| 2430.350.16.KX2.TRR | NW WW | 218,00 |
| 2430.350.23.KX2.TRR | NW WW | 225,66 |
| 2430.350.28.KX2.TRR | NW WW | 230,00 |
| 2430.350.56.KX2.TRR | NW WW | 262,00 |
| 2430.350.13M.KX2.TRR | NW WW | 230,00 |
| 2430.350.230.KX2.TRR | NW WW | 219,66 |

built-up

2430.400/.. - CIGARO RIBBLE GLASS

=350mA



IP20



0 m



1.8500



0,5 m



5,6



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH400 mm

1500 mm



45°

Glass Ø50xH250 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref

2430.400.1M.KX1.TRR



NW | WW 179,66

2430.400.2M.KX2.TRR



NW | WW 179,66

2430.400.4.KX2.TRR



NW | WW 251,66

2430.400.14.KX2.TRR



NW | WW 201,66

2430.400.16.KX2.TRR



NW | WW 225,66

2430.400.23.KX2.TRR



NW | WW 235,66

2430.400.28.KX2.TRR



NW | WW 237,66

2430.400.56.KX2.TRR



NW | WW 271,66

2430.400.13M.KX2.TRR



NW | WW 239,66

2430.400.230.KX2.TRR



NW | WW 227,66

built-up



CEILING UP

PENDANTS

INDOOR | Ceiling UP | Pendants | CIGARO

2442/.. - CIGARO

=350mA



IP20



1.5 m



0,5 m



5,6



built-up

pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø56xH312 mm

Cable 1500 mm



45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1647/..

ROSETTE UP + DRIVER

Ref

Price €

| | | | |
|--------------|---|---------|--------|
| 2442.1M.TX1 | ● | NW WW | 466,00 |
| 2442.2M.TX2 | ● | NW WW | 466,00 |
| 2442.4.TX2 | ● | NW WW | 688,00 |
| 2442.14.TX2 | ● | NW WW | 542,00 |
| 2442.16.TX2 | ● | NW WW | 618,00 |
| 2442.28.TX2 | ● | NW WW | 666,00 |
| 2442.56.TX2 | ● | NW WW | 786,00 |
| 2442.13M.TX2 | ● | NW WW | 658,00 |
| 2442.230.TX2 | ● | NW WW | 642,00 |

2443/.. - CIGARO

=350mA



IP20



1.5 m



0,5 m



5,6



built-up

pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm



45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

| | | | |
|--------------|---|---------|--------|
| 2443.1M.TX1 | ● | NW WW | 565,00 |
| 2443.2M.TX2 | ● | NW WW | 565,00 |
| 2443.4.TX2 | ● | NW WW | 855,00 |
| 2443.14.TX2 | ● | NW WW | 655,00 |
| 2443.16.TX2 | ● | NW WW | 755,00 |
| 2443.28.TX2 | ● | NW WW | 815,00 |
| 2443.56.TX2 | ● | NW WW | 965,00 |
| 2443.13M.TX2 | ● | NW WW | 790,00 |
| 2443.230.TX2 | ● | NW WW | 770,00 |

2444/.. - CIGARO

=350mA



IP20



1.5 m



0,5 m



5,6



built-up

pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm



45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

| | | | |
|--------------|---|---------|----------|
| 2444.1M.TX1 | ● | NW WW | 782,00 |
| 2444.2M.TX2 | ● | NW WW | 782,00 |
| 2444.4.TX2 | ● | NW WW | 1.188,00 |
| 2444.14.TX2 | ● | NW WW | 908,00 |
| 2444.16.TX2 | ● | NW WW | 1.048,00 |
| 2444.28.TX2 | ● | NW WW | 1.132,00 |
| 2444.56.TX2 | ● | NW WW | 1.332,00 |
| 2444.13M.TX2 | ● | NW WW | 1.118,00 |
| 2444.230.TX2 | ● | NW WW | 1.090,00 |

2448/.. - CIGARO

=350mA



IP20



1.5 m



0,5 m



5,6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

↔ Ø84xH312 mm

Cable 1500 mm



45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 233

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

| | | | |
|--------------|--|---------|----------|
| 2448.1M.TX1 | | NW WW | 694,00 |
| 2448.2M.TX2 | | NW WW | 694,00 |
| 2448.4.TX2 | | NW WW | 1.090,00 |
| 2448.14.TX2 | | NW WW | 848,00 |
| 2448.16.TX2 | | NW WW | 958,00 |
| 2448.28.TX2 | | NW WW | 1.042,00 |
| 2448.56.TX2 | | NW WW | 1.211,00 |
| 2448.13M.TX2 | | NW WW | 1.028,00 |
| 2448.233.TX2 | | NW WW | 1.000,00 |

built-up



CEILING UP

PENDANTS

2447/.. - CIGARO

=350mA



IP20



1.5 m



3.5000

0,5 m

5,6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

← Ø84xH312 mm

Cable 1500 mm



45°

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2447.1M.TX1

NW | WW

790,00

2447.2M.TX2

NW | WW

790,00

2447.14.TX2

NW | WW

912,00

2447.4.TX2

NW | WW

1.132,00

2447.16.TX2

NW | WW

1.028,00

2447.13M.TX2

NW | WW

1.072,00

2447.230.TX2

NW | WW

1.046,00

2447.28.TX2

NW | WW

1.012,00

2447.56.TX2


NW | WW

1.278,00

built-up



1647/.. - ROSETTE UP + DRIVER



built-up base - round - with 1x TR89800255 | 15W - 350mA - with LED driver

Dimensions

↔ Ø70xH170 mm

Materials

Aluminium 1M | 2M

| Ref | Price € |
|---------|---------|
| 1647.1M | 194,04 |
| 1647.2M | 194,04 |

built-up

1649/.. - ROSETTE UP + DRIVER



built-up base - round - with 2x TR89800255 | 30W - 350mA - with LED driver

Dimensions

↔ Ø70xH170 mm

Materials

Aluminium 1M | 2M

| Ref | Price € |
|---------|---------|
| 1649.1M | 227,12 |
| 1649.2M | 227,12 |

built-up

029/.. - STEELCABLE HOLDER

IP20    



accessories for lighting systems - steelcable holder

Ref

Dimensions

↔ Ø20xH48 mm

Materials

Aluminium 2M | 14

| Ref | | Price € |
|--------|---|---------|
| 029.2M | ● | 33,60 |
| 029.14 | ● | 33,60 |

built-up

031/.. - STEELCABLE HOLDER

IP20  



accessories for lighting systems - steelcable holder

Ref

Dimensions

↔ Ø16xH34 mm

Materials

Aluminium 2M | 14

| Ref | | Price € |
|--------|---|---------|
| 031.2M | ● | 33,60 |
| 031.14 | ● | 33,60 |

2020/.. - METRO

IP20   



accessories for lighting systems - ceiling base for steel wire

Ref

Dimensions

↔ Ø20xH30 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 10

| Ref | | Price € |
|---------|---|---------|
| 2020.1 | ● | 11,77 |
| 2020.1M | ● | 12,35 |
| 2020.2 | ● | 11,77 |
| 2020.2M | ● | 12,35 |
| 2020.10 | ● | 11,77 |

S2494/.. - CIGARO

IP20  



supplement - housing with centre supply without driver + height controller + steel cable

Ref


Materials

Aluminium 1M | 2M

| Ref | | Price € |
|----------|---|---------|
| S2494.1M | ● | 194,00 |
| S2494.2M | ● | 194,00 |

2492/.. - CIGARO 13 TUBES

~230V



pendant - fixed - with LED driver

Lamp type

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L364xB28xH200 mm Cable 1500 mm

45°

L364xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2492.1M

2492.2M

2492.42

2492.132

2492.142

2492.162

2492.233

2492.282

2492.562

Price €

NW | WW 624,00

NW | WW 624,00

NW | WW 1.157,00

NW | WW 1.027,00

NW | WW 767,00

NW | WW 1.131,00

NW | WW 1.001,00


NW | WW 975,00

NW | WW 1.495,00

built-up

2499/.. - CIGARO 21 TUBES

~230V



pendant - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L590xB28xH200 mm Cable 1500 mm

45°

L360xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2499.1M

2499.2M

2499.42

2499.132

2499.142

2499.162

2499.233

2499.282

2499.562

Price €

NW | WW 1.008,00

NW | WW 1.008,00

NW | WW 1.869,00

NW | WW 1.659,00

NW | WW 1.239,00

NW | WW 1.827,00

NW | WW 1.617,00


NW | WW 1.575,00

NW | WW 2.415,00

built-up

2493/.. - CIGARO 35 TUBES

~230V



pendant - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L980xB28xH200 mm 1500 mm

45°

L364xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2493.1M

2493.2M

2493.42

2493.132

2493.142

2493.162

2493.233

2493.282

2493.562

Price €

NW | WW 1.680,00

NW | WW 1.680,00

NW | WW 3.120,00

NW | WW 2.766,00

NW | WW 2.070,00

NW | WW 3.050,00

NW | WW 2.700,00

NW | WW 2.630,00

NW | WW 4.030,00

built-up




Verkrijgbaar op aanvraag in andere combinaties en kleuren.
 Available on request in other combinations and colours.
 Disponible sur demande dans d'autres combinaisons et couleurs.
 Auf Anfrage in anderen Kombinationen und Farben erhältlich.

INDOOR | Ceiling UP | Pendants | CIGARO

2495/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L310xB90xH150 mm Cable 1500 mm

45°

L250xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2495.1M

2495.2M

2495.42

2495.132

2495.142

2495.162

2495.233

2495.282

2495.562

Price €

NW | WW 896,00

NW | WW 896,00

NW | WW 1.784,00

NW | WW 1.616,00

NW | WW 1.184,00

NW | WW 1.520,00


NW | WW 1.520,00

NW | WW 1.808,00

NW | WW 2.144,00

2491/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB90xH150 mm Cable 1500 mm

45°

L250xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2491.1M

2491.2M

2491.42

2491.132

2491.142

2491.162

2491.282

2491.233

2491.562

Price €

NW | WW 1.525,00

NW | WW 1.525,00

NW | WW 3.153,00

NW | WW 2.845,00

NW | WW 2.053,00

NW | WW 2.669,00


NW | WW 3.197,00

NW | WW 2.669,00

NW | WW 3.813,00

2490/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

9x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1270xB90xH150 mm Cable 1500 mm

45°

L420xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2490.1M

2490.2M

2490.42

2490.132

2490.142

2490.162

2490.233

2490.282

2490.562

Price €

NW | WW 2.984,00

NW | WW 2.984,00

NW | WW 6.092,00

NW | WW 5.509,00

NW | WW 3.992,00

NW | WW 5.168,00


NW | WW 5.168,00

NW | WW 5.336,00

NW | WW 7.352,00

2480/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

12x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1064xB252xH200 mm Cable 1500 mm

45°

Ø60xH25 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref

2480.1M

2480.2M

2480.42

2480.132

2480.142

2480.162

2480.233

2480.282

2480.562

Price €

NW | WW 4.380,00

NW | WW 4.380,00

NW | WW 8.588,00

NW | WW 8.490,00

NW | WW 5.514,00

NW | WW 6.824,00



NW | WW 7.165,00

NW | WW 7.605,00

NW | WW 9.512,00

2496.1200.3/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1200.3.1M

2496.1200.3.2M

2496.1200.3.42

2496.1200.3.132

2496.1200.3.142

2496.1200.3.162

2496.1200.3.282

2496.1200.3.233

2496.1200.3.562

Price €

540,00

540,00

684,00

679,00

564,00

630,00

630,00


691,00

678,00

Add additional suspension, box or driver box. (not included in price)

2496.1200.4/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1200.4.1M

2496.1200.4.2M

2496.1200.4.42

2496.1200.4.233

2496.1200.4.562

2496.1200.4.132

2496.1200.4.142

2496.1200.4.162

2496.1200.4.282

Price €

647,00

647,00

839,00

786,00

834,00

822,00

674,00


770,00

770,00

Add additional suspension, box or driver box. (not included in price)

2496.1200.5/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1200.5.1M

2496.1200.5.2M

2496.1200.5.42

2496.1200.5.233

2496.1200.5.562

2496.1200.5.132

2496.1200.5.142

2496.1200.5.162

2496.1200.5.282

Price €

764,00

764,00

1.004,00

999,00

997,00

979,00

804,00

914,00

914,00

Add additional suspension, box or driver box. (not included in price)



INDOOR | Ceiling UP | Pendants | CIGARO

2496.1200.6A/.. - CIGARO EXCL. DRIVER


=350mA



1.5 m



0.5 m



pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1200.6A.1M

2496.1200.6A.2M

2496.1200.6A.42

2496.1200.6A.233

2496.1200.6A.562

2496.1200.6A.132

2496.1200.6A.142

2496.1200.6A.162

2496.1200.6A.282

Price €

881,00

881,00

1.169,00

1.163,00

1.155,00

1.139,00

929,00

1.059,00

1.059,00

Add additional suspension, box or driver box.
(not included in price)

2496.1200.6B/.. - CIGARO EXCL. DRIVER

=350mA



1.5 m



0.5 m



pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1200.6B.1M

2496.1200.6B.2M

2496.1200.6B.42

2496.1200.6B.233

2496.1200.6B.562

2496.1200.6B.132

2496.1200.6B.142

2496.1200.6B.162

2496.1200.6B.282

Price €

881,00

881,00

1.169,00

1.163,00

1.155,00

1.139,00

929,00

1.059,00

1.059,00

Add additional suspension, box or driver box.
(not included in price)

2496.1600.6A/.. - CIGARO EXCL. DRIVER

=350mA



1.5 m



0.5 m



pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1600.6A.1M

2496.1600.6A.2M

2496.1600.6A.42

2496.1600.6A.132

2496.1600.6A.142

2496.1600.6A.162

2496.1600.6A.233

2496.1600.6A.282

2496.1600.6A.562

Price €

901,00

901,00

1.189,00

1.159,00

999,00

1.081,00

1.183,00

1.081,00

1.175,00

Add additional suspension, box or driver box.
(not included in price)

2496.1600.6B/.. - CIGARO EXCL. DRIVER


=350mA



1.5 m



0.5 m



pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1600.6B.1M

2496.1600.6B.2M

2496.1600.6B.42

2496.1600.6B.233

2496.1600.6B.562

2496.1600.6B.132

2496.1600.6B.142

2496.1600.6B.162

2496.1600.6B.282

Price €

901,00

901,00

1.189,00

1.183,00

1.175,00

1.159,00

1.009,00


1.081,00

1.081,00

Add additional suspension, box or driver box.
(not included in price)

2497.1200.3/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamp type

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref


| Ref | Color | Price € |
|-----------------|---------|---------|
| 2497.1200.3.1M | NW WW | 655,00 |
| 2497.1200.3.2M | NW WW | 655,00 |
| 2497.1200.3.42 | NW WW | 799,00 |
| 2497.1200.3.233 | NW WW | 806,00 |
| 2497.1200.3.562 | NW WW | 793,00 |
| 2497.1200.3.132 | NW WW | 794,00 |
| 2497.1200.3.142 | NW WW | 679,00 |
| 2497.1200.3.162 | NW WW | 745,00 |
| 2497.1200.3.282 | NW WW | 745,00 |

built-up

Option: with DALI driver on request

2497.1200.4/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamp type

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref


| Ref | Color | Price € |
|-----------------|---------|----------|
| 2497.1200.4.1M | NW WW | 841,00 |
| 2497.1200.4.2M | NW WW | 841,00 |
| 2497.1200.4.42 | NW WW | 979,00 |
| 2497.1200.4.233 | NW WW | 926,00 |
| 2497.1200.4.562 | NW WW | 974,00 |
| 2497.1200.4.132 | NW WW | 1.039,00 |
| 2497.1200.4.142 | NW WW | 919,00 |
| 2497.1200.4.162 | NW WW | 1.000,00 |
| 2497.1200.4.282 | NW WW | 910,00 |

built-up

Option: with DALI driver on request

2497.1200.5/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamp type

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

| Ref | Color | Price € |
|-----------------|---------|----------|
| 2497.1200.5.1M | NW WW | 904,00 |
| 2497.1200.5.2M | NW WW | 904,00 |
| 2497.1200.5.42 | NW WW | 1.144,00 |
| 2497.1200.5.233 | NW WW | 1.139,00 |
| 2497.1200.5.562 | NW WW | 1.137,00 |
| 2497.1200.5.132 | NW WW | 1.119,00 |
| 2497.1200.5.142 | NW WW | 944,00 |
| 2497.1200.5.162 | NW WW | 1.054,00 |
| 2497.1200.5.282 | NW WW | 1.054,00 |


built-up

Option: with DALI driver on request

INDOOR | Ceiling UP | Pendants | CIGARO

2497.1200.6A/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials


Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

built-up
 Option: with DALI driver on request

| Ref | Color | Price € |
|------------------|---------|----------|
| 2497.1200.6A.1M | NW WW | 1.121,00 |
| 2497.1200.6A.2M | NW WW | 1.121,00 |
| 2497.1200.6A.42 | NW WW | 1.309,00 |
| 2497.1200.6A.233 | NW WW | 1.303,00 |
| 2497.1200.6A.562 | NW WW | 1.295,00 |
| 2497.1200.6A.132 | NW WW | 1.450,00 |
| 2497.1200.6A.142 | NW WW | 1.221,00 |
| 2497.1200.6A.162 | NW WW | 1.400,00 |
| 2497.1200.6A.282 | NW WW | 1.199,00 |

2497.1200.6B/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials


Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

built-up
 Option: with DALI driver on request

| Ref | Color | Price € |
|------------------|---------|----------|
| 2497.1200.6B.1M | NW WW | 1.121,00 |
| 2497.1200.6B.2M | NW WW | 1.121,00 |
| 2497.1200.6B.142 | NW WW | 1.212,00 |
| 2497.1200.6B.42 | NW WW | 1.309,00 |
| 2497.1200.6B.162 | NW WW | 1.400,00 |
| 2497.1200.6B.282 | NW WW | 1.199,00 |
| 2497.1200.6B.562 | NW WW | 1.295,00 |
| 2497.1200.6B.233 | NW WW | 1.303,00 |
| 2497.1200.6B.132 | NW WW | 1.450,00 |

2497.1600.6A/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials


Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

built-up
 Option: with DALI driver on request

| Ref | Color | Price € |
|------------------|---------|----------|
| 2497.1600.6A.1M | NW WW | 1.121,00 |
| 2497.1600.6A.2M | NW WW | 1.121,00 |
| 2497.1600.6A.42 | NW WW | 1.329,00 |
| 2497.1600.6A.233 | NW WW | 1.323,00 |
| 2497.1600.6A.562 | NW WW | 1.315,00 |
| 2497.1600.6A.132 | NW WW | 1.299,00 |
| 2497.1600.6A.142 | NW WW | 1.139,00 |
| 2497.1600.6A.162 | NW WW | 1.221,00 |
| 2497.1600.6A.282 | NW WW | 1.221,00 |

2497.1600.6B/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials


Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

built-up
 Option: with DALI driver on request

| Ref | Color | Price € |
|------------------|---------|----------|
| 2497.1600.6B.1M | NW WW | 1.041,00 |
| 2497.1600.6B.2M | NW WW | 1.041,00 |
| 2497.1600.6B.42 | NW WW | 1.329,00 |
| 2497.1600.6B.233 | NW WW | 1.323,00 |
| 2497.1600.6B.562 | NW WW | 1.315,00 |
| 2497.1600.6B.132 | NW WW | 1.299,00 |
| 2497.1600.6B.142 | NW WW | 1.139,00 |
| 2497.1600.6B.162 | NW WW | 1.221,00 |
| 2497.1600.6B.282 | NW WW | 1.221,00 |

2498.1200.3/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

| Ref | Color | Price € |
|-----------------|---------|---------|
| 2498.1200.3.1M | NW WW | 655,00 |
| 2498.1200.3.2M | NW WW | 655,00 |
| 2498.1200.3.42 | NW WW | 799,00 |
| 2498.1200.3.233 | NW WW | 806,00 |
| 2498.1200.3.562 | NW WW | 793,00 |
| 2498.1200.3.132 | NW WW | 794,00 |
| 2498.1200.3.142 | NW WW | 679,00 |
| 2498.1200.3.162 | NW WW | 745,00 |
| 2498.1200.3.282 | NW WW | 745,00 |

built-up

2498.1200.4/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562


Ref

| Ref | Color | Price € |
|-----------------|---------|---------|
| 2498.1200.4.1M | NW WW | 787,00 |
| 2498.1200.4.2M | NW WW | 787,00 |
| 2498.1200.4.142 | NW WW | 814,00 |
| 2498.1200.4.42 | NW WW | 979,00 |
| 2498.1200.4.162 | NW WW | 910,00 |
| 2498.1200.4.282 | NW WW | 910,00 |
| 2498.1200.4.562 | NW WW | 974,00 |
| 2498.1200.4.233 | NW WW | 926,00 |
| 2498.1200.4.132 | NW WW | 962,00 |

built-up

2498.1200.5/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

| Ref | Color | Price € |
|-----------------|---------|----------|
| 2498.1200.5.1M | NW WW | 904,00 |
| 2498.1200.5.2M | NW WW | 904,00 |
| 2498.1200.5.42 | NW WW | 1.144,00 |
| 2498.1200.5.132 | NW WW | 1.119,00 |
| 2498.1200.5.142 | NW WW | 944,00 |
| 2498.1200.5.162 | NW WW | 1.054,00 |
| 2498.1200.5.233 | NW WW | 1.139,00 |
| 2498.1200.5.282 | NW WW | 1.054,00 |
| 2498.1200.5.562 | NW WW | 1.137,00 |

built-up



CEILING UP

PENDANTS

INDOOR | Ceiling UP | Pendants | CIGARO

2498.1200.6A/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

| Ref | Color | Price € |
|------------------|---------|----------|
| 2498.1200.6A.1M | NW WW | 1.021,00 |
| 2498.1200.6A.2M | NW WW | 1.021,00 |
| 2498.1200.6A.42 | NW WW | 1.309,00 |
| 2498.1200.6A.233 | NW WW | 1.303,00 |
| 2498.1200.6A.562 | NW WW | 1.295,00 |
| 2498.1200.6A.132 | NW WW | 1.279,00 |
| 2498.1200.6A.142 | NW WW | 1.069,00 |
| 2498.1200.6A.162 | NW WW | 1.199,00 |
| 2498.1200.6A.282 | NW WW | 1.199,00 |

built-up

2498.1200.6B/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

| Ref | Color | Price € |
|------------------|---------|----------|
| 2498.1200.6B.1M | NW WW | 1.021,00 |
| 2498.1200.6B.2M | NW WW | 1.021,00 |
| 2498.1200.6B.142 | NW WW | 1.069,00 |
| 2498.1200.6B.42 | NW WW | 1.309,00 |
| 2498.1200.6B.162 | NW WW | 1.199,00 |
| 2498.1200.6B.282 | NW WW | 1.199,00 |
| 2498.1200.6B.562 | NW WW | 1.295,00 |
| 2498.1200.6B.233 | NW WW | 1.303,00 |
| 2498.1200.6B.132 | NW WW | 1.279,00 |

built-up

2498.1600.6A/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L550xB35xH35 mm

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

| Ref | Color | Price € |
|------------------|---------|----------|
| 2498.1600.6A.1M | NW WW | 1.041,00 |
| 2498.1600.6A.2M | NW WW | 1.041,00 |
| 2498.1600.6A.42 | NW WW | 1.329,00 |
| 2498.1600.6A.132 | NW WW | 1.299,00 |
| 2498.1600.6A.142 | NW WW | 1.139,00 |
| 2498.1600.6A.162 | NW WW | 1.221,00 |
| 2498.1600.6A.233 | NW WW | 1.323,00 |
| 2498.1600.6A.282 | NW WW | 1.221,00 |
| 2498.1600.6A.562 | NW WW | 1.315,00 |

built-up

2498.1600.6B/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L550xB35xH35 mm

tube Ø28xH85 mm


Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

| Ref | Color | Price € |
|------------------|---------|----------|
| 2498.1600.6B.1M | NW WW | 1.041,00 |
| 2498.1600.6B.2M | NW WW | 1.041,00 |
| 2498.1600.6B.42 | NW WW | 1.329,00 |
| 2498.1600.6B.132 | NW WW | 1.299,00 |
| 2498.1600.6B.142 | NW WW | 1.139,00 |
| 2498.1600.6B.162 | NW WW | 1.221,00 |
| 2498.1600.6B.233 | NW WW | 1.323,00 |
| 2498.1600.6B.282 | NW WW | 1.221,00 |
| 2498.1600.6B.562 | NW WW | 1.315,00 |

built-up

2500/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for driver 15W (3 LEDs 4W) dimmable 350MA trailing edge - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

| Ref | | Price € |
|---------|---|---------|
| 2500.1M | ● | 115,00 |
| 2500.2M | ● | 115,00 |

2508/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for 2 drivers 15W (4-5-6 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

| Ref | | Price € |
|---------|---|---------|
| 2508.1M | ● | 140,00 |
| 2508.2M | ● | 140,00 |

2515/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with end feed for driver 17W (3-4 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

| Ref | | Price € |
|---------|---|---------|
| 2515.1M | ● | 138,00 |
| 2515.2M | ● | 138,00 |

2519/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with midfeed for driver 17W (3-4 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm


Materials

Aluminium 1M | 2M

| Ref | | Price € |
|---------|---|---------|
| 2519.1M | ● | 138,00 |
| 2519.2M | ● | 138,00 |

CEILING UP
PENDANTS

2509/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for DALI driver 17W (3-4 LEDs 4W)dimmable 350MA - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

| Ref | | Price € |
|---------|---|---------|
| 2509.1M | ● | 150,00 |
| 2509.2M | ● | 150,00 |

2510/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with endfeed for DALI driver 25W (4-5-6 LEDs 4W)dimmable 350MA - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

| Ref | | Price € |
|---------|---|---------|
| 2510.1M | ● | 170,00 |
| 2510.2M | ● | 170,00 |

2517/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with midfeed for DALI driver 25W (4-5-6 LEDs 4W)dimmable 350MA - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

| Ref | | Price € |
|---------|---|---------|
| 2517.1M | ● | 170,00 |
| 2517.2M | ● | 170,00 |



CEILING UP

PENDANTS





2435/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

2x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L250xB40xD63 mm

L166xB40xD35 mm tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233 2435.562
 Aluminium / Messing 42 | 162 | 132 2435.233
 Aluminium / Roodkoper 282 | 562 2435.132

Ref

| Ref | Color | Price € |
|----------|---------|---------|
| 2435.1M | NW WW | 192,00 |
| 2435.2M | NW WW | 192,00 |
| 2435.142 | NW WW | 208,00 |
| 2435.42 | NW WW | 243,00 |
| 2435.162 | NW WW | 226,00 |
| 2435.282 | NW WW | 238,00 |
| 2435.562 | NW WW | 262,00 |
| 2435.233 | NW WW | 230,00 |
| 2435.132 | NW WW | 234,00 |

built-up

2434/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

2x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L250xB96xD63 mm

L146xB84xD35 mm tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233 2434.233
 Aluminium / Messing 42 | 162 | 132 2434.132
 Aluminium / Roodkoper 282 | 562 2434.562

Ref

| Ref | Color | Price € |
|----------|---------|---------|
| 2434.1M | NW WW | 352,00 |
| 2434.2M | NW WW | 352,00 |
| 2434.142 | NW WW | 396,00 |
| 2434.42 | NW WW | 499,00 |
| 2434.162 | NW WW | 426,00 |
| 2434.282 | NW WW | 482,00 |
| 2434.562 | NW WW | 562,00 |
| 2434.233 | NW WW | 434,00 |
| 2434.132 | NW WW | 466,00 |

built-up

2436/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L250xB96xD63 mm

L146xB84xD35 mm tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233 2436.233
 Aluminium / Messing 42 | 162 | 132 2436.132
 Aluminium / Roodkoper 282 | 562 2436.562

Ref

| Ref | Color | Price € |
|----------|---------|---------|
| 2436.1M | NW WW | 492,00 |
| 2436.2M | NW WW | 492,00 |
| 2436.142 | NW WW | 536,00 |
| 2436.42 | NW WW | 625,00 |
| 2436.162 | NW WW | 596,00 |
| 2436.282 | NW WW | 622,00 |
| 2436.562 | NW WW | 702,00 |
| 2436.233 | NW WW | 604,00 |
| 2436.132 | NW WW | 606,00 |

built-up

2437/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L250xB164xD63 mm

L121xB152xD35 mm tube Ø28xH150 mm

tube Ø28xH200 mm tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233 2437.282
 Aluminium / Messing 42 | 162 | 132 2437.562
 Aluminium / Roodkoper 282 | 562 2437.162

Ref

| Ref | Color | Price € |
|----------|---------|---------|
| 2437.1M | NW WW | 690,00 |
| 2437.2M | NW WW | 690,00 |
| 2437.42 | NW WW | 876,00 |
| 2437.132 | NW WW | 864,00 |
| 2437.142 | NW WW | 722,00 |
| 2437.162 | NW WW | 786,00 |
| 2437.233 | NW WW | 844,00 |
| 2437.282 | NW WW | 862,00 |
| 2437.562 | NW WW | 970,00 |

built-up

INDOOR | Wall UP | CIGARO

2438/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB164xD63 mm

24°

L121xB152xD35 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2438.1M

2438.2M

2438.142

2438.42

2438.162

2438.282

2438.562

2438.233

2438.132



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW

Price €

642,00

642,00

718,00

858,00

784,00

854,00

960,00

800,00

818,00

built-up

2439/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB164xD63 mm

24°

L121xB152xD35 mm

tube Ø28xH200 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2439.1M

2439.2M

2439.42

2439.132

2439.142

2439.162

2439.233

2439.282

2439.562



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW

Price €

660,00

660,00

865,00

846,00

630,00

810,00

822,00

868,00

1.000,00

built-up



2432/.. - CIGARO

~230V



IP20



built-up wall light - fixed

Lamptype

1x C35 E14 max. 5W

230V

Ref

Price €

Dimensions

← L250xB40xD63 mm

↘ L170xB40xD35 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

2432.1M



98,00

2432.2M



98,00

2432.142



118,00

2432.42



153,00

2432.162



121,00

2432.282



139,00

2432.562



162,00

2432.233



125,00

2432.132



129,00

built-up
Lamp not included

2433/.. - CIGARO

~230V



IP20



built-up wall light - fixed

Lamptype

3x C35 E14 max. 5W

230V

Ref

Price €

Dimensions

← L250xB112xD58 mm

↘ L100xB60xD30 mm

tube Ø28xH150 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

2433.1M



236,00

2433.2M



236,00

2433.142



282,00

2433.42



355,00

2433.162



316,00

2433.282



366,00

2433.562



422,00

2433.233



324,00

2433.132



332,00

built-up
Lamps not included



INDOOR | Wall UP | CIGARO


2479/.. - CIGARO

=350mA




built-up wall light - directional - up or down - built-up base - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

L95xB28xD95 mm  24°

Materials

Aluminium 1M | 2M | 117 | 118 | 119

| Ref | Color | Price € |
|----------|-----------|---------|
| 2479.1M | ● NW WW | 190,00 |
| 2479.2M | ● NW WW | 190,00 |
| 2479.117 | ● NW WW | 199,00 |
| 2479.118 | ● NW WW | 199,00 |
| 2479.119 | ● NW WW | 199,00 |

built-up


2486/.. - CIGARO

=350mA




built-up wall light - directional - up or down - without LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

L95xB85xD95 mm  24°

Materials

Aluminium 1M | 2M | 117 | 118 | 119

| Ref | Color | Price € |
|----------|-----------|---------|
| 2486.1M | ● NW WW | 348,00 |
| 2486.2M | ● NW WW | 348,00 |
| 2486.117 | ● NW WW | 365,00 |
| 2486.118 | ● NW WW | 365,00 |
| 2486.119 | ● NW WW | 365,00 |

built-up


2572/.. - CIGARO

=350mA




built-up wall light - directional - with kneejoint - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

L141xB112xD30 mm  35°

L112xB30xD30 mm tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 119
Aluminium / Messing 162 | 132
Aluminium / Roodkoper 282

| Ref | Color | Price € |
|----------|-----------|---------|
| 2572.1M | ● NW WW | 174,00 |
| 2572.2M | ● NW WW | 174,00 |
| 2572.119 | ● NW WW | 188,00 |
| 2572.162 | ● NW WW | 210,00 |
| 2572.282 | ● NW WW | 218,00 |
| 2572.132 | ● NW WW | 214,00 |

built-up


2574/.. - CIGARO

=350mA




built-up wall light - directional - with kneejoint - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

L141xB112xD30 mm  35°

L112xB30xD30 mm tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 119
Aluminium / Messing 162 | 132
Aluminium / Roodkoper 282

| Ref | Color | Price € |
|----------|-----------|---------|
| 2574.1M | ● NW WW | 172,00 |
| 2574.2M | ● NW WW | 172,00 |
| 2574.119 | ● NW WW | 186,00 |
| 2574.162 | ● NW WW | 208,00 |
| 2574.282 | ● NW WW | 216,00 |
| 2574.132 | ● NW WW | 212,00 |

built-up

2467/.. - CIGARO

~230V



reading lamp - directional - with dimmable switch - with LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← L50xB150xH120 mm 24°

→ B50xH120xD30 mm tube Ø28xH85 mm

Materials

Aluminium 1M | 2M

Ref

2467.1M

2467.2M

● NW | WW

● NW | WW

Price €

266,00



266,00

built-up

WALL UP



Colours





Andere kleuren op aanvraag | Autres couleurs sur demande | Other colours on request
 Andere Farben auf Anfrage



Jacob

small tubes for great lighting



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3983.200/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

↔ Ø40xH200 mm 35°

Materials

Aluminium 1M | 2M | 45 | 29
Messing 16

| Ref | Color | Price € |
|-------------|-----------|---------|
| 3983.200.1M | ● NW WW | 181,75 |
| 3983.200.2M | ● NW WW | 181,75 |
| 3983.200.16 | ● NW WW | 255,84 |
| 3983.200.45 | ● NW WW | 204,90 |
| 3983.200.29 | ● NW WW | 204,90 |

built-up
CRI 90 on request

3983.300/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

↔ Ø40xH300 mm 35°

Materials

Aluminium 1M | 2M | 45 | 29
Messing 16

| Ref | Color | Price € |
|-------------|-----------|---------|
| 3983.300.1M | ● NW WW | 192,17 |
| 3983.300.2M | ● NW WW | 192,17 |
| 3983.300.16 | ● NW WW | 268,57 |
| 3983.300.29 | ● NW WW | 215,32 |
| 3983.300.45 | ● NW WW | 215,32 |

built-up
CRI 90 on request

3983.400/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

↔ Ø40xH400 mm 35°

Materials




Aluminium 1M | 2M | 45 | 29
Messing 16




| Ref | Color | Price € |
|-------------|-----------|---------|
| 3983.400.1M | ● NW WW | 202,58 |
| 3983.400.2M | ● NW WW | 202,58 |
| 3983.400.16 | ● NW WW | 287,09 |
| 3983.400.29 | ● NW WW | 225,74 |
| 3983.400.45 | ● NW WW | 225,74 |




built-up
CRI 90 on request




INDOOR | Ceiling UP | Luminaires | JACOBINE

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

| 4520/.. - JACOBINE | | =350mA | IP20 | 0.3200 | 0.5 m | 5.6 | CE |
|--|---|---|--|--------|-------|-----|----|
|  <p><i>built-up</i> CRI 90 on request</p> |  | built-up ceiling light - directional - with base 025 - without LED driver | | | | | |
| | | Ref 4520.1M 4520.2M 4520.14 4520.29 | Price € 183,04 183,04 185,68 198,62 | | | | |
| Lamptype 1x LED 467lm CRI80 3,8W 10,86Vf | |  350mA | | | | | |
| Dimensions L60xB60xH150 mm 35° L60xB60 mm | | | | | | | |
| Materials Aluminium | | 1M 2M 14 29 | | | | | |
| Options TR89800255/.. DRIVER 350mA | | | | | | | |

| 4505/.. - JACOBINE | | ~230V | IP20 | 0.5 m | 5.6 | CE |
|---|---|---|--|-------|-----|----|
|  <p><i>built-up</i> CRI 90 on request dimmable phase-cut</p> |  | built-up ceiling light - directional - with Juba base - with LED driver | | | | |
| | | Ref 4505.1M 4505.2M 4505.29 | Price € 375,61 375,61 406,76 | | | |
| Lamptype 1x LED 467lm CRI80 3,8W 10,86Vf | |  350mA | | | | |
| Dimensions L200xB40xH170 mm 35° Base L200xB40xH40 mm Spot Ø40xH130 mm | | | | | | |
| Materials Aluminium | | 1M 2M 29 | | | | |

| 4526/.. - JACOBINE | | ~230V | IP20 | 0.8200 | 0.5 m | 5.6 | CE |
|---|---|---|--|--------|-------|-----|----|
|  <p><i>built-up</i> CRI 90 on request dimmable phase-cut</p> |  | built-up ceiling light - directional - with Juba base - with LED driver | | | | | |
| | | Ref 4526.1M 4526.2M 4526.29 | Price € 428,34 422,58 453,73 | | | | |
| Lamptype 2x LED 467lm CRI80 3,8W 10,86Vf | |  350mA | | | | | |
| Dimensions L200xB40xH170 mm 35° Base L200xB40xH40 mm Spot Ø40xH130 mm | | | | | | | |
| Materials Aluminium | | 1M 2M 29 | | | | | |

| 4506/.. - JACOBINE | | ~230V | IP20 | 0.5 m | 5.6 | CE |
|---|---|---|--|-------|-----|----|
|  <p><i>built-up</i> CRI 90 on request dimmable phase-cut</p> |  | built-up ceiling light - directional - with Juba base - with LED driver | | | | |
| | | Ref 4506.1M 4506.2M 4506.29 | Price € 493,46 485,20 516,35 | | | |
| Lamptype 2x LED 467lm CRI80 3,8W 10,86Vf | |  350mA | | | | |
| Dimensions L400xB40xH170 mm 35° Base L400xB40xH40 mm Spot Ø40xH130 mm | | | | | | |
| Materials Aluminium | | 1M 2M 29 | | | | |



CEILING UP

LUMINAIRES

INDOOR | Ceiling UP | Luminares | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

4527/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

L400xB40xH170 mm 35°

Base L400xB40xH40 mm Spot Ø40xH130 mm

Materials

Aluminium 1M | 2M | 29

| Ref | Price € |
|---------|---------|
| 4527.1M | 637,99 |
| 4527.2M | 629,73 |
| 4527.29 | 676,46 |

built-up
CRI 90 on request
dimmable phase-cut

4507/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

L600xB40xH170 mm 35°

Base L600xB40xH40 mm Spot Ø40xH130 mm

Materials

Aluminium 1M | 2M | 29

| Ref | Price € |
|---------|---------|
| 4507.1M | 706,69 |
| 4507.2M | 695,17 |
| 4507.29 | 741,90 |

built-up
CRI 90 on request
dimmable phase-cut

4528/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

L600xB40xH170 mm 35°


Base L600xB40xH40 mm Spot Ø40xH130 mm

Materials

Aluminium 1M | 2M | 29

| Ref | Price € |
|---------|---------|
| 4528.1M | 882,22 |
| 4528.2M | 870,70 |
| 4528.29 | 933,00 |

built-up
CRI 90 on request
dimmable phase-cut



CEILING UP

LUMINAIRES

INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.


4521/.. - JACOBINE

≈350mA




built-up ceiling light - directional - with Texo base - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L85xB85xH150 mm  35°

↙ L60xB60 mm

Materials

Aluminium 1M | 2M | 14 | 29

| Ref | Price € |
|---------|---------|
| 4521.1M | 201,09 |
| 4521.2M | 198,10 |
| 4521.14 | 216,10 |
| 4521.29 | 213,68 |

built-up
CRI 90 on request


4522/.. - JACOBINE

~230V




built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L215xB130xH150 mm  35°

↙ L180xB100 mm

Materials

Aluminium 1M | 2M | 14 | 29

| Ref | Price € |
|---------|---------|
| 4522.1M | 389,95 |
| 4522.2M | 386,03 |
| 4522.14 | 405,81 |
| 4522.29 | 417,18 |

built-up
CRI 90 on request
dimmable phase-cut


4523/.. - JACOBINE

~230V




built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L300xB130xH150 mm  35°

↙ L270xB100 mm

Materials

Aluminium 1M | 2M | 14 | 29

| Ref | Price € |
|---------|---------|
| 4523.1M | 536,05 |
| 4523.2M | 531,76 |
| 4523.14 | 556,33 |
| 4523.29 | 578,48 |

built-up
CRI 90 on request
dimmable phase-cut


4524/.. - JACOBINE

~230V




built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L385xB130xH150 mm  35°

↙ L355xB100 mm

Materials

Aluminium 1M | 2M | 14 | 29

| Ref | Price € |
|---------|---------|
| 4524.1M | 722,93 |
| 4524.2M | 717,81 |
| 4524.14 | 750,15 |
| 4524.29 | 780,11 |

built-up
CRI 90 on request
dimmable phase-cut

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

4525/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamp type

4x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

↔ L210xB210xH150 mm 35°

↔ L180xB180 mm

Materials

Aluminium

1M | 2M | 14 | 29

Ref

4525.1M

4525.2M

4525.14

4525.29

Price €

722,93

717,81

770,45

910,23

- NW | WW
- NW | WW
- NW | WW
- NW | WW

*built-up
CRI 90 on request
dimmable phase-cut*



CEILING UP

LUMINAIRES

INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3801/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

1x LED 690lm CRI97 6,2W 12,40Vf

500mA

Ref

3801.1M

3801.2M

● NW | WW

● NW | WW

Price €

333,63

327,87

Dimensions

← L200xB50xH210 mm 30°

Base L200xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

built-up

3802/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

2x LED 690lm CRI97 6,2W 12,40Vf

500mA

Ref

3802.1M

3802.2M

● NW | WW

● NW | WW

Price €

580,49

572,23

Dimensions

← L400xB50xH210 mm 30°

Base L400xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

built-up

3803/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

3x LED 690lm CRI97 6,2W 12,40Vf

500mA

Ref

3803.1M

3803.2M

● NW | WW

● NW | WW

Price €

868,24

856,72

Dimensions

← L600xB50xH210 mm 30°

Base L600xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

built-up

3804/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

4x LED 690lm CRI97 6,2W 12,40Vf

500mA

Ref

3804.1M

3804.2M

● NW | WW

● NW | WW

Price €

1.076,50

1.064,02

Dimensions

← L900xB50xH210 mm 30°

Base L900xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

built-up

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3805/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

5x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1000xB50xH210 mm

30°

Base L1000xB45xH45 mm

Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref

3805.1M

3805.2M

● NW | WW

● NW | WW

Price €

1.313,38

1.300,04

built-up

3806/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1200xB50xH210 mm

30°

Base L1200xB45xH45 mm

Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref

3806.1M

3806.2M

● NW | WW

● NW | WW

Price €

1.517,66

1.503,55

built-up

3807/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1400xB50xH210 mm

30°

Base L1400xB45xH45 mm

Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref

3807.1M

3807.2M

● NW | WW


● NW | WW

Price €

1.745,31

1.730,79

built-up





All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

BT.3801/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

1x LED 690lm CRI97 6,2W 12,40Vf 500mA

Dimensions

↔ L220xB120xH200 mm 30°

Base L200xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

| Ref | Price € |
|------------|---------|
| BT.3801.1M | 440,35 |
| BT.3801.2M | 434,59 |

built-up

BT.3802/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

2x LED 690lm CRI97 6,2W 12,40Vf 500mA

Dimensions

↔ L400xB210xH200 mm 30°

Base L400xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

| Ref | Price € |
|------------|---------|
| BT.3802.1M | 687,22 |
| BT.3802.2M | 678,96 |

built-up

BT.3803/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

3x LED 690lm CRI97 6,2W 12,40Vf 500mA

Dimensions

↔ L600xB210xH200 mm 30°

Base L600xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

| Ref | Price € |
|------------|---------|
| BT.3803.1M | 974,96 |
| BT.3803.2M | 963,44 |

built-up

BT.3804/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

4x LED 690lm CRI97 6,2W 12,40Vf 500mA

Dimensions

↔ L900xB210xH200 mm 30°

Base L900xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

| Ref | Price € |
|------------|----------|
| BT.3804.1M | 1.183,22 |
| BT.3804.2M | 1.170,74 |

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

BT.3805/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

5x LED 690lm CRI97 6,2W 12,40Vf 500mA

Dimensions

←→ L1000xB210xH200 mm 30°

Base L1000xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

Ref

BT.3805.1M

● NW | WW

Price €

1.420,10

BT.3805.2M

● NW | WW

1.406,76

built-up

BT.3806/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 6,2W 12,40Vf 500mA

Dimensions

←→ L1200xB50xH210 mm 30°

Base L1200xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

Ref

BT.3806.1M

● NW | WW

Price €

1.624,39

BT.3806.2M

● NW | WW

1.610,27

built-up

BT.3807/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

7x LED 690lm CRI97 6,2W 12,40Vf 500mA

Dimensions

←→ L1400xB50xH210 mm 30°

Base L1400xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium 1M | 2M

Ref

BT.3807.1M

● NW | WW

Price €

1.852,03

BT.3807.2M

● NW | WW

1.837,52

built-up



INDOOR | Ceiling UP | Pendants | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3987.M.B3/.. - JACOB M

≈350mA



pendant with swivel - rod can be shortened - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH85 mm

Rod 800 mm

35°

Materials

Aluminium

1M | 2M | 14

Options

020.B3.D8,3/.. ROSETTE UP

Ref

3987.M.B3.1M

● NW | WW

Price €

172,53

3987.M.B3.2M

● NW | WW

172,53

3987.M.B3.14

● NW | WW

192,90

built-up
CRI 90 on request

3987.M.TX/.. - JACOB M

≈350mA



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH85 mm

Cable 2000 mm

35°

Materials

Aluminium

1M | 2M | 14

Options

055B/.. ROSETTE for textile cable

Ref

3987.M.TX.1M.TX1

● NW | WW

Price €

135,39

3987.M.TX.2M.TX2

● NW | WW


135,39

3987.M.TX.14.TX11

● NW | WW

149,77

built-up
CRI 90 on request



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3988.300/.. - JACOB PENDEL

=350mA



built-up
CRI 90 on request

pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH300 mm Cable 1500 mm

35°

Materials

Aluminium 1M | 2M | 14 | 29 | 49


Options

TR89800255/.. DRIVER 350mA

| Ref | Price € |
|------------------|---------|
| 3988.300.1M.TX1 | 192,17 |
| 3988.300.2M.TX2 | 192,17 |
| 3988.300.14.TX11 | 230,37 |
| 3988.300.29.TX2 | 217,63 |
| 3988.300.49.TX1 | 217,63 |

3988.400/.. - JACOB PENDEL

=350mA



built-up
CRI 90 on request

pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH400 mm Cable 1500 mm

35°

Materials

Aluminium 1M | 2M | 14 | 29 | 49


Options

TR89800255/.. DRIVER 350mA

| Ref | Price € |
|------------------|---------|
| 3988.400.1M.TX1 | 203,16 |
| 3988.400.2M.TX2 | 203,16 |
| 3988.400.14.TX11 | 243,10 |
| 3988.400.29.TX2 | 225,74 |
| 3988.400.49.TX1 | 225,74 |

3988.500/.. - JACOB PENDEL

=350mA



built-up
CRI 90 on request

pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH500 mm Cable 1500 mm

35°

Materials

Aluminium 1M | 2M | 14 | 29 | 49

Options

TR89800255/.. DRIVER 350mA

| Ref | Price € |
|------------------|---------|
| 3988.500.1M.TX1 | 207,21 |
| 3988.500.2M.TX2 | 207,21 |
| 3988.500.14.TX11 | 248,89 |
| 3988.500.29.TX2 | 230,37 |
| 3988.500.49.TX1 | 230,37 |





All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3973.300/.. - JACOB PENDEL

=500mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 639lm CRI80 5,6W 11,20Vf 500mA

Dimensions

Ø40xH300 mm Cable 1500 mm

35°

Materials

Aluminium 1M | 2M | 14 | 29 | 49

Options

TR89800256/.. DRIVER 500mA

| Ref | Price € |
|------------------|---------|
| 3973.300.1M.TX1 | 192,17 |
| 3973.300.2M.TX2 | 192,17 |
| 3973.300.14.TX11 | 230,37 |
| 3973.300.29.TX2 | 217,63 |
| 3973.300.49.TX1 | 217,63 |

built-up
CRI 90 on request

3973.400/.. - JACOB PENDEL

=500mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 639lm CRI80 5,6W 11,20Vf 500mA

Dimensions

Ø40xH400 mm Cable 1500 mm

35°

Materials

Aluminium 1M | 2M | 14 | 29 | 49

Options

TR89800256/.. DRIVER 500mA

| Ref | Price € |
|------------------|---------|
| 3973.400.1M.TX1 | 203,16 |
| 3973.400.2M.TX2 | 203,16 |
| 3973.400.14.TX11 | 243,10 |
| 3973.400.29.TX2 | 225,74 |
| 3973.400.49.TX1 | 225,74 |

built-up
CRI 90 on request

3973.500/.. - JACOB PENDEL

=500mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 639lm CRI80 5,6W 11,20Vf 500mA

Dimensions

Ø40xH500 mm Cable 1500 mm

35°

Materials

Aluminium 1M | 2M | 14 | 29 | 49

Options

TR89800256/.. DRIVER 500mA

| Ref | Price € |
|------------------|---------|
| 3973.500.1M.TX1 | 207,21 |
| 3973.500.2M.TX2 | 207,21 |
| 3973.500.14.TX11 | 248,89 |
| 3973.500.29.TX2 | 230,37 |
| 3973.500.49.TX1 | 230,37 |

built-up
CRI 90 on request



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3980.300/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH300 mm Cable 1500 mm

35°

Materials

Messing 16 | 13 | 13M | 23

Options

TR89800255/.. DRIVER 350mA

| Ref | Price € |
|--------------------|---------|
| 3980.300.16.TXM | 269,58 |
| 3980.300.16.TX2 | 252,81 |
| 3980.300.13.TXG13 | 299,88 |
| 3980.300.13M.TXG13 | 299,88 |
| 3980.300.13M.TX43 | 299,88 |
| 3980.300.23.TX23 | 299,88 |

built-up
CRI 90 on request

3980.400/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH400 mm Cable 1500 mm

35°

Materials

Messing 16 | 13 | 13M | 23

Options

TR89800255/.. DRIVER 350mA

| Ref | Price € |
|--------------------|---------|
| 3980.400.13.TXG13 | 345,08 |
| 3980.400.16.TXM | 287,55 |
| 3980.400.16.TX2 | 269,99 |
| 3980.400.23.TX23 | 345,08 |
| 3980.400.13M.TX43 | 345,08 |
| 3980.400.13M.TXG13 | 345,08 |

built-up
CRI 90 on request

3980.500/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH500 mm Cable 1500 mm

35°

Materials

Messing 16 | 13 | 13M | 23

Options

TR89800255/.. DRIVER 350mA

| Ref | Price € |
|--------------------|---------|
| 3980.500.16.TXM | 305,53 |
| 3980.500.16.TX2 | 287,97 |
| 3980.500.13.TXG13 | 370,44 |
| 3980.500.13M.TXG13 | 370,44 |
| 3980.500.13M.TX43 | 370,44 |
| 3980.500.23.TX23 | 370,44 |

built-up
CRI 90 on request

CEILING UP


PENDANTS



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1922.3/.. - JACOB

~230V



pendant - with 3x Jacob on base Juba - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

↔ L900xB45xH1945 mm Cable 1500 mm



35°

Base L900xB45xH45 mm

tube Ø40xH400 mm

Materials

| | |
|---------------------|---------|
| Aluminium | 1M 2M |
| Aluminium / Messing | 216 |
| Messing | 16 |


Ref

| Ref | Color | Price € |
|----------------|-----------|----------|
| 1922.3.1M.TX1 | ● NW WW | 950,17 |
| 1922.3.2M.TX2 | ● NW WW | 937,68 |
| 1922.3.16.TXM | ● NW WW | 1.372,89 |
| 1922.3.216.TX2 | ● NW WW | 1.138,16 |
| 1922.3.216.TXM | ● NW WW | 1.190,87 |

built-up
CRI 90 on request

1923.5/.. - JACOB

~230V



pendant - with 5x Jacob on base Juba - with LED driver

Lamptype

5x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

↔ L1200xB45xH1945 mm Cable 1500 mm



35°

Base L1200xB45xH45 mm

tube Ø40xH400 mm

Materials

| | |
|---------------------|---------|
| Aluminium | 1M 2M |
| Aluminium / Messing | 216 |
| Messing | 16 |


Ref

| Ref | Color | Price € |
|----------------|-----------|----------|
| 1923.5.1M.TX1 | ● NW WW | 1.453,13 |
| 1923.5.2M.TX2 | ● NW WW | 1.439,00 |
| 1923.5.16.TXM | ● NW WW | 2.092,00 |
| 1923.5.216.TX2 | ● NW WW | 1.773,14 |
| 1923.5.216.TXM | ● NW WW | 1.860,98 |

built-up
CRI 90 on request

1924.7/.. - JACOB

~230V



pendant - with 7x Jacob on base Juba - with LED driver

Lamptype

7x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

↔ L1400xB45xH1945 mm Cable 1500 mm



35°

Base L1400xB45xH45 mm

tube Ø40xH400 mm

Materials

| | |
|---------------------|---------|
| Aluminium | 1M 2M |
| Aluminium / Messing | 216 |
| Messing | 16 |

Ref


| Ref | Color | Price € |
|----------------|-----------|----------|
| 1924.7.1M.TX1 | ● NW WW | 1.930,62 |
| 1924.7.2M.TX2 | ● NW WW | 1.823,29 |
| 1924.7.16.TXM | ● NW WW | 2.672,44 |
| 1924.7.216.TX2 | ● NW WW | 2.291,07 |
| 1924.7.216.TXM | ● NW WW | 2.414,05 |

built-up
CRI 90 on request

INDOOR | Ceiling UP | Pendants | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1925.5/.. - JACOB ~230V LED C IP20 0,5 m 4.6 CE



built-up
CRI 90 on request

pendant - with 5x Jacob on base Rondobox - with LED driver


Lamptype
5x LED 467lm CRI80 3,8W 10,86Vf ▶ 350mA

Dimensions
 ↳ Ø350xH1945 mm Cable 1500 mm
 ▲ 35° Base Ø350xH28 mm
 tube Ø40xH400 mm

Materials
 Aluminium 1M | 2M
 Aluminium / Messing 216

| Ref | Price € |
|----------------|------------------|
| 1925.5.1M.TX1 | NW WW 1.423,14 |
| 1925.5.2M.TX2 | NW WW 1.410,44 |
| 1925.5.216.TX2 | NW WW 1.744,58 |
| 1925.5.216.TXM | NW WW 1.832,42 |

1926.7/.. - JACOB ~230V LED C IP20 2.0000 0,5 m 4.6 CE



built-up
CRI 90 on request

pendant - with 7x Jacob on base Rondobox - with LED driver


Lamptype
7x LED 467lm CRI80 3,8W 10,86Vf ▶ 350mA

Dimensions
 ↳ Ø400xH1945 mm Cable 1500 mm
 ▲ 35° Base Ø400xH28 mm
 tube Ø40xH400 mm

Materials
 Aluminium 1M | 2M
 Aluminium / Messing 216

| Ref | Price € |
|----------------|------------------|
| 1926.7.1M.TX1 | NW WW 1.930,08 |
| 1926.7.2M.TX2 | NW WW 1.915,57 |
| 1926.7.216.TX2 | NW WW 2.383,35 |
| 1926.7.216.TXM | NW WW 2.506,33 |







CEILING UP


PENDANTS

INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

| 3978M/.. - JACOB M | | =350mA | III | IP20 | 0.2089 | 0.5 m | 5.6 | CE | |
|---|--|--|----------------|-----------|--------|-------|-----|----|--|
|  <p><i>built-up</i></p> | built-up spot LED M10 - round - directional - CRI90 - without LED driver | Ref | Price € | | | | | | |
| | Lamptype | 3978M.1M | ● NW WW | 126,65 | | | | | |
| | 1x LED 410lm CRI90 4W 11,43Vf | 3978M.2M | ● NW WW | 126,65 | | | | | |
| | Dimensions | 3978M.14 | ● NW WW | 141,03 | | | | | |
| | ↔ Ø40xH130 mm | 3978M.4 | ● NW WW | 171,89 | | | | | |
| | ∧ 35° | 3978M.16 | ● NW WW | 160,92 | | | | | |
| | Head Ø40xH85 mm | 3978M.13 | ● NW WW | 172,16 | | | | | |
| | Materials | 3978M.13M | ● NW WW | 172,16 | | | | | |
| | Aluminium | 1M 2M 14 119 29 49 47 77 | 3978M.23 | ● NW WW | 172,16 | | | | |
| | Messing | 4 16 13 13M 23 | 3978M.119 | ● NW WW | 131,25 | | | | |
| | Options | 3978M.29 | ● NW WW | 142,23 | | | | | |
| | 002/.. ROSETTE IN | 3978M.49 | ● NW WW | 142,23 | | | | | |
| | 005/.. ROSETTE UP | 3978M.47 | ● NW WW | 126,65 | | | | | |
| | TR89800255/.. DRIVER 350mA | 3978M.77 | ● NW WW | 126,65 | | | | | |

| 3982M/.. - JACOB M | | =500mA | III | IP20 | 0.2117 | 0.5 m | 5.6 | CE | |
|--|--|--|----------------|-----------|--------|-------|-----|----|--|
|  <p><i>built-up</i></p> | built-up spot LED M10 - round - directional - CRI90 - without LED driver | Ref | Price € | | | | | | |
| | Lamptype | 3982M.1M | ● NW WW | 126,65 | | | | | |
| | 1x LED 555lm CRI90 5,8W 11,60Vf | 3982M.2M | ● NW WW | 126,65 | | | | | |
| | Dimensions | 3982M.14 | ● NW WW | 141,03 | | | | | |
| | ↔ Ø40xH130 mm | 3982M.4 | ● NW WW | 171,89 | | | | | |
| | ∧ 35° | 3982M.16 | ● NW WW | 160,92 | | | | | |
| | Head Ø40xH85 mm | 3982M.13 | ● NW WW | 172,16 | | | | | |
| | Materials | 3982M.13M | ● NW WW | 172,16 | | | | | |
| | Aluminium | 1M 2M 14 119 29 49 47 77 | 3982M.23 | ● NW WW | 172,16 | | | | |
| | Messing | 4 16 13 13M 23 | 3982M.119 | ● NW WW | 131,25 | | | | |
| | Options | 3982M.29 | ● NW WW | 142,23 | | | | | |
| | 002/.. ROSETTE IN | 3982M.49 | ● NW WW | 142,23 | | | | | |
| | 005/.. ROSETTE UP | 3982M.47 | ● NW WW | 126,65 | | | | | |
| | TR89800256/.. DRIVER 500mA | 3982M.77 | ● NW WW | 126,65 | | | | | |

| 3974.300/.. - JACOB LONG | | =500mA | III | IP20 | 0.2500 | 0.5 m | 5.6 | CE |
|---|--|-------------------|----------------|--------|--------|-------|-----|----|
|  <p><i>built-up</i></p> | built-up spot LED M10 - round - directional - CRI90 - without LED driver | Ref | Price € | | | | | |
| | Lamptype | 3974.300.1M | ● NW WW | 192,17 | | | | |
| | 1x LED 555lm CRI90 5,8W 11,60Vf | 3974.300.2M | ● NW WW | 192,17 | | | | |
| | Dimensions | 3974.300.29 | ● NW WW | 217,63 | | | | |
| | ↔ Ø40xH345 mm | 3974.300.49 | ● NW WW | 217,63 | | | | |
| | ∧ 35° | | | | | | | |
| | Head Ø40xH300 mm | | | | | | | |
| | Materials | | | | | | | |
| | Aluminium | 1M 2M 29 49 | | | | | | |
| | Options | | | | | | | |
| 002/.. ROSETTE IN | | | | | | | | |
| 005/.. ROSETTE UP | | | | | | | | |
| TR89800255/.. DRIVER 350mA | | | | | | | | |



CEILING UP

SPOTS

INDOOR | Ceiling UP | Spots | JACOB


All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3975M/.. - JACOB WALL BY SUMUM

=500mA



built-up
To point to the wall




built-up spot LED M10 - directional - CRI90 - without LED driver

Lamptype

1x LED 555lm CRI90 5,8W 11,60Vf  500mA

Dimensions

→ Ø40xH165 mm  35°

Head Ø40xH125 mm

Materials

Aluminium 1M | 2M | 29 | 49
Messing 16

Options

002/.. ROSETTE IN
005/.. ROSETTE UP
TR89800256/.. DRIVER 500mA

| Ref | Price € |
|----------|---------|
| 3975M.1M | 209,53 |
| 3975M.2M | 209,53 |
| 3975M.16 | 266,25 |
| 3975M.29 | 225,74 |
| 3975M.49 | 225,74 |

3979.SLO/.. - JACOB SLO

=350mA



built-up



directional - without LED driver

Lamptype

1x LED 735lm CRI90 6,2W 17,71Vf 350mA

Materials

Aluminium 1M | 2M | 14 | 11M
Messing 4 | 16

Options

002/.. ROSETTE IN
005/.. ROSETTE UP
TR89800255/.. DRIVER 350mA

| Kleur | 3979.SLO.D15/.. | 3979.SLO.D30/.. | 3979.SLO.D36/.. | 3979.SLO.D45/.. |
|-------|-----------------|-----------------|-----------------|-----------------|
| | 15° | 30° | 36° | 45° |
| 1M | € 126,65 | € 126,65 | € 126,65 | € 126,65 |
| 2M | € 126,65 | € 126,65 | € 126,65 | € 126,65 |
| 14 | € 141,03 | € 141,03 | € 141,03 | € 141,03 |
| 11M | € 126,65 | € 126,65 | € 126,65 | € 126,65 |
| 4 | € 171,89 | € 171,89 | € 171,89 | € 171,89 |
| 16 | € 160,92 | € 160,92 | € 160,92 | € 160,92 |



CEILING UP

SPOTS

INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3800/.. - JACOB XL

=500mA



built-up spot LED M10 - directional - CRI97 - without LED driver

Lamptype

1x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

←→ Ø50xH156 mm

housing Ø50xH120 mm

Materials

Aluminium 1M | 2M | 29 | 49 | 47

Inox BR123

Messing 16 | 23

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800256/.. DRIVER 500mA

built-up

| Kleur | 3800.D11/.. | 3800.D30/.. | 3800.D40/.. |
|-------|-------------|-------------|-------------|
| | 11° | 30° | 40° |
| 1M | € 170,17 | € 170,17 | € 170,17 |
| 2M | € 170,17 | € 170,17 | € 170,17 |
| 16 | € 222,26 | € 222,26 | € 222,26 |
| 23 | € 251,20 | € 251,20 | € 251,20 |
| 29 | € 187,54 | € 187,54 | € 187,54 |
| 49 | € 187,54 | € 187,54 | € 187,54 |
| 47 | € 170,17 | € 170,17 | € 170,17 |



3961/.. - JACOB

~230V



table lamp - fixed - with cable and plug - with LED driver

Lamp type

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø160xH400 mm

35°

Base Ø160xH20 mm

Head Ø40xH90 mm

Materials

Aluminium

1M | 2M | 84 | 29 | 47

| Ref | | Price € |
|---------|-----------|---------|
| 3961.1M | ● NW WW | 291,72 |
| 3961.2M | ● NW WW | 291,72 |
| 3961.84 | ● NW WW | 300,47 |
| 3961.29 | ● NW WW | 297,51 |
| 3961.47 | ● NW WW | 297,51 |

built-up
CRI 90 on request

3970/.. - JACOB

~230V



floorlamp - directional - with cable and plug - with LED driver

Lamp type

1x LED 639lm CRI80 5,6W 11,20Vf

500mA

Dimensions

Ø170xH1000 mm

1000 mm

35°

Materials

Aluminium

1M | 2M

| Ref | | Price € |
|---------|-----------|---------|
| 3970.1M | ● NW WW | 422,26 |
| 3970.2M | ● NW WW | 422,26 |

built-up



INDOOR | Wall UP | JACOB

3984/.. - JACOB

~230V



built-up wall light - round - fixed - down/up - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

B40xH250xD85 mm

35°

B35xH190xD35 mm

tube Ø40xH250 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

3984.1M

3984.2M

3984.29

3984.49

Price €

● NW | WW 365,43

● NW | WW 365,43

● NW | WW 383,41

● NW | WW 383,41

built-up
CRI 90 on request





WALL UP






Colours



Textile cables



Other colours available on request



psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.