



Clara

timeless classic lighting



psmighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

3403/.. - CLARA

~230V



built-up ceiling light - fixed - down

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø80xH137

Materials

Aluminium

1M | 2M | 14 | 29

Rood koper

28

Ref

3403.1M

3403.2M

3403.14

3403.28

3403.29

Price €



built-up

3402.ES50/.. - CLARA

~230V



built-up ceiling light - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W

230V

Dimensions

Ø122xH165

Materials

Aluminium

1M | 2M | 14 | 29 | 47

Rood koper

28

Ref

3402.ES50.1M

3402.ES50.2M

3402.ES50.14

3402.ES50.28

3402.ES50.29

3402.ES50.47

Price €



built-up

3402/.. - CLARA

~230V



built-up ceiling light - fixed - down

Lamptype

1x A60 E27 max. 40W

230V

Dimensions

Ø122xH165

Materials

Aluminium

1M | 2M | 14 | 29 | 47

Rood koper

28

Ref

3402.1M

3402.2M

3402.14

3402.28

3402.29

3402.47

Price €



built-up

3400.IP20/.. - CLARA XICATO

~230V



built-up ceiling light - fixed - down - with LED driver

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø122xH165

40°

Reflector Ø111

Materials

Aluminium

1M | 2M | 14

Rood koper

Ref

3400.IP20.1M

3400.IP20.2M

3400.IP20.14

3400.IP20.28

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up

3401.IP20/.. - CLARA XICATO

=500mA



built-up ceiling light - fixed - down - without LED driver

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø122xH165

40°

Reflector Ø111

Materials

Aluminium

1M | 2M | 14

Rood koper

Ref

3401.IP20.1M

3401.IP20.2M

3401.IP20.14

3401.IP20.28

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up



3407/.. - CLARA

~230V



IP20



1.5 m



0.5500

0.5 m



5.6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø75xH140

Cable 1500

Materials

Aluminium

1M | 2M | 14 | 29 | 47

Rood koper

28

Ref

3407.1M.TX1

3407.2M.TX2

3407.2M.TX3

3407.14.TX2

3407.28.TX2

3407.29.TX2

3407.29.TX3

3407.47.TX2

Price €

built-up

3406/.. - CLARA

~230V



IP20



1.5 m



0.6000

0.5 m



5.6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 10,5W

230V

Dimensions

Ø120xH160

Cable 1500

Materials

Aluminium

1M | 2M | 14 | 29 | 47

Rood koper

28 | 52

Ref

3406.1M.TX1

3406.2M.TX2

3406.2M.TX3

3406.14.TX2

3406.28.TX2

3406.29.TX2

3406.29.TX3

3406.47.TX2

3406.52.TX2

Price €

built-up

3405/.. - CLARA XICATO

~230V



IP20



1.5 m



1.0000

0.5 m



5.6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - with LED driver

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø120xH160

Cable 1500

38°

Reflector Ø111

Materials

Aluminium

1M | 2M | 14

Rood koper

28

Ref

3405.1M.TX1

3405.2M.TX2

3405.2M.TX3


3405.14.TX2

3405.28.TX2

Price €

built-up

Dimmable on request with remote driver



3406.AR70/.. - CLARA

~230V



IP20



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR70 GU10 max. 7W

230V

1x QPAR 51 GU10 max. 8W

230V

Dimensions

Ø120xH160

Cable 1500

Materials

Aluminium

1M | 2M | 14 | 29 | 47

Rood koper

28 | 52

Ref

3406.AR70.1M.TX1

3406.AR70.2M.TX2

3406.AR70.2M.TX3

3406.AR70.14.TX2

3406.AR70.28.TX2

3406.AR70.29.TX2

3406.AR70.29.TX3

3406.AR70.47.TX2

3406.AR70.52.TX2

Price €

built-up

3411/.. - CLARA

~230V



IP20



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 60W

230V

Dimensions

Ø205xH265

Cable 1500

Materials

Aluminium

1M | 2M | 29 | 47

Ref

3411.1M.TX1

3411.2M.TX3

3411.29.TX3

3411.29.TX2

3411.47.TX2

Price €

built-up

3404/.. - CLARA

~230V



IP20



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 60W

230V

Dimensions

Ø250xH315

Cable 1500

Materials

Aluminium

1M | 2M | 29 | 47

Ref

3404.1M.TX1

3404.2M.TX2

3404.2M.TX3

3404.29.TX2

3404.29.TX3

3404.47.TX2

Price €

built-up



3407.B3/.. - CLARA

~230V



IP20



0.8 m



0.2500



0.5 m



4.6



pendant with swivel - rod can be shortened - fixed

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø75xH140

Tige 800

Materials

Aluminium

1M | 2M | 14 | 29 | 47

Rood koper

Ref

3407.B3.1M

3407.B3.2M

3407.B3.14

3407.B3.28

3407.B3.29

3407.B3.47

Price €

built-up

3406.AR70.B3/.. - CLARA

~230V



IP20



0.8 m



0.5000



0.5 m



4.6



pendant with swivel - rod can be shortened - fixed

Lamptype

1x QPAR70 GU10 max. 8W

230V

1x QPAR 51 GU10 max. 8W

230V

Dimensions

Ø120xH160

Tige 800

Materials

Aluminium

1M | 2M | 14 | 29 | 49 | 47

Rood koper

Ref

3406.AR70.B3.1M

3406.AR70.B3.2M

3406.AR70.B3.14

3406.AR70.B3.28

3406.AR70.B3.29

3406.AR70.B3.47

3406.AR70.B3.49

3406.AR70.B3.52

Price €

built-up

3406.B3/.. - CLARA

~230V



IP20



0.8 m



0.4500



0.5 m



4.6



pendant with swivel - rod can be shortened - fixed

Lamptype

1x A60 E27 max. 10,5W

230V

Dimensions

Ø120xH160

Tige 800

Materials

Aluminium

1M | 2M | 14 | 29 | 49 | 47

Rood koper

Ref

3406.B3.1M

3406.B3.2M

3406.B3.14

3406.B3.28

3406.B3.29

3406.B3.47

3406.B3.49

3406.B3.52

Price €

built-up

3405.B3/.. - CLARA XICATO

~230V



IP20



0.8 m



0.6800



0.5 m



4.6



pendant with swivel - rod can be shortened - fixed - with LED driver

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø120xH160

Tige 800

38°

Reflector Ø111

Materials

Aluminium

1M | 2M | 14

Rood koper

Ref

3405.B3.1M

3405.B3.2M

3405.B3.14

3405.B3.28

NW | WW

NW | WW

NW | WW

NW | WW

Price €


built-up

Dimmable on request with remote driver



3411.B3/.. - CLARA

~230V



pendant with swivel - rod can be shortened - fixed

Lamptype

1x A60 E27 max. 60W

230V

Dimensions

Ø205xH265

Tige 800

Materials

Aluminium

1M | 2M | 29 | 47

Ref

3411.B3.1M

3411.B3.2M

3411.B3.29

3411.B3.47




Price €

built-up

3404.B3/.. - CLARA

~230V



pendant with swivel - rod can be shortened - fixed

Lamptype

1x A60 E27 max. 60W

230V

Dimensions

Ø250xH315

Tige 800

Materials

Aluminium

1M | 2M | 29 | 47

Ref

3404.B3.1M

3404.B3.2M

3404.B3.29

3404.B3.47





Price €

built-up



3412.3/.. - CLARA

~230V



pendant - fixed - with 3x Clara Ø75 on base Juba

Lamptype

3x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L900xB75xH1685 Cable 1500

Base L900xB45xH45 Cone Ø75xH140

Materials

Aluminium 1M | 2M | 29 | 49

Aluminium / Roodkoper 228

Ref

3412.3.1M.TX1

3412.3.2M.TX2

3412.3.29.TX2

3412.3.49.TX1

3412.3.228.TX2



3412.3.228.TXRK

Price €

built-up

3413.5/.. - CLARA

~230V



pendant - fixed - with 5x Clara Ø75 on base Juba

Lamptype

5x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L1200xB75xH1685 Cable 1500

Base L1200xB45xH45 Cone Ø75xH140

Materials

Aluminium 1M | 2M | 29 | 49

Aluminium / Roodkoper 228

Ref

3413.5.1M.TX1

3413.5.2M.TX2

3413.5.29.TX2

3413.5.49.TX1

3413.5.228.TX2



3413.5.228.TXRK

Price €

built-up

3414.3/.. - CLARA

~230V



pendant - fixed - with 3x Clara Ø120 on base Juba

Lamptype

3x QPAR70 GU10 max. 7W 230V

OR 3x QPAR 51 GU10 max. 8W 230V

Dimensions

↔ L900xB120xH1705 Cable 1500

Base L900xB45xH45 Cone Ø120xH160

Materials

Aluminium 1M | 2M | 29 | 49

Aluminium / Roodkoper 228

Ref

3414.3.1M.TX1

3414.3.2M.TX2

3414.3.29.TX2

3414.3.49.TX1

3414.3.228.TX2



3414.3.228.TXRK

Price €

built-up

3415.5/.. - CLARA

~230V



pendant - fixed - with 5x Clara Ø120 on base Juba

Lamptype

5x QPAR 51 GU10 max. 20W 230V

OR 5x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L1200xB120xH1705 Cable 1500

Base L1200xB45xH45 Cone Ø120xH160

Materials

Aluminium 1M | 2M | 29 | 49

Aluminium / Roodkoper 228

Ref

3415.5.1M.TX1

3415.5.2M.TX2

3415.5.29.TX2

3415.5.49.TX1

3415.5.228.TX2

3415.5.228.TXRK

Price €

built-up

3416.3/.. - CLARA

~230V



IP20



pendant - fixed - with 3x Clara Ø205 on base Juba

Lamptype

3x A60 E27 max. 60W

230V

Dimensions

↔ L1200xB120xH1810

Cable 1500

Base L1200xB45xH45

Cone Ø205xH265

Materials

Aluminium

1M | 2M | 29 | 49

Ref

3416.3.1M.TX1

3416.3.2M.TX2

3416.3.29.TX2

3416.3.49.TX1



Price €

built-up

3417.3/.. - CLARA

~230V



IP20



pendant - fixed - with 3x Clara Ø250 on base Juba

Lamptype

3x A60 E27 max. 60W

230V

Dimensions

↔ L1400xB120xH1860

Cable 1500

Base L1200xB45xH45

Cone Ø250xH315

Materials

Aluminium

1M | 2M | 29 | 49

Ref

3417.3.1M.TX1

3417.3.2M.TX2

3417.3.29.TX2

3417.3.49.TX1



Price €


built-up

3418.5/.. - CLARA

~230V



IP20



pendant - fixed - with 3x Clara Ø120 and 2x Clara Ø205 on base Rondobox

Lamptype

2x A60 E27 max. 60W

230V

3x QPAR 51 GU10 max. 11W

230V

Dimensions

↔ Ø400xH1838

Cable 1500

Base Ø400xH28

Cone Ø205xH265

Materials

Aluminium

1M | 2M | 29 | 49

Ref

3418.5.1M.TX1

3418.5.2M.TX2

3418.5.29.TX2

3418.5.49.TX1



Price €

built-up

3408/.. - CLARA

~230V



IP20



0.4400

0.5 m

5.6



built-up wall light - fixed - down/up

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø75xH150

Base Ø54xH32

Materials

Aluminium

1M | 2M | 14 | 29

Rood koper

Ref

3408.1M

3408.2M

3408.14

3408.28

3408.29

Price €



built-up



W3409/.. - CLARA

~230V



built-up wall light - fixed - down/up

Lamptype	
2x QPAR 51 GU10 max. 20W	230V
Dimensions	
↔ Ø75xH150	Base Ø54xH32
Materials	
Alu Anodisé	31MA 32A 37A 46A
Rood koper	30


Ref	Price €
W3409.30	1
W3409.31MA	1
W3409.32A	1
W3409.37A	1
W3409.46A	1

built-up



WALL UP







Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.