



Flex little

Flexible bedroom lights



psmighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1962.ES50/.. - VOLTA FLEX		~230V	 IP20				 0.6000	 0.5 m	 5.6	
 <i>built-up</i>	spotlight with flexible tube - round - directional - without switch		Ref							Price €
	Lamptype		1962.ES50.1M							
	1x QPAR70 GU10 max. 7W		1962.ES50.2M							
	Dimensions		1962.ES50.11							
	↔ Ø60xH415		1962.ES50.16							
	Base Ø60xH25		1962.ES50.23							
Materials										
Aluminium		1M 2M 11								
Messing		16 23								



CEILING UP
SPOTS

INDOOR | Ceiling UP | Spots | FLEX


All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3990.300/.. - FLEX LITTLE CAPA ~230V IP20 0.3700 0,5 m 5.6

3990.300/.. - FLEX LITTLE CAPA ~230V IP20 0.3700 0,5 m 5.6



3990.300/.. - FLEX LITTLE CAPA ~230V IP20 0.3700 0,5 m 5.6



	spotlight with flexible tube - round - directional - without switch		Ref		Price €
	Lamptype				
	1x QPAR 51 GU10 max. 20W		230V	3990.300.1M	
	OR 1x QPAR70 GU10 max. 8W		230V	3990.300.2M	
	Dimensions				
	Flex 300		Base Ø60xH25	3990.300.11	
	Head Ø33xH43			3990.300.13	
	Materials				
	Aluminium		1M 2M 11	3990.300.16	
	Messing		13 13M	3990.300.13M	

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						

	spotlight with flexible tube - round - directional - without switch		Ref			Price €		
	Lamptype							
	1x QPAR 51 GU10 max. 20W	230V	3990.300.1M					
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.2M					
	Dimensions		3990.300.11					
	Flex 300	Base Ø60xH25	3990.300.13					
built-up	Head Ø33xH43		3990.300.16					
	Materials		3990.300.13M					
	Aluminium	1M 2M 11						
	Messing	13 13M						



3022A/.. - ORKA WALL

~230V



semi built-in/up
other °angle reflector on demand



built-in wall light - directional - with switch - with Helia built-in box 275 or 276 (4 screws) - with LED driver

Lamptype

1x LED 345lm CRI80 max. 2,7W

D 250mA

Dimensions

B80xH90

Flex 300

40°

Materials

Aluminium

1M | 2M | 14

Messing

23

Ref

3022A.1M

CW | WW

3022A.2M

CW | WW

3022A.14

CW | WW


3022A.23

CW | WW

Price €

3022B/.. - ORKA WALL

~230V



semi built-in/up
other °angle reflector on demand



built-in wall light - directional - without switch - with built-in box Helia 275 or 276 (4 screws) - with LED driver

Lamptype

1x LED 345lm CRI80 max. 2,7W

D 250mA

Dimensions

B80xH90

Flex 300

40°

Materials

Aluminium

1M | 2M | 14

Messing

23

Ref

3022B.1M

CW | WW

3022B.2M

CW | WW

3022B.14

CW | WW

3022B.23

CW | WW

Price €

3022C/.. - ORKA WALL

~230V



semi built-in/up
other °angle reflector on demand



built-in wall light - directional - without switch - with built-in box Helia 275 or 276 (4 screws) - with LED driver

Lamptype

2x LED 345lm CRI80 max. 2,7W

D 250mA

Dimensions

B80xH90

Flex 300

40°

Materials

Aluminium

1M | 2M | 14

Messing

23

Ref

3022C.1M

CW | WW

3022C.2M

CW | WW

3022C.14

CW | WW


3022C.23

CW | WW


Price €

INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1233.300/.. - FLEX LITTLE CAPA		~230V	IP20			0,5 m	5.6	CE
 semi built-in/up mount to gyproc box with 2 screws	spotlight with flexible tube - directional - without switch	Ref	Price €					
	Lamptype	1233.300.1M						
	1x QPAR 51 GU10 max. 20W 230V	1233.300.2M						
	OR 1x QPAR70 GU10 max. 8W 230V	1233.300.11						
	Dimensions	1233.300.16						
	↔ L80xB80xD340 Flex 300	1233.300.23						
	Ø68 Base L80xB80							
	Head Ø33xH43							
	Materials							
	Aluminium	1M 2M 11						
	Messing	16 23						

1379.300/.. - FLEX LITTLE CAPA		~230V	IP20			0,5 m	5.6	CE
 semi built-in/up mount to gyproc box with 2 screws	spotlight with flexible tube - directional - with switch	Ref	Price €					
	Lamptype	1379.300.1M						
	1x QPAR 51 GU10 max. 20W 230V	1379.300.2M						
	OR 1x QPAR70 GU10 max. 8W 230V	1379.300.11						
	Dimensions	1379.300.16						
	↔ L80xB80xD340 Flex 300	1379.300.23						
	Ø68 Base L80xB80							
	Head Ø33xH43							
	Materials							
	Aluminium	1M 2M 11						
	Messing	16 23						

1167.300/.. - FLEX LITTLE CAPA		~230V	 IP20     0.3100  0.5 m  5.6 				
 <i>semi built-in/up</i> <i>mount to gyproc box with 2 screws</i>	spotlight with flexible tube - directional - without switch		Ref		Price €		
	Lamptype		1167.300.1M				
	1x QPAR 51 GU10 max. 20W 230V		1167.300.2M				
	OR 1x QPAR70 GU10 max. 8W 230V		1167.300.11				
	Dimensions		1167.300.16				
	 Ø90xH340 Flex 300		1167.300.23				
	 Ø68 Base Ø90						
	Head Ø33xH43						
	Materials						
	Aluminium 1M 2M 11						
Messing 16 23							

1325.300/.. - FLEX LITTLE CAPA		~230V	        				
 <i>semi built-in/up</i> <i>mount to gyproc box with 2 screws</i>	spotlight with flexible tube - directional - with switch		Ref		Price €		
	Lamptype		1325.300.1M				
	1x QPAR 51 GU10 max. 20W 230V		1325.300.2M				
	OR 1x QPAR70 GU10 max. 8W 230V		1325.300.11				
	Dimensions		1325.300.16				
	 Ø90xH340 Flex 300		1325.300.23				
 Ø68 Base Ø90							
Head Ø33xH43							
Materials							
Aluminium		1M 2M 11					
Messing		16 23					

Other bases on request. Flex also available in length 400 and 500mm, price on request.

3990.300/.. - FLEX LITTLE CAPA		~230V	IP20								
	spotlight with flexible tube - round - directional - without switch		Ref	Price €							
	Lamptype		3990.300.1M								
	1x QPAR 51 GU10 max. 20W	230V	3990.300.2M								
	OR 1x QPAR70 GU10 max. 8W	230V	3990.300.11								
	Dimensions		3990.300.13								
	Flex 300	Base Ø60xH25	3990.300.16								
	Head Ø33xH43		3990.300.13M								
	Materials										
	Aluminium	1M 2M 11									
	Messing	13 13M									

built-up

1131.300/.. - FLEX LITTLE CAPA		~230V	IP20								
	spotlight with flexible tube - directional - without switch		Ref	Price €							
	Lamptype		1131.300.1M								
	1x QPAR 51 GU10 max. 20W	230V	1131.300.2M								
	OR 1x QPAR70 GU10 max. 8W	230V	1131.300.11								
	Dimensions										
	L60xB40xD370	Flex 300									
	Base L60xB40xD30	Head Ø33xH43									
	Materials										
	Aluminium	1M 2M 11									

built-up

1108.300/.. - FLEX LITTLE CAPA		~230V	IP20								
	spotlight with flexible tube - directional - with switch		Ref	Price €							
	Lamptype		1108.300.1M								
	1x QPAR 51 GU10 max. 20W	230V	1108.300.2M								
	OR 1x QPAR70 GU10 max. 8W	230V	1108.300.11								
	Dimensions										
	L60xB40xD370	Flex 300									
	Base L60xB40xD30	Head Ø33xH43									
	Materials										
	Aluminium	1M 2M 11									

built-up

INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1093.300/.. - FLEX LITTLE JAMES		=350mA			IP20					0.3000		0.5 m		5.6		
 <i>semi built-in/up</i> mount to gyproc box with 2 screws	spotlight with flexible tube - directional - without switch - without LED driver		Ref		Price €											
	Lamptype		1093.300.1M													
	1x LED 467lm CRI80 max. 3,8W		1093.300.2M													
	Dimensions		1093.300.11													
	 L80xB80xD350		1093.300.29													
	 Ø68		1093.300.47													
Base L80xB80		Head Ø40xH50		1093.300.49												
Materials																
Aluminium		1M 2M 11 29 49 47														

1424.300/.. - FLEX LITTLE JAMES		=350mA			IP20					0.2800		0.5 m		5.6	
 <i>semi built-in/up</i> mount to gyproc box with 2 screws		spotlight with flexible tube - directional - with switch - without LED driver													
		Lamptype													
		1x LED 467lm CRI80 max. 3,8W		350mA											
		Dimensions													
		L80xB80xD350	Flex 300												
		Ø68		48°											
	Base L80xB80	Head Ø40xH50													
Materials															
Aluminium		1M 2M 11 29 49 47													

1173.300/.. - FLEX LITTLE JAMES		=350mA	  IP20     0.3500  0.5 m  5.6 				
 <i>semi built-in/up</i> mount to gyproc box with 2 screws	spotlight with flexible tube - directional - without switch - without LED driver		Ref		Price €		
	Lamptype		1173.300.1M		 NW WW		
	1x LED 467lm CRI80 max. 3,8W  350mA		1173.300.2M		 NW WW		
	Dimensions		1173.300.11		 NW WW		
	 Ø90xH350 Flex 300		1173.300.29		 NW WW		
	 Ø68  48°		1173.300.47		 NW WW		
Base Ø90 Head Ø40xH50		1173.300.49		 NW WW			
Materials							
Aluminium		1M 2M 11 29 49 47					

1426.300/.. - FLEX LITTLE JAMES		=350mA			IP20										
	spotlight with flexible tube - directional - with switch - without LED driver		Ref		Price €										
	Lamptype		1426.300.1M												
	1x LED 467lm CRI80 max. 3,8W		 350mA		1426.300.2M										
	Dimensions		1426.300.11												
	 Ø90xD350		Flex 300		1426.300.29										
 Ø68	 48°		1426.300.47												
Base Ø90		Head Ø40xH50		1426.300.49											
Materials															
Aluminium		1M 2M 11 29 49 47													
semi built-in/up mount to gyproc box with 2 screws															

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1534.300/.. - FLEX LITTLE JAMES

~230V



built-up

spotlight with flexible tube - directional - without switch - with LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø80xH390

Flex 300

48°

Ø80xH40

Materials

Aluminium

1M | 2M | 11 | 29 | 49 | 47

Ref

1534.300.1M

1534.300.2M

1534.300.11

1534.300.29

1534.300.47

1534.300.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

1535.300/.. - FLEX LITTLE JAMES

~230V



built-up

spotlight with flexible tube - directional - with switch - with LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø80xH390

Flex 300

48°

Ø80xH40

Materials

Aluminium

1M | 2M | 11 | 29 | 49 | 47

Ref

1535.300.1M

1535.300.2M

1535.300.11

1535.300.29

1535.300.47

1535.300.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW



INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1089.300/.. - FLEX LITTLE JAMES		=350mA			IP20				0.3800		0.5 m		5.6			
 <i>built-up</i>	 spotlight with flexible tube - directional - without switch - without LED driver	Lamptype		Ref										Price €		
		1x LED 467lm CRI80 max. 3,8W			350mA	1089.300.1M										 NW WW
		Dimensions		1089.300.2M										 NW WW		
		 L60xB40xD380		Flex 300	1089.300.11										 NW WW	
		 48°		Base L60xB40xD30	1089.300.29										 NW WW	
		Head Ø40xH50		1089.300.47										 NW WW		
Materials		1089.300.49										 NW WW				
Aluminium		1M 2M 11 29 49 47														

1466.300/.. - FLEX LITTLE JAMES		=350mA			IP20				0.4000		0,5 m		5,6															
 <i>built-up</i>	 spotlight with flexible tube - directional - with switch - without LED driver	Lamptype		Ref										Price €														
		1x LED 467lm CRI80 max. 3,8W			350mA	1466.300.1M		NW WW																				
						1466.300.2M		NW WW																				
		Dimensions												1466.300.11		NW WW												
		 L60xB40xD380		Flex 300												1466.300.29		NW WW										
		 48°		Base L60xB40xD30												1466.300.47		NW WW										
Head Ø40xH50															1466.300.49		NW WW											
Materials																												
Aluminium															1M 2M 11 29 49 47													


1128.300/.. - FLEX LITTLE JAMES		~230V				IP20					0,5300		0,5 m		5,6			
 <i>built-up</i>	 spotlight with flexible tube - directional - without switch - with LED driver	Lamptype		Ref												Price €		
		1x LED 467lm CRI80 max. 3,8W			350mA	1128.300.1M												 NW WW
						1128.300.2M												 NW WW
						1128.300.11												 NW WW
						1128.300.29												 NW WW
						1128.300.47												 NW WW
						1128.300.49												 NW WW
Dimensions																		
	L 110xB55xD390	Flex 300																
	48°	Base L110xB55xD35																
Head Ø40xH50																		
Materials																		
Aluminium		1M 2M 11 29 49 47																

1116.300/.. - FLEX LITTLE JAMES		~230V				IP20					0,5 m		5.6		
 <i>built-up</i>	 spotlight with flexible tube - directional - with switch - with LED driver	Lamptype		Ref											
		1x LED 467lm CRI80 max. 3,8W			350mA	1116.300.1M									
		Dimensions		1116.300.2M											
			L 110xB55xD390	Flex 300	1116.300.11										
			48°	Base L110xB55xD35	1116.300.29										
		Head Ø40xH50		1116.300.47											
Materials		1116.300.49													
Aluminium		1M 2M 11 29 49 47													

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1174.300/.. - FLEX LITTLE JACOB

=350mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L80xB80xD380

Flex 300

Ø68

48°

Base L80xB80

Head Ø40xH85

Materials

Aluminium


1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1174.300.1M	NW WW
1174.300.2M	NW WW
1174.300.11	NW WW
1174.300.29	NW WW
1174.300.47	NW WW
1174.300.49	NW WW

semi built-in/up
CRI 90 on request
mount to gyproc box with 2 screws

1373.300/.. - FLEX LITTLE JACOB

=350mA



spotlight with flexible tube - directional - with switch - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L80xB80xD385

Flex 300

Ø68

48°

Base L80xB80

Head Ø40xH85

Materials

Aluminium

1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1373.300.1M	NW WW
1373.300.2M	NW WW
1373.300.11	NW WW
1373.300.29	NW WW
1373.300.47	NW WW
1373.300.49	NW WW

semi built-in/up
CRI 90 on request
mount to gyproc box with 2 screws

1175.300/.. - FLEX LITTLE JACOB

=350mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø90xH350

Flex 300

Ø68

48°

Base Ø90

Head Ø40xH85

Materials

Aluminium

1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1175.300.1M	NW WW
1175.300.2M	NW WW
1175.300.11	NW WW
1175.300.29	NW WW
1175.300.47	NW WW
1175.300.49	NW WW

semi built-in/up
CRI 90 on request
mount to gyproc box with 2 screws

1377.300/.. - FLEX LITTLE JACOB

=350mA



spotlight with flexible tube - directional - with switch - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø90xH385

Flex 300

Ø68

48°

Base Ø90

Head Ø40xH85

Materials

Aluminium


1M | 2M | 11 | 29 | 49 | 47

Ref	Price €
1377.300.1M	NW WW
1377.300.2M	NW WW
1377.300.11	NW WW
1377.300.29	NW WW
1377.300.47	NW WW
1377.300.49	NW WW

semi built-in/up
CRI 90 on request
mount to gyproc box with 2 screws

INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1468.300/.. - FLEX LITTLE JACOB		=350mA			IP20						
 <i>built-up</i> CRI 90 on request	spotlight with flexible tube - directional - without switch - without LED driver		Ref		Price €						
	Lamptype		1468.300.1M								
	1x LED 467lm CRI80 max. 3,8W		1468.300.2M								
	Dimensions		1468.300.11								
	L65xB40xD405 Flex 300		1468.300.29								
	48° Base L65xB40xD20		1468.300.47								
Head Ø40xH85		1468.300.49									
Materials											
Aluminium		1M 2M 11 29 49 47									

1469.300/.. - FLEX LITTLE JACOB		=350mA			IP20					0.4500		0.5 m		5.6		CE
 <i>built-up</i> CRI 90 on request	spotlight with flexible tube - directional - with switch - without LED driver		Ref													Price €
	Lamptype		1469.300.1M													 NW WW
	1x LED 467lm CRI80 max. 3,8W		1469.300.2M													 NW WW
	Dimensions		1469.300.11													 NW WW
	 L65xB40xD405		Flex 300	1469.300.29											 NW WW	
	 48°	Base L65xB40xD20	1469.300.47											 NW WW		
	Head Ø40xH85	 L100xB55xH40	1469.300.49											 NW WW		
Materials																
Aluminium		1M 2M 11 29 49 47														

1126.300/.. - FLEX LITTLE JACOB		~230V				IP20				0.5000		0,5 m		5,6	CE
 <i>built-up</i> CRI 90 on request	spotlight with flexible tube - directional - without switch - with LED driver		Ref												
	Lamptype		Price €												
	1x LED 467lm CRI80 max. 3,8W		 350mA												
	Dimensions														
	 L110xB55xD420	Flex 300													
	 48°	Base L110xB55xD35													
Head Ø40xH85		 L100xB55xH40	1126.300.1M  NW WW												
			1126.300.2M  NW WW												
			1126.300.11  NW WW												
			1126.300.29  NW WW												
			1126.300.47  NW WW												
			1126.300.49  NW WW												
Materials															
Aluminium		1M 2M 11 29 49 47													

1127.300/.. - FLEX LITTLE JACOB		~230V				IP20								
 <i>built-up</i> <i>CRI 90 on request</i>		spotlight with flexible tube - directional - with switch - with LED driver		Ref										
	Lamptype		Price €											
	1x LED 467lm CRI80 max. 3,8W		 350mA		1127.300.1M									 NW WW
	Dimensions		1127.300.2M											 NW WW
	 L110xB55xD420		Flex 300	1127.300.11									 NW WW	
	 48°		Base L110xB55xD35	1127.300.23									 NW WW	
Head Ø40xH85				1127.300.29									 NW WW	
Materials		1127.300.47											 NW WW	
Aluminium		1M 2M 11 29 49 47		1127.300.49									 NW WW	
Messing		13M 23		1127.300.13M									 NW WW	

Other bases on request. Flex also available in length 400 and 500mm, price on request.

1962.ES50/.. - VOLTA FLEX

~230V

IP20 0.6000 0.5 m 5.6 CE



spotlight with flexible tube - round - directional - without switch

Lamptype

1x QPAR70 GU10 max. 7W

230V

Dimensions

Ø60xH415

Flex 300

Base Ø60xH25

Head Ø80xH90

Materials

Aluminium

1M | 2M | 11

Messing

16 | 23

Ref

1962.ES50.1M

1962.ES50.2M

1962.ES50.11

1962.ES50.16

1962.ES50.23

Price €

●

●

●

●

●

built-up



WALL UP

INDOOR | Wall UP | FLEX LITTLE

Other bases on request. Flex also available in length 400 and 500mm, price on request.

3021A/.. - ORKA WALL

~230V



built-up wall light - directional - with switch - with LED driver

Lamptype

1x LED 345lm CRI80 max. 2,7W

250mA

Dimensions

B80xH100xD40

Flex 300

40°

L90xB65

Materials

Aluminium

2M | 14 | 10

Messing

Ref

3021A.2M

3021A.10

3021A.14

3021A.23

● CW | WW

● CW | WW

● CW | WW


● CW | WW

Price €

built-up
other °angle reflector on demand

3021B/.. - ORKA WALL

~230V



built-up wall light - directional - without switch - with LED driver

Lamptype

1x LED 345lm CRI80 max. 2,7W

250mA

Dimensions

B80xH100xD40

Flex 300

40°

L90xB65

Materials

Aluminium

14 | 10

Messing

Ref

3021B.10

3021B.14

3021B.23

● CW | WW

● CW | WW

● CW | WW

Price €

built-up
other °angle reflector on demand

3022A/.. - ORKA WALL

~230V



built-in wall light - directional - with switch - with Helia built-in box 275 or 276 (4 screws) - with LED driver

Lamptype

1x LED 345lm CRI80 max. 2,7W

250mA

Dimensions

B80xH90

Flex 300

40°

Materials

Aluminium

1M | 2M | 14

Messing

Ref

3022A.1M

3022A.2M

3022A.14

3022A.23

● CW | WW

● CW | WW

● CW | WW

● CW | WW

Price €

semi built-in/up
other °angle reflector on demand

3022B/.. - ORKA WALL

~230V



built-in wall light - directional - without switch - with built-in box Helia 275 or 276 (4 screws) - with LED driver

Lamptype

1x LED 345lm CRI80 max. 2,7W

250mA

Dimensions

B80xH90

Flex 300

40°

Materials

Aluminium

1M | 2M | 14

Messing

Ref

3022B.1M

3022B.2M

3022B.14

3022B.23

● CW | WW

● CW | WW

● CW | WW

● CW | WW

Price €

semi built-in/up
other °angle reflector on demand

Other bases on request. Flex also available in length 400 and 500mm, price on request.

3022C/.. - ORKA WALL

~230V



built-in wall light - directional - without switch - with built-in box Helia 275 or 276 (4 screws) - with LED driver

Lamptype

2x LED 345lm CRI80 max. 2,7W

250mA

Dimensions

B80xH90

Flex 300



Materials

Aluminium

1M | 2M | 14

Messing

Ref

3022C.1M

3022C.2M

3022C.14

3022C.23

Price €

CW | WW

CW | WW



CW | WW

CW | WW



semi built-in/up
other °angle reflector on demand

Colours



More colours available on request.



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.