



Iris

transforming nightscapes with brightness



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

T101.C/./.. - IRIS ~230V IP54 0,5 m 5.6 CE

 IP54
 




















30

T1027/.. - IRIS Type C IP20     1.1120 










5 | 5B

3



T101../CR/.. - IRIS

~230V



built-up

bollard - round

Lamptype

1x TC-SEI E27 max. 12W

230V

Dimensions

↔ Ø54 mm

↻ Ø90 mm

Materials

Alu Anodisé

32A | 37A

Kleur	T1016CR/..	T1017CR/..	T1018CR/..	T1019CR/..	T1020CR/..
	H260	H460	H660	H860	H1060
32A	€	€	€	€	€
37A	€	€	€	€	€

T1028../.. - IRIS Type CR

IP20



built-up

spare glass + head - round - type CR

Dimensions

↔ Ø54xH210 mm

Materials

Alu Anodisé

32A | 36A

Ref

T1028.32A

T1028.36A

**Price €**

T100.A/.. - IRIS

~230V



bollard - with transformer

Lamp type

1x QT12 GY6,35 max. 50W

12V

Dimensions

Ø53 mm

Ø90xH80 mm

Materials

Alu Anodisé

32A | 36A | 37A

Kleur	T1001A/..	T1002A/..	T1003A/..	T1004A/..	T1005A/..
	H200	H400	H600	H800	H1000
32A	€	€	€	€	€
36A	€	€	€	€	€
37A	€	€	€	€	€

built-up
Flat head available on request

T100.F/.. - IRIS

~230V



bollard - with transformer

Lamp type

1x QT12 GY6,35 max. 50W

12V

Dimensions

Ø53 mm

Ø90xH80 mm

Materials

Alu Anodisé

32A | 37A

Kleur	T1001F/..	T1002F/..	T1003F/..	T1004F/..	T1005F/..
	H200	H400	H600	H800	H1000
32A	€	€	€	€	€
37A	€	€	€	€	€

built-up
Flat head available on request



T100..A/.. - IRIS

~230V



built-up
Flat head available on request

bollard

Lamptype

1x QT14 G9 max. 33W

230V

Dimensions

Ø53 mm

Ø90xH50 mm

Materials

Alu Anodisé

32A | 37A

Kleur	T1006A/..	T1007A/..	T1008A/..	T1009A/..	T1010A/..
	H160	H360	H560	H760	H960
32A	€	€	€	€	€
37A	€	€	€	€	€

T100..F/.. - IRIS

~230V



built-up
Flat head available on request

bollard

Lamptype

1x QT14 G9 max. 33W

230V

Dimensions

Ø53 mm

Ø90xH50 mm

Materials

Alu Anodisé

32A | 37A

Kleur	T1006F/..	T1007F/..	T1008F/..	T1009F/..	T1010F/..
	H160	H360	H560	H760	H960
32A	€	€	€	€	€
37A	€	€	€	€	€

T1023/.. - IRIS Type A


built-up
Flat head available on request

spare glass + head - round - type A

Dimensions

Ø53xH120 mm

Materials

Alu Anodisé

32A | 36A

Ref	Price €
T1023.32A	●
T1023.36A	●

T1029/.. - IRIS Type F


built-up
Flat head available on request

spare glass + head - round - type F

Dimensions

Ø53xH120 mm

Materials

Alu Anodisé

32A | 36A

Ref	Price €
T1029.32A	●
T1029.36A	●

OUTDOOR | Wall UP | IRIS

W1050A/.. - IRIS

~230V



built-up wall light - with transformer

Lamptype

1x QT12 GY6,35 max. 20W

12V

Dimensions

Ø53xH420xD210 mm

Materials

Alu Anodisé

32A | 37A

Ref

W1050A.32A

W1050A.37A

Price €

built-up
60VA

W1051A/.. - IRIS

~230V



built-up wall light

Lamptype

1x QT14 G9 max. 20W

230V

Dimensions

Ø53xH320xD175 mm

Materials

Alu Anodisé

32A | 37A

Ref

W1051A.32A

W1051A.37A

Price €

built-up
12V - 50W on request

W1052F/.. - IRIS

~230V



built-up wall light - with transformer

Lamptype

1x QT12 GY6,35 max. 50W

12V

Dimensions

Ø53xH420xD210 mm

Materials

Alu Anodisé

32A | 37A

Ref

W1052F.32A

W1052F.37A

Price €

built-up
60VA
Flat head available on request

W1053F/.. - IRIS

~230V



built-up wall light

Lamptype

1x QT14 G9 max. 20W

230V

Dimensions

Ø53xH320xD175 mm

Materials

Alu Anodisé

32A | 37A

Ref

W1053F.32A

W1053F.37A

Price €

built-up
12V - 50W on request
Flat head available on request

W1054C/.. - IRIS

~230V



built-up wall light

Lamptype

1x TC-SEI E27 max. 11W

230V

Dimensions

↔ Ø53xH420xD230 mm

Materials

Alu Anodisé

32A | 37A

Inox 316

5 | 5B

Ref

W1054C.5

W1054C.5B

W1054C.32A

W1054C.37A

Price €

built-up
Flat head available on request

W1055CR/.. - IRIS

~230V



built-up wall light

Lamptype

1x TC-SEI E27 max. 11W

230V

Dimensions

↔ Ø53xH420xD230 mm

Materials

Alu Anodisé

32A | 37A

Ref

W1055CR.32A

W1055CR.37A

Price €

built-up

W1056A/.. - IRIS

~230V



built-up wall light - with transformer

Lamptype

1x QT12 GY6,35 max. 20W

12V

Dimensions

↔ Ø53xH245xD100 mm

Materials

Alu Anodisé

32A | 37A

Ref

W1056A.32A

W1056A.37A

Price €

built-up
60VA

W1057F/.. - IRIS

~230V



built-up wall light - with transformer

Lamptype

1x QT12 GY6,35 max. 50W

12V

Dimensions

↔ Ø53xH245xD100 mm

Materials

Alu Anodisé

32A | 37A

Ref

W1057F.32A

W1057F.37A

Price €

built-up
60VA
Flat head available on request

T1021.T5/.. - IRIS

IP20    0.7300 



spike - for Ø120mm

Dimensions

↔ Ø120xH400 mm

Ref

T1021.T5

Price €

*built-in
for Iris bollard in colour 5 et 5B - inox 316*

T1021.T30/.. - IRIS

IP20    0.7050 



spike - for Ø100mm

Dimensions

↔ Ø100xH400 mm

Ref

T1021.T30

Price €

*built-in
for Iris bollard in colour 30 - red copper*



Colours



Other colours on request



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.