



# Jacob

small tubes for great lighting



**psmlighting**

Delighted to help you





All information in this catalogue is without engagement.  
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.  
Read instructions carefully. The general psmighting sales conditions are always applicable.  
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3983.200/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø40xH200 mm

35°

#### Materials

Aluminium

1M | 2M | 45 | 29

Messing

#### Ref

3983.200.1M

3983.200.2M

3983.200.16

3983.200.45

3983.200.29

#### Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up  
CRI 90 on request

### 3983.300/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø40xH300 mm

35°

#### Materials

Aluminium

1M | 2M | 45 | 29

Messing

#### Ref

3983.300.1M

3983.300.2M

3983.300.16

3983.300.29

3983.300.45

#### Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up  
CRI 90 on request

### 3983.400/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø40xH400 mm

35°

#### Materials

Aluminium

1M | 2M | 45 | 29

Messing

#### Ref

3983.400.1M

3983.400.2M

3983.400.16

3983.400.29

3983.400.45

#### Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


built-up  
CRI 90 on request

## INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 4520/.. - JACOBINE

=350mA



built-up ceiling light - directional - with base 025 - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

#### Dimensions

↔ L60xB60xH150 mm 

 L60xB60 mm





#### Materials

Aluminium 1M | 2M | 14 | 29

#### Options

TR89800255/.. DRIVER 350mA


Ref Price €

4520.1M	 NW   WW
4520.2M	 NW   WW
4520.14	 NW   WW
4520.29	 NW   WW

built-up  
CRI 90 on request


### 4505/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

#### Dimensions

↔ L200xB40xH170 mm 

Base L200xB40xH40 mm Spot Ø40xH130 mm

#### Materials

Aluminium 1M | 2M | 29

Ref Price €

4505.1M	 NW   WW
4505.2M	 NW   WW
4505.29	 NW   WW

built-up  
CRI 90 on request  
dimmable phase-cut


### 4526/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

#### Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf  350mA

#### Dimensions

↔ L200xB40xH170 mm 

Base L200xB40xH40 mm Spot Ø40xH130 mm

#### Materials

Aluminium 1M | 2M | 29


Ref Price €

4526.1M	 NW   WW
4526.2M	 NW   WW
4526.29	 NW   WW

built-up  
CRI 90 on request  
dimmable phase-cut

### 4506/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

#### Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf  350mA

#### Dimensions

↔ L400xB40xH170 mm 

Base L400xB40xH40 mm Spot Ø40xH130 mm

#### Materials

Aluminium 1M | 2M | 29

Ref Price €

4506.1M	 NW   WW
4506.2M	 NW   WW
4506.29	 NW   WW

built-up  
CRI 90 on request  
dimmable phase-cut





CEILING UP

LUMINAIRES

## INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 4527/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

#### Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf  350mA

#### Dimensions

↔ L400xB40xH170 mm  35°

Base L400xB40xH40 mm Spot Ø40xH130 mm

#### Materials

Aluminium 1M | 2M | 29

Ref	Price €
4527.1M	● NW   WW
4527.2M	● NW   WW
4527.29	● NW   WW

*built-up*  
CRI 90 on request  
dimmable phase-cut


### 4507/.. - JACOBINE

~230V




built-up ceiling light - directional - with Juba base - with LED driver

#### Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf  350mA

#### Dimensions

↔ L600xB40xH170 mm  35°

Base L600xB40xH40 mm Spot Ø40xH130 mm

#### Materials


Aluminium 1M | 2M | 29

Ref	Price €
4507.1M	● NW   WW
4507.2M	● NW   WW
4507.29	● NW   WW

*built-up*  
CRI 90 on request  
dimmable phase-cut

### 4528/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

#### Lamptype

4x LED 467lm CRI80 3,8W 10,86Vf  350mA

#### Dimensions

↔ L600xB40xH170 mm  35°

Base L600xB40xH40 mm Spot Ø40xH130 mm

#### Materials

Aluminium 1M | 2M | 29

Ref	Price €
4528.1M	● NW   WW
4528.2M	● NW   WW
4528.29	● NW   WW

*built-up*  
CRI 90 on request  
dimmable phase-cut





CEILING UP

LUMINAIRES

## INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 4521/.. - JACOBINE

=350mA



built-up ceiling light - directional - with Texo base - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

L85xB85xH150 mm

35°

L60xB60 mm

#### Materials

Aluminium

1M | 2M | 14 | 29

Ref Price €

4521.1M	NW   WW
4521.2M	NW   WW
4521.14	NW   WW
4521.29	NW   WW

built-up  
CRI 90 on request

### 4522/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

#### Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

L215xB130xH150 mm

35°

L180xB100 mm

#### Materials

Aluminium

1M | 2M | 14 | 29

Ref Price €

4522.1M	NW   WW
4522.2M	NW   WW
4522.14	NW   WW
4522.29	NW   WW

built-up  
CRI 90 on request  
dimmable phase-cut

### 4523/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

#### Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

L300xB130xH150 mm

35°

L270xB100 mm

#### Materials

Aluminium

1M | 2M | 14 | 29

Ref Price €

4523.1M	NW   WW
4523.2M	NW   WW
4523.14	NW   WW
4523.29	NW   WW

built-up  
CRI 90 on request  
dimmable phase-cut

### 4524/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

#### Lamptype

4x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

L385xB130xH150 mm

35°

L355xB100 mm

#### Materials

Aluminium

1M | 2M | 14 | 29

Ref Price €

4524.1M	NW   WW
4524.2M	NW   WW
4524.14	NW   WW
4524.29	NW   WW

built-up  
CRI 90 on request  
dimmable phase-cut



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

## 4525/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

### Lamp type

4x LED 467lm CRI80 3,8W 10,86Vf

350mA

### Dimensions

L210xB210xH150 mm 35°

L180xB180 mm

### Materials

Aluminium

1M | 2M | 14 | 29

### Ref

4525.1M

4525.2M

4525.14

4525.29

### Price €

NW | WW

NW | WW

NW | WW

NW | WW

*built-up*  
CRI 90 on request  
dimmable phase-cut



## INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3801/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

#### Lamptype

1x LED 690lm CRI97 6,2W 12,40Vf

500mA

#### Dimensions

L200xB50xH210 mm 30°

Base L200xB45xH45 mm Head Ø50xH120 mm

#### Materials

Aluminium

1M | 2M

#### Ref

3801.1M

3801.2M

#### Price €

NW | WW

NW | WW

built-up

### 3802/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

#### Lamptype

2x LED 690lm CRI97 6,2W 12,40Vf

500mA

#### Dimensions

L400xB50xH210 mm 30°

Base L400xB45xH45 mm Head Ø50xH120 mm

#### Materials

Aluminium

1M | 2M

#### Ref

3802.1M

3802.2M

#### Price €

NW | WW

NW | WW

built-up

### 3803/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

#### Lamptype

3x LED 690lm CRI97 6,2W 12,40Vf

500mA

#### Dimensions

L600xB50xH210 mm 30°

Base L600xB45xH45 mm Head Ø50xH120 mm

#### Materials

Aluminium

1M | 2M

#### Ref

3803.1M

3803.2M

#### Price €

NW | WW

NW | WW

built-up

### 3804/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

#### Lamptype

4x LED 690lm CRI97 6,2W 12,40Vf

500mA

#### Dimensions

L900xB50xH210 mm 30°

Base L900xB45xH45 mm Head Ø50xH120 mm

#### Materials

Aluminium

1M | 2M

#### Ref

3804.1M

3804.2M

#### Price €

NW | WW

NW | WW

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3805/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

#### Lamptype

5x LED 690lm CRI97 6,2W 12,40Vf

500mA

#### Dimensions

L1000xB50xH210 mm 30°

Base L1000xB45xH45 mm Head Ø50xH120 mm

#### Materials

Aluminium

1M | 2M

#### Ref

3805.1M

3805.2M

#### Price €

NW | WW

NW | WW



built-up

### 3806/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

#### Lamptype

6x LED 690lm CRI97 6,2W 12,40Vf

500mA

#### Dimensions

L1200xB50xH210 mm 30°

Base L1200xB45xH45 mm Head Ø50xH120 mm

#### Materials

Aluminium

1M | 2M

#### Ref


3806.1M

3806.2M

#### Price €

NW | WW

NW | WW



built-up

### 3807/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

#### Lamptype

6x LED 690lm CRI97 6,2W 12,40Vf

500mA

#### Dimensions

L1400xB50xH210 mm 30°

Base L1400xB45xH45 mm Head Ø50xH120 mm

#### Materials

Aluminium

1M | 2M

#### Ref

3807.1M

3807.2M

#### Price €

NW | WW

NW | WW




















built-up





































All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

BT.3801/.. - CASAMBI JACOB XL		~230V			IP20						
		ceiling light - directional - CRI97 - with LED driver		Ref		Price €					
	Lamptype		BT.3801.1M								
	1x LED 690lm CRI97 6,2W 12,40Vf 		BT.3801.2M								
	Dimensions										
	 L220xB120xH200 mm  30°										
 Base L200xB45xH45 mm		 Head Ø50xH120 mm									
Materials											
Aluminium		1M   2M									














built-up

BT.3802/.. - CASAMBI JACOB XL		~230V				IP20						
  		ceiling light - directional - CRI97 - with LED driver		Ref		Price €						
		Lamptype		BT.3802.1M		 NW   WW						
		2x LED 690lm CRI97 6,2W 12,40Vf 		BT.3802.2M		 NW   WW						
		Dimensions										
		 L400xB210xH200 mm 										
		Base L400xB45xH45 mm	Head Ø50xH120 mm									
		Materials										
		Aluminium	1M   2M									

built-up

BT.3803/.. - CASAMBI JACOB XL		~230V			IP20						
		ceiling light - directional - CRI97 - with LED driver									
	Lamptype										
	3x LED 690lm CRI97 6,2W 12,40Vf 										
	Dimensions										
	 L600xB210xH200 mm  30°										
Base L600xB45xH45 mm		Head Ø50xH120 mm									
Materials											
Aluminium		1M   2M									

built-up

BT.3804/.. - CASAMBI JACOB XL		~230V			IP20						
	ceiling light - directional - CRI97 - with LED driver		Ref		Price €						
	Lamptype		BT.3804.1M		 NW   WW						
	4x LED 690lm CRI97 6,2W 12,40Vf 		BT.3804.2M		 NW   WW						
	Dimensions										
	L900xB210xH200 mm 										
Base L900xB45xH45 mm		Head Ø50xH120 mm									
Materials											
Aluminium		1M   2M									

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

**BT.3805/.. - CASAMBI JACOB XL**

~230V



ceiling light - directional - CRI97 - with LED driver

**Lamptype**

5x LED 690lm CRI97 6,2W 12,40Vf

500mA

**Dimensions**

L1000xB210xH200 mm 30°

Base L1000xB45xH45 mm Head Ø50xH120 mm

**Materials**

Aluminium

1M | 2M

**Ref**


BT.3805.1M

BT.3805.2M

**Price €**

NW | WW

NW | WW



built-up

**BT.3806/.. - CASAMBI JACOB XL**

~230V



ceiling light - directional - CRI97 - with LED driver

**Lamptype**

6x LED 690lm CRI97 6,2W 12,40Vf

500mA

**Dimensions**

L1200xB50xH210 mm 30°

Base L1200xB45xH45 mm Head Ø50xH120 mm

**Materials**

Aluminium

1M | 2M

**Ref**


BT.3806.1M

BT.3806.2M

**Price €**

NW | WW

NW | WW



built-up

**BT.3807/.. - CASAMBI JACOB XL**

~230V



ceiling light - directional - CRI97 - with LED driver

**Lamptype**

7x LED 690lm CRI97 6,2W 12,40Vf

500mA

**Dimensions**

L1400xB50xH210 mm 30°

Base L1400xB45xH45 mm Head Ø50xH120 mm

**Materials**

Aluminium

1M | 2M

**Ref**

BT.3807.1M

BT.3807.2M

**Price €**

NW | WW

NW | WW



built-up






## INDOOR | Ceiling UP | Pendants | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3987.M.B3/.. - JACOB M

≈350mA



pendant with swivel - rod can be shortened - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø40xH85 mm

Rod 800 mm

35°

#### Materials

Aluminium

1M | 2M | 14

#### Options

020.B3.D8,3/.. ROSETTE UP

#### Ref

3987.M.B3.1M

NW | WW

3987.M.B3.2M

NW | WW

3987.M.B3.14


NW | WW

#### Price €

built-up  
CRI 90 on request

### 3987.M.TX/.. - JACOB M

≈350mA



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø40xH85 mm

Cable 2000 mm

35°

#### Materials

Aluminium

1M | 2M | 14

#### Options

055B/.. ROSETTE for textile cable

#### Ref

3987.M.TX.1M.TX1

NW | WW

3987.M.TX.2M.TX2


NW | WW

3987.M.TX.14.TX11

NW | WW

#### Price €

built-up  
CRI 90 on request



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3988.300/.. - JACOB PENDEL

=350mA



built-up  
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø40xH300 mm

Cable 1500 mm

35°

#### Materials

Aluminium

1M | 2M | 14 | 29 | 49

#### Options

TR89800255/.. DRIVER 350mA

#### Ref

3988.300.1M.TX1

NW | WW

3988.300.2M.TX2

NW | WW

3988.300.14.TX11

NW | WW

3988.300.29.TX2

NW | WW

3988.300.49.TX1

NW | WW

#### Price €

### 3988.400/.. - JACOB PENDEL

=350mA



built-up  
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø40xH400 mm

Cable 1500 mm

35°

#### Materials

Aluminium

1M | 2M | 14 | 29 | 49

#### Options

TR89800255/.. DRIVER 350mA

#### Ref

3988.400.1M.TX1

NW | WW

3988.400.2M.TX2

NW | WW

3988.400.14.TX11

NW | WW

3988.400.29.TX2

NW | WW

3988.400.49.TX1

NW | WW

#### Price €

### 3988.500/.. - JACOB PENDEL

=350mA



built-up  
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø40xH500 mm

Cable 1500 mm

35°

#### Materials

Aluminium

1M | 2M | 14 | 29 | 49

#### Options

TR89800255/.. DRIVER 350mA

#### Ref

3988.500.1M.TX1

NW | WW

3988.500.2M.TX2

NW | WW

3988.500.14.TX11

NW | WW

3988.500.29.TX2

NW | WW

3988.500.49.TX1

NW | WW

#### Price €









All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3973.300/.. - JACOB PENDEL

=500mA



built-up  
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 639lm CRI80 5,6W 11,20Vf 500mA

#### Dimensions

Ø40xH300 mm Cable 1500 mm

35°

#### Materials

Aluminium 1M | 2M | 14 | 29 | 49

#### Options

TR89800256/.. DRIVER 500mA

Ref Price €

3973.300.1M.TX1 NW | WW

3973.300.2M.TX2 NW | WW


3973.300.14.TX11 NW | WW

3973.300.29.TX2 NW | WW

3973.300.49.TX1 NW | WW

### 3973.400/.. - JACOB PENDEL

=500mA



built-up  
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 639lm CRI80 5,6W 11,20Vf 500mA

#### Dimensions

Ø40xH400 mm Cable 1500 mm

35°

#### Materials

Aluminium 1M | 2M | 14 | 29 | 49

#### Options

TR89800256/.. DRIVER 500mA

Ref Price €

3973.400.1M.TX1 NW | WW

3973.400.2M.TX2 NW | WW


3973.400.14.TX11 NW | WW

3973.400.29.TX2 NW | WW

3973.400.49.TX1 NW | WW

### 3973.500/.. - JACOB PENDEL

=500mA



built-up  
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 639lm CRI80 5,6W 11,20Vf 500mA

#### Dimensions

Ø40xH500 mm Cable 1500 mm

35°

#### Materials

Aluminium 1M | 2M | 14 | 29 | 49

#### Options

TR89800256/.. DRIVER 500mA

Ref Price €

3973.500.1M.TX1 NW | WW

3973.500.2M.TX2 NW | WW

3973.500.14.TX11 NW | WW

3973.500.29.TX2 NW | WW

3973.500.49.TX1 NW | WW



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3980.300/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

#### Dimensions

Ø40xH300 mm Cable 1500 mm

35°

#### Materials

Messing 16 | 13 | 13M | 23

#### Options


TR89800255/.. DRIVER 350mA

Ref	Price €
3980.300.16.TXM	NW   WW
3980.300.16.TX2	NW   WW
3980.300.13.TXG13	NW   WW
3980.300.13M.TXG13	NW   WW
3980.300.13M.TX43	NW   WW
3980.300.23.TX23	NW   WW

built-up  
CRI 90 on request

### 3980.400/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

#### Dimensions

Ø40xH400 mm Cable 1500 mm

35°

#### Materials

Messing 16 | 13 | 13M | 23

#### Options

TR89800255/.. DRIVER 350mA

Ref	Price €
3980.400.13.TXG13	NW   WW
3980.400.16.TXM	NW   WW
3980.400.16.TX2	NW   WW
3980.400.23.TX23	NW   WW
3980.400.13M.TX43	NW   WW
3980.400.13M.TXG13	NW   WW

built-up  
CRI 90 on request

### 3980.500/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

#### Dimensions

Ø40xH500 mm Cable 1500 mm

35°

#### Materials

Messing 16 | 13 | 13M | 23

#### Options

TR89800255/.. DRIVER 350mA

Ref	Price €
3980.500.16.TXM	NW   WW
3980.500.16.TX2	NW   WW
3980.500.13.TXG13	NW   WW
3980.500.13M.TXG13	NW   WW
3980.500.13M.TX43	NW   WW
3980.500.23.TX23	NW   WW

built-up  
CRI 90 on request





All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 1922.3/.. - JACOB

~230V



pendant - with 3x Jacob on base Juba - with LED driver

#### Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

L900xB45xH1945 mm Cable 1500 mm

35°

Base L900xB45xH45 mm

tube Ø40xH400 mm

#### Materials

Aluminium	1M   2M
Aluminium / Messing	216
Messing	16

#### Ref


#### Price €

1922.3.1M.TX1	NW   WW
1922.3.2M.TX2	NW   WW
1922.3.16.TXM	NW   WW
1922.3.216.TX2	NW   WW
1922.3.216.TXM	NW   WW

built-up  
CRI 90 on request

### 1923.5/.. - JACOB

~230V



pendant - with 5x Jacob on base Juba - with LED driver

#### Lamptype

5x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

L1200xB45xH1945 mm Cable 1500 mm

35°

Base L1200xB45xH45 mm

tube Ø40xH400 mm

#### Materials

Aluminium	1M   2M
Aluminium / Messing	216
Messing	16

#### Ref



#### Price €

1923.5.1M.TX1	NW   WW
1923.5.2M.TX2	NW   WW
1923.5.16.TXM	NW   WW
1923.5.216.TX2	NW   WW
1923.5.216.TXM	NW   WW

built-up  
CRI 90 on request

### 1924.7/.. - JACOB

~230V



pendant - with 7x Jacob on base Juba - with LED driver

#### Lamptype

7x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

L1400xB45xH1945 mm Cable 1500 mm

35°

Base L1400xB45xH45 mm

tube Ø40xH400 mm

#### Materials

Aluminium	1M   2M
Aluminium / Messing	216
Messing	16

#### Ref

#### Price €

1924.7.1M.TX1	NW   WW
1924.7.2M.TX2	NW   WW
1924.7.16.TXM	NW   WW
1924.7.216.TX2	NW   WW
1924.7.216.TXM	NW   WW

built-up  
CRI 90 on request

## INDOOR | Ceiling UP | Pendants | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 1925.5/.. - JACOB

~230V



pendant - with 5x Jacob on base Rondobox - with LED driver

#### Lamptype

5x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø350xH1945 mm

Cable 1500 mm

35°

Base Ø350xH28 mm

tube Ø40xH400 mm

#### Materials

Aluminium

1M | 2M

Aluminium / Messing

#### Ref

1925.5.1M.TX1

1925.5.2M.TX2

1925.5.216.TX2

1925.5.216.TXM

#### Price €

NW | WW

NW | WW

NW | WW

NW | WW

*built-up*  
CRI 90 on request

### 1926.7/.. - JACOB

~230V



pendant - with 7x Jacob on base Rondobox - with LED driver

#### Lamptype

7x LED 467lm CRI80 3,8W 10,86Vf

350mA

#### Dimensions

Ø400xH1945 mm

Cable 1500 mm

35°

Base Ø400xH28 mm

tube Ø40xH400 mm

#### Materials

Aluminium

1M | 2M

Aluminium / Messing

#### Ref

1926.7.1M.TX1

1926.7.2M.TX2

1926.7.216.TX2

1926.7.216.TXM

#### Price €

NW | WW

NW | WW

NW | WW

NW | WW

*built-up*  
CRI 90 on request













CEILING UP

SPOTS




## INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3975M/.. - JACOB WALL BY SUMUM

=500mA



*built-up*  
To point to the wall



built-up spot LED M10 - directional - CRI90 - without LED driver

#### Lamptype

1x LED 555lm CRI90 5,8W 11,60Vf

500mA

#### Dimensions

Ø40xH165 mm

35°

Head Ø40xH125 mm

#### Materials

Aluminium 1M | 2M | 29 | 49

Messing 16

#### Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800256/.. DRIVER 500mA

#### Ref

3975M.1M

3975M.2M

3975M.16

3975M.29

3975M.49

#### Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

### 3979.SLO/.. - JACOB SLO

=350mA



*built-up*



directional - without LED driver

#### Lamptype

1x LED 735lm CRI90 6,2W 17,71Vf

350mA

#### Materials

Aluminium 1M | 2M | 14 | 11M

Messing 4 | 16

#### Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800255/.. DRIVER 350mA

Kleur	3979.SLO.D15/..	3979.SLO.D30/..	3979.SLO.D36/..	3979.SLO.D45/..
	15°	30°	36°	45°
1M	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11M	€	€	€	€
4	€	€	€	€
16	€	€	€	€



CEILING UP

SPOTS

## INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3800/.. - JACOB XL

=500mA



built-up

built-up spot LED M10 - directional - CRI97 - without LED driver

#### Lamptype

1x LED 690lm CRI97 6,2W 12,40Vf

500mA

#### Dimensions

↔ Ø50xH156 mm

housing Ø50xH120 mm

#### Materials

Aluminium 1M | 2M | 29 | 49 | 47

Inox BR123

Messing 16 | 23

#### Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800256/.. DRIVER 500mA

Kleur	3800.D11/..	3800.D30/..	3800.D40/..
	11°	30°	40°
1M	€	€	€
2M	€	€	€
16	€	€	€
23	€	€	€
29	€	€	€
49	€	€	€
47	€	€	€





## 3961/.. - JACOB

~230V




table lamp - fixed - with cable and plug - with LED driver

## Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

## Dimensions

Ø160xH400 mm

35°

Base Ø160xH20 mm

Head Ø40xH90 mm

## Materials

Aluminium

1M | 2M | 84 | 29 | 47

## Ref

3961.1M

3961.2M

3961.84

3961.29

3961.47

## Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up  
CRI 90 on request

## 3970/.. - JACOB

~230V



floorlamp - directional - with cable and plug - with LED driver

## Lamptype

1x LED 639lm CRI80 5,6W 11,20Vf

500mA

## Dimensions

Ø170xH1000 mm

1000 mm

35°

## Materials

Aluminium

1M | 2M

## Ref

3970.1M

3970.2M

## Price €

NW | WW

NW | WW

built-up





3984/.. - JACOB

~230V



built-up wall light - round - fixed - down/up - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

B40xH250xD85 mm

35°

B35xH190xD35 mm

tube Ø40xH250 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

3984.1M

3984.2M

3984.29

3984.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up  
CRI 90 on request







WALL UP








## Colours



## Textile cables



Other colours available on request



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | [www.psmlighting.be](http://www.psmlighting.be)

All our products are locally made in Aalter, Belgium (EU). Short delivery times.