



+30
YEARS

Koza

timeless classic lighting



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

222.10016.S1/.. - KOZA

~230V



downlight - round - fixed - without support and cable clamp

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø87xH110 mm Ø80 mm

120 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 11M | 45

Messing 16 | 13M

Ref		Price €
222.10016.S1.1M		61,17
222.10016.S1.2M		61,17
222.10016.S1.14		66,34
222.10016.S1.11		61,17
222.10016.S1.11M		61,17
222.10016.S1.16		97,00
222.10016.S1.45		67,28
222.10016.S1.13M		109,00

built-in
without U-clamp, with terminal block on request

222.10016.S2/.. - KOZA

~230V



downlight - round - fixed - without support and cable clamp

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø87xH110 mm Ø80 mm

120 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 11M | 45 | 119


Messing 16 | 13M

Ref		Price €
222.10016.S2.1M		58,05
222.10016.S2.2M		58,05
222.10016.S2.14		63,24
222.10016.S2.11		58,05
222.10016.S2.11M		58,05
222.10016.S2.16		94,00
222.10016.S2.45		63,86
222.10016.S2.13M		106,00
222.10016.S2.119		60,90

built-in
without U-clamp, with terminal block on request

222.10045.S1/.. - KOZA

~230V



downlight - round - directional - without support and cable clamp

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø87xH135 mm Ø80 mm

145 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 11M | 45

Messing 16 | 13M

Options


S6.80/.. PLASTERKIT

Ref		Price €
222.10045.S1.1M		79,04
222.10045.S1.2M		79,04
222.10045.S1.14		88,44
222.10045.S1.11		79,04
222.10045.S1.11M		79,04
222.10045.S1.16		115,00
222.10045.S1.45		86,94
222.10045.S1.13M		127,00

built-in

222.10045.S2/.. - KOZA

~230V



downlight - round - directional - without support and cable clamp

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø87xH135 mm Ø80 mm

145 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 11M | 45

Messing 16 | 13M

Options

S6.80/.. PLASTERKIT

Ref		Price €
222.10045.S2.1M		75,93
222.10045.S2.2M		75,93
222.10045.S2.14		85,32
222.10045.S2.11		75,93
222.10045.S2.11M		75,93
222.10045.S2.16		111,00
222.10045.S2.45		83,51
222.10045.S2.13M		123,00

built-in
without U-clamp, with terminal block on request

AC.800.10016/.. - NORA AC800 KOZA

~230V



downlight - round - fixed - leading and trailing edge phase cut dimmable - led 230V + lens

Lamptype

1x LED 800lm CRI92 9,4W

F 230V

Dimensions

Ø87xH130 mm

Ø80 mm

120 mm

36°

Materials

Aluminium 1M | 2M | 14

Messing 16

Options

S1/.. SET TORSION SPRINGS

Ref		Price €
AC.800.10016.1M	● NW WW	95,31
AC.800.10016.2M	● NW WW	95,31
AC.800.10016.14	● NW WW	100,48
AC.800.10016.16	● NW WW	135,39

built-in
On request lens 12° or 24°

888.10016/.. - CITY KOZA

~230V



downlight - round - fixed - dimmable leading and trailing edge - set (led 230V + reflector + spot)

Lamptype

1x LED 860lm CRI90 10W

F G 230V

Dimensions

Ø87xH140 mm

Ø80 mm

150 mm

38°

Reflector Ø50 mm

Materials

Aluminium 1M | 2M | 14

Options

S1/.. SET TORSION SPRINGS

Ref		Price €
888.10016.1M	● NW WW	143,56
888.10016.2M	● NW WW	143,56
888.10016.14	● NW WW	148,80

built-in



444.10016/.. - NOVA FLAT KOZA + DRIVER

~230V



built-in



downlight - round - fixed - dimmable - set (driver + led + spotlight) - with LED driver

Lamptype

1x LED 450lm CRI98 6W 50,00Vf

120mA

Dimensions

Ø87xH70 mm

Ø80 mm

80 mm

36°

Materials

Aluminium

1M | 2M | 14

Options

S1/.. SET TORSION SPRINGS

NOVA.D15/.. NOVA LED LENS

NOVA.D60/.. NOVA LED LENS

Ref

444.10016.1M

NW | WW

Price €

94,57

444.10016.2M

NW | WW

94,57

444.10016.14

NW | WW

99,74

555.10016/.. - NOVA KOZA + DRIVER

~230V



built-in



downlight - round - fixed - down - dimmable - set (driver + led + spotlight) - with LED driver

Lamptype

1x LED 670lm CRI98 8W 44,44Vf

180mA

Dimensions

Ø87xH100 mm

Ø80 mm

110 mm

36°

Materials

Aluminium

1M | 2M | 14

Options

S1/.. SET TORSION SPRINGS

NOVA.D15/.. NOVA LED LENS

NOVA.D60/.. NOVA LED LENS

Ref

555.10016.1M

NW | WW

Price €

96,86

555.10016.2M

NW | WW

96,86

555.10016.14

NW | WW

102,03

666.10016/.. - NOVA SOFT DIM KOZA + DRIVER

~230V



built-in



downlight - round - fixed - dimmable phase-cut - set (driver + led + spot) 1800K>2800K - with LED driver

Lamptype

1x LED 500lm CRI90 8W

230V

Dimensions

Ø87xH100 mm

Ø80 mm

110 mm

36°

Materials

Aluminium

1M | 2M | 14

Options

S1/.. SET TORSION SPRINGS

Ref

666.10016.1M

NW

Price €

120,82

666.10016.2M

NW

120,82

666.10016.14

NW

126,00

333.10016.S1/.. - KOZA CTZ

=500mA



downlight - round - fixed - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf

500mA

Dimensions

Ø87xH120 mm

Ø80 mm

130 mm

Materials

Aluminium

1M | 2M | 14 | 45

Messing

16 | 13M

Ref

333.10016.S1.1M
333.10016.S1.2M
333.10016.S1.14
333.10016.S1.16
333.10016.S1.45
333.10016.S1.13M

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

Price €

96,00
96,00
100,00
131,00
100,00
149,00

built-in

333.10016.S2/.. - KOZA CTZ

=500mA



downlight - round - fixed - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf

500mA

Dimensions

Ø87xH120 mm

Ø80 mm

130 mm

Materials

Aluminium

1M | 2M | 14 | 45

Messing

16 | 13M

Ref

333.10016.S2.1M
333.10016.S2.2M
333.10016.S2.14
333.10016.S2.16
333.10016.S2.45
333.10016.S2.13M

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

Price €

92,00
92,00
97,00
128,00
97,00
146,00

built-in



1762.CTZ.S1/.. - KOZA Ø70

=500mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf

500mA

Dimensions

Ø79xH108 mm

Ø70 mm

128 mm

40°

Reflector Ø50 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

1762.CTZ.S1.1M

NW | WW

Price €

105,00

1762.CTZ.S1.2M

NW | WW

105,00

1762.CTZ.S1.14

NW | WW

111,00

1762.CTZ.S1.11M

NW | WW

135,00

1762.CTZ.S2/.. - KOZA Ø70

=500mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf

500mA

Dimensions

Ø79xH100 mm

Ø70 mm

120 mm

40°

Reflector Ø50 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

1762.CTZ.S2.1M

NW | WW

Price €

101,00

1762.CTZ.S2.2M

NW | WW

101,00

1762.CTZ.S2.14

NW | WW

117,00

1762.CTZ.S2.11M

NW | WW

101,00

1764.CTZ.S1/.. - KOZA Ø80

=500mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf

500mA

Dimensions

Ø87xH110 mm

Ø80 mm

130 mm

40°

Reflector Ø70 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

1764.CTZ.S1.1M

NW | WW

Price €

105,00

1764.CTZ.S1.2M

NW | WW

105,00

1764.CTZ.S1.14

NW | WW

113,00

1764.CTZ.S1.11M

NW | WW

105,00

1764.CTZ.S2/.. - KOZA Ø80

=500mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x LED 1145lm CRI90 8,7W 17,40Vf

500mA

Dimensions

Ø87xH110 mm

Ø80 mm

130 mm

40°

Reflector Ø70 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

1764.CTZ.S2.1M

NW | WW

Price €

101,00

1764.CTZ.S2.2M

NW | WW

101,00

1764.CTZ.S2.14

NW | WW

110,00

1764.CTZ.S2.11M

NW | WW

101,00



1765.1580.CTZ/.. - KOZA X

=350mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x CTZ 1386lm CRI97 11,2W 32,00Vf 350mA

Dimensions

Ø126xH125 mm

Ø118 mm

145 mm

40°

Reflector Ø111 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

1765.1580.CTZ.1M

NW | WW

Price €

132,00

1765.1580.CTZ.2M

NW | WW

132,00

1765.1580.CTZ.14

NW | WW

142,00

1765.1580.CTZ.11M

NW | WW

132,00

1765.2200.CTZ/.. - KOZA X

=500mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x CTZ 1949lm CRI97 16,3W 32,60Vf 500mA

Dimensions

Ø126xH125 mm

Ø118 mm

145 mm

40°

Reflector Ø111 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

1765.2200.CTZ.1M

NW | WW

Price €

147,00

1765.2200.CTZ.2M

NW | WW

147,00

1765.2200.CTZ.14

NW | WW

156,00

1765.2200.CTZ.11M

NW | WW

147,00

1766.1580.CTZ/.. - KOZA X

=350mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x CTZ 1386lm CRI97 11,2W 32,00Vf 350mA

Dimensions

Ø126xH155 mm

Ø118 mm

175 mm

40°

Reflector Ø111 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

1766.1580.CTZ.1M

NW | WW

Price €

180,00

1766.1580.CTZ.2M

NW | WW

180,00

1766.1580.CTZ.14

NW | WW

190,00

1766.1580.CTZ.11M

NW | WW

180,00

1766.2200.CTZ/.. - KOZA X

=500mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x CTZ 1949lm CRI97 16,3W 32,60Vf 500mA

Dimensions

Ø126xH155 mm

Ø118 mm

175 mm

40°

Reflector Ø111 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

1766.2200.CTZ.1M

NW | WW

Price €

195,00

1766.2200.CTZ.2M

NW | WW

195,00

1766.2200.CTZ.14

NW | WW

203,00

1766.2200.CTZ.11M

NW | WW

195,00



4060.CTZ/.. - KOZA X INCA

=350mA



downlight - round - fixed - with led - without LED driver

Lamptype

1x CTZ 1386lm CRI97 11,2W 32,00Vf

350mA

Dimensions

Ø130xH125 mm

Ø122 mm

135 mm

40°

Reflector Ø111 mm

Materials

Aluminium

1M | 2M | 14

Ref		Price €
4060.CTZ.14	NW WW	142,00
4060.CTZ.1M	NW WW	128,00
4060.CTZ.2M	NW WW	128,00

built-in

4061.CTZ/.. - KOZA X INCA

=350mA



downlight - round - directional - with led - without LED driver

Lamptype

1x CTZ 1386lm CRI97 11,2W 32,00Vf

350mA

Dimensions

Ø150xH135 mm

Ø135 mm

150 mm

40°

Reflector Ø111 mm

Materials

Aluminium

1M | 2M | 14

Ref		Price €
4061.CTZ.14	NW WW	197,00
4061.CTZ.1M	NW WW	176,00
4061.CTZ.2M	NW WW	176,00

built-in

4062.CTZ/.. - KOZA X INCA

=350mA



downlight - round - fixed - with led - without LED driver

Lamptype

2x CTZ 1386lm CRI97 11,2W 32,00Vf

350mA

Dimensions

L270xB142xH135 mm

Ø2x130 mm

135 mm

130 mm

40°

Reflector Ø111 mm

Materials

Aluminium

1M | 2M

Ref		Price €
4062.CTZ.1M	NW WW	269,00
4062.CTZ.2M	NW WW	269,00

built-in

4064.CTZ/.. - KOZA X INCA

=350mA



downlight - round - directional - with led - without LED driver

Lamptype

1x CTZ 1386lm CRI97 11,2W 32,00Vf

350mA

Dimensions

Ø180xH130 mm

Ø162 mm

135 mm

40°

Reflector Ø111 mm

Materials

Aluminium

1M | 2M

Ref		Price €
4064.CTZ.2M	NW WW	230,04
4064.CTZ.1M	NW WW	230,04

built-in

1767.1300.IP20/.. - KOZA X Ø164 CRI 80.IP20

=700mA



downlight - round - fixed - down - without LED driver

Lamptype

1x LED 1300lm CRI80 9,5W 13,57Vf

700mA

Dimensions

Ø172xH153 mm

Ø164 mm

173 mm

52°

Reflector Ø155 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref	Price €
1767.1300.IP20.1M	185,71
1767.1300.IP20.2M	185,71
1767.1300.IP20.11M	185,71
1767.1300.IP20.14	197,69

built-in

4065.IP20/.. - LUXOR - INCA

=700mA



downlight - round - fixed - down - with led - without LED driver

Lamptype

1x LED 2000lm CRI80 15,2W 21,71Vf

700mA

Dimensions

Ø178xH155 mm

Ø164 mm

135 mm

85°

Reflector Ø140 mm

Materials

Aluminium


1M | 2M

Ref	Price €
4065.IP20.1M	289,95
4065.IP20.2M	289,95

built-in

1767.1300.IP20.PL/.. - KOZA X Ø164 CRI 80.IP20

=700mA



downlight - round - fixed - down - with opal plexi - without LED driver

Lamptype

1x LED 1300lm CRI80 9,5W 13,57Vf

700mA

Dimensions

Ø178xH153 mm

Ø164 mm

173 mm

52°

Reflector Ø155 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref	Price €
1767.1300.IP20.PL.1M	200,09
1767.1300.IP20.PL.2M	200,09
1767.1300.IP20.PL.11M	200,09
1767.1300.IP20.PL.14	212,07

built-in

1767.2000.IP20/.. - KOZA X Ø164 CRI 80.IP20

=700mA



downlight - round - fixed - down - without LED driver

Lamptype

1x LED 2000lm CRI80 15,2W 21,71Vf

700mA

Dimensions

Ø172xH153 mm

Ø164 mm

173 mm

52°

Reflector Ø155 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref	Price €
1767.2000.IP20.1M	200,09
1767.2000.IP20.2M	200,09
1767.2000.IP20.11M	200,09
1767.2000.IP20.14	212,07

built-in

1768.2000.IP20/.. - KOZA X Ø164 CRI 95.IP20

=1050mA



downlight - round - fixed - down - without LED driver

Lamptype

1x LED 2000lm CRI95 20W 19,05Vf

1050mA

Dimensions

Ø172xH183 mm

Ø164 mm

203 mm

52°

Reflector Ø155 mm

Materials

Aluminium

1M | 2M | 14 | 11M

Ref	Price €
1768.2000.IP20.1M	248,02
1768.2000.IP20.2M	248,02
1768.2000.IP20.11M	248,02
1768.2000.IP20.14	260,00

built-in

1768.2000.IP20.PL/.. - KOZA X Ø164 CRI 95.IP20

=1050mA



downlight - round - fixed - down - with opal plexi - without LED driver

Lamptype

1x LED 2000lm CRI95 20W 19,05Vf

1050mA

Dimensions

Ø178xH183 mm

Ø164 mm

203 mm

52°

Reflector Ø155 mm

Materials





Aluminium

1M | 2M | 14 | 11M

Ref	Price €
1768.2000.IP20.PL.1M	262,39
1768.2000.IP20.PL.2M	262,39
1768.2000.IP20.PL.11M	262,39
1768.2000.IP20.PL.14	274,37

built-in

Colours



Other colours on request







Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.