



Lucy 48V

Easy click rail systems



psmlighting

Delighted to help you



psmlighting

100% Made in Belgium



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

A RANGE THAT MATCHES ITS FEATURES




8401/.. - LUCY TRACK

=48V-DC



IP20



track - Track 1 meter for 1 circuit + data bus

Dimensions

↔ L1000xB26,2xH21

Materials

Aluminium

1 | 2

Ref	Price €
8401.1	
8401.2	

built-up


You can shorten the rail yourself by sawing

8402/.. - LUCY TRACK

=48V-DC



IP20



track - Track 2 meter for 1 circuit + data bus

Dimensions

↔ L2000xB26,2xH21

Materials

Aluminium

1 | 2

Ref	Price €
8402.1	
8402.2	

built-up


extra transport cost - long profile - You can shorten the rail yourself by sawing

8403/.. - LUCY TRACK

=48V-DC



IP20



track - Track 3 meter for 1 circuit + data bus

Dimensions

↔ L3000xB26,2xH21

Materials

Aluminium



1 | 2

Ref	Price €
8403.1	
8403.2	

built-up

extra transport cost - long profile - You can shorten the rail yourself by sawing

8405/.. - LUCY TRACK



accessories for track systems - End cap

Dimensions

Coverplate B26,2xH21xD1,2

Materials

Aluminium

Ref

8405.1

8405.2



Price €



1 | 2

built-up

8406/.. - LUCY TRACK



accessories for track systems - End cap with hole for cable

Dimensions

Coverplate B26,2xH21xD1,2

Materials

Aluminium

Ref

8406.1

8406.2

Price €



1 | 2

built-up




8451/.. - LUCY O TRACK

=48V-DC



IP20



track - round - Track 1 meter for 1 circuit + data bus

Dimensions

Ø32xL1000

Materials

Aluminium

1 | 2

Ref	Price €
8451.1	
8451.2	

built-up


You can shorten the rail yourself by sawing

8452/.. - LUCY O TRACK

=48V-DC



IP20



track - round - Track 2 meter for 1 circuit + data bus

Dimensions

Ø32xL2000

Materials

Aluminium

1 | 2

Ref	Price €
8452.1	
8452.2	

built-up


extra transport cost - long profile - You can shorten the rail yourself by sawing

8453/.. - LUCY O TRACK

=48V-DC



IP20



track - round - Track 3 meter for 1 circuit + data bus

Dimensions

Ø32xL3000

Materials

Aluminium


1 | 2

Ref	Price €
8453.1	
8453.2	

built-up

extra transport cost - long profile - You can shorten the rail yourself by sawing

8455/.. - LUCY O TRACK



accessories for track systems - round - Blind End

Dimensions

Ø32

Materials



Polyamide

1 | 2

Ref	Price €
8455.1	
8455.2	

built-up

8411/.. - LUCY TRACK



accessories for track systems - Cover strip 1m

Dimensions

L1000

Materials



Polyamide

Ref	Price €
8411.2	

2

built-up

8412/.. - LUCY TRACK



accessories for track systems - Cover strip 2m

Dimensions

L2000

Materials



Polyamide

Ref	Price €
8412.2	

2

built-up
extra transport cost - long profile

8413/.. - LUCY TRACK



accessories for track systems - Cover strip 3m

Dimensions

L3000

Materials


Polyamide

Ref	Price €
8413.1	
8413.2	

1 | 2

built-up
extra transport cost - long profile

8444/.. - LUCY TRACK



accessories for track systems - Bracket for suspension

Dimensions

↔ L80xB26xH10


Materials

Aluminium 1 | 2

Ref	Price €
8444.1	
8444.2	

built-up

8441/.. - LUCY TRACK



accessories for track systems - Bracket + pendant set 2.25m

Dimensions

Bracket L35xB26,2xH10,4


Materials

Aluminium 1 | 2

Ref	Price €
8441.1	
8441.2	

built-up

8456/.. - LUCY O TRACK



accessories for track systems - round - Connection round profile

Dimensions


Materials

Aluminium 1 | 2

Ref	Price €
8456.1	
8456.2	

built-up

8457/.. - LUCY O TRACK



accessories for track systems - round - Bracket + pendant set 2.25m

Dimensions


Materials

Aluminium 1 | 2

Ref	Price €
8457.1	
8457.2	

built-up

8445/.. - LUCY TRACK



hand tools - Cutting tool for track conductors

Ref


Price €

8445




built-up

surface



suspended




CEILING UP

TRACK

8430/.. - LUCY TRACK

IP20   



accessories for track systems - Box for track with transfo 48V-DC 60W - with 1 entry for square profile

Dimensions

↔ L250xB50xH50


Materials

Aluminium 1M | 2M

Ref	Price €
8430.1M	
8430.2M	

8431/.. - LUCY TRACK

IP20  



accessories for track systems - Box for track with transfo 48V-DC 60W - with 1 entry for round profile

Dimensions

↔ L250xB50xH50


Materials

Aluminium 1M | 2M

Ref	Price €
8431.1M	
8431.2M	

8432/.. - LUCY TRACK

IP20   



accessories for track systems - Box for track with transfo 48V-DC 60W - with 2 entries for square profile

Dimensions

↔ L250xB50xH50


Materials

Aluminium 1M | 2M

Ref	Price €
8432.1M	
8432.2M	

8433/.. - LUCY TRACK

IP20  



accessories for track systems - Box for track with transfo 48V-DC 60W - with 2 entries for round profile

Dimensions

↔ L250xB50xH50

Materials

Aluminium 1M | 2M

Ref	Price €
8433.1M	
8433.2M	

8420/.. - LUCY TRACK

=48V-DC



IP20



power supply for busbar system - End feed polarized left

Dimensions

L111,7

Materials

Polyamide

1 | 2

Ref

8420.1

8420.2

Price €

built-up

8421/.. - LUCY TRACK

=48V-DC



IP20



power supply for busbar system - End feed polarized right

Dimensions

L111,7

Materials

Polyamide

1 | 2

Ref

8421.1

8421.2

Price €

built-up

8499/.. - LUCY TRACK

~230V



IP20



transformer - In-track transformer 48V-DC 100W - with LED driver

Dimensions

L575xB30xH62 mm visible L575xB30xH44 mm

Ref

8499.1

8499.2

Price €

built-up

8422/.. - LUCY TRACK

=48V-DC



IP20



Connection joinings - Jointing connector polarized

Dimensions

↔ L10,5

Materials

Polyamide

1 | 2

Ref	Price €
8422.1	
8422.2	

built-up

8423/.. - LUCY TRACK

=48V-DC



IP20



Connection joinings - L-connector - polarized external

Dimensions

↔ L104,6xB18,7

Materials

Polyamide

1 | 2

Ref	Price €
8423.1	
8423.2	

built-up

Please attach drawing to the order!

8424/.. - LUCY TRACK

=48V-DC



IP20



Connection joinings - L-connector - polarized internal

Dimensions

↔ L104,6xB18,7

Materials

Polyamide

1 | 2

Ref	Price €
8424.1	
8424.2	

built-up

Please attach drawing to the order!

8440/.. - LUCY TRACK

=48V-DC



IP20



Connection joinings - Connector with adjustable corner

Dimensions

↔ L273,5

Materials

Polyamide


1 | 2

Ref	Price €
8440.1	
8440.2	

built-up









Adaptor article

8381	on/off						
8382	1/10V						
8384	DALI						
8388	Casambi						

							
FAMILY	JACOB	JACOB	JACOB WALL	JACOB XL	SUZETTE	BABETTE	
Spot article	3978	3982	3974.300	3974.300	3800	2740	3117
Current	350mA	500mA	500mA	500mA	500mA	500mA	500mA
Flux	410lm	555lm	555lm	555lm	690lm	690lm	965lm
Output	4W	5.8W	5.8W	5.8W	6.2W	6.2W	6.6W
CRI	90	90	90	90	97	97	80
Beam	48°	48°	48°	48°	40°	40°	38°
load/spot				g		g	385g






LOAD SCHEME



				
CAPA XT	FIXER	MERO	MERO	TONDO
7600.AC	7605	7879	7878	7535
350mA	350mA	700mA	700mA	500mA
1200lm	1200lm	1300lm	1300lm	965lm
12.2W	12.2W	9.5W	9.5W	6.6W
92	92	80	80	80
36°	36°	40°	40°	40°
350 - alu 450g - brass	420g	350g	450g	350g

Adaptor article

8381 on/off
8382 1/10V
8384 DALI
8388 Casambi

				
MOBY	MOBY DECO	JACOB	SUZETTE	BABETTE
3991	3992	3973.300	2741	3118
500mA	500mA	500mA	500mA	500mA
965lm	965lm	555lm	690lm	965lm
6.6W	6.6W	5.8W	6.2W	6.6W
80	80	90	97	80
38°	38°	48°	40°	38°
385g	385g	170g		385g

mechanical

LUCY ON/OFF SERIES



8381.2406/.. - LUCY CIGARO | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8381.2406.1M

8381.2406.2M

8381.2406.42

8381.2406.132

8381.2406.142

8381.2406.162

8381.2406.233

8381.2406.282

8381.2406.562

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

8381.3978/.. - LUCY JACOB | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3978.1M

8381.3978.2M

8381.3978.29

8381.3978.49

NW | WW

NW | WW


NW | WW

NW | WW

built-up

8381.3982/.. - LUCY JACOB | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3982.1M

8381.3982.2M

8381.3982.29

8381.3982.49

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8381.3974.300/.. - LUCY JACOB L | ON/OFF ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH345

35°

Head Ø40xH300

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3974.300.1M

8381.3974.300.2M

8381.3974.300.29

8381.3974.300.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8381.3975/.. - LUCY JACOB WALL | ON/OFF ADAPTOR

48V-DC



IP20



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

35°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

16

Ref

8381.3975.1M

8381.3975.2M

8381.3975.16

8381.3975.29

8381.3975.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
To point to the wall

8381.3800/.. - LUCY JACOB XL | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3800.1M

8381.3800.2M

8381.3800.29

8381.3800.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8381.7600/.. - LUCY CAPA X | ON/OFF ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø58xH180

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

8381.7600.1M

8381.7600.2M

Price €

NW | WW

NW | WW

built-up





built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W  700mA

Dimensions

 Ø80xH170  40°

Head Ø80xH120

Materials

Aluminium 1M | 2M

Ref

8381.7878.1M

8381.7878.2M

Price €

NW | WW

NW | WW

built-up
CRI90-95 on request





built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W  700mA

Dimensions

 Ø60xH180  40°

Head Ø60xH130

Materials

Aluminium 1M | 2M

Ref

8381.7879.1M

8381.7879.2M

Price €

NW | WW

NW | WW

built-up

 psmlighting
a true delight


All prices are mentioned in € excluding VAT and lamps. Edition: valid from 01/04/2025

19

CEILING UP
TRACK

8381.2740/.. - LUCY SUZETTE | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø70xH109

30°

Materials

Aluminium

1M | 2M

Ref

8381.2740.1M

8381.2740.2M

NW | WW

NW | WW

Price €

built-up

8381.3117/.. - LUCY BABETTE | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3117.1M

8381.3117.2M

8381.3117.29

8381.3117.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up



8381.3605/.. - LUCY FLAVIE | ON/OFF ADAPTOR

48V-DC



IP20



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH95

Cable 1500

48°

Head Ø40xH95

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8381.3605.1M

8381.3605.2M

8381.3605.14

8381.3605.16

8381.3605.23

8381.3605.77

8381.3605.47

8381.3605.119

8381.3605.13M

8381.3605.230

8381.3605.127

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8381.7605/.. - LUCY FIXER | ON/OFF ADAPTOR

48V-DC



IP20



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

L60xB60xH185

36°

Head L60xB60xH125

Materials

Aluminium

1M | 2M

Ref

8381.7605.1M

8381.7605.2M

Price €

NW | WW

NW | WW

built-up


CEILING UP

TRACK



8381.3973.300/.. - LUCY JACOB | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH300

35°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8381.3973.300.1M.TX1

8381.3973.300.2M.TX2

8381.3973.300.16.TXM

8381.3973.300.29.TX2

8381.3973.300.49.TX1

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


Price €

built-up

Please state the exact length of the textile cable when ordering
CRI 90 on request

8381.3600.300/.. - LUCY FLAVIE | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH300

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing



16 | 13M | 23

built-up

CRI 90 on request

8381.2741/.. - LUCY SUZETTE | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8381.2741.1M.TX1

8381.2741.2M.TX2

NW | WW

NW | WW


Price €

built-up

Please state the exact length of the textile cable when ordering

8381.3118/.. - LUCY BABETTE | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8381.3118.1M.TX1

8381.3118.2M.TX2

8381.3118.16.TX4

8381.3118.29.TX2

8381.3118.49.TX1

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


Price €

built-up

Please state the exact length of the textile cable when ordering

8381.3991/.. - LUCY MOBY | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamptype

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø250xH210

Materials

Aluminium

1M | 2M

Messing

Ref

Price €

8381.3991.1M.TR.TX1

NW | WW

8381.3991.2M.TR.TX2

NW | WW

8381.3991.16.TR.TX4

NW | WW

8381.3991.16.TR.TXM


NW | WW

built-up

Please state the exact length of the textile cable when ordering

8381.3992/.. - LUCY MOBY | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamptype

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø200xH210

Materials

Aluminium

1M | 2M

Messing

Ref

Price €

8381.3992.1M.TR.TX1

NW | WW

8381.3992.2M.TR.TX2

NW | WW

8381.3992.16.TR.TX4

NW | WW

8381.3992.16.TR.TXM

NW | WW


built-up

Please state the exact length of the textile cable when ordering



LUCY

1/10V SERIES



8382.2406/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref


Price €

8382.2406.1M	NW WW
8382.2406.2M	NW WW
8382.2406.42	NW WW
8382.2406.233	NW WW
8382.2406.562	NW WW
8382.2406.132	NW WW
8382.2406.142	NW WW
8382.2406.162	NW WW
8382.2406.282	NW WW

built-up
Other optics : 15° - 24° - 45° on demand

8382.3978/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref


Price €

8382.3978.1M	NW WW
8382.3978.2M	NW WW
8382.3978.29	NW WW
8382.3978.49	NW WW

built-up

8382.3982/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8382.3982.1M	NW WW
8382.3982.2M	NW WW
8382.3982.29	NW WW
8382.3982.49	NW WW

built-up

8382.3974.300/.. - LUCY JACOB L | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH345

35°

Head Ø40xH300

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8382.3974.300.1M	NW WW
8382.3974.300.2M	NW WW
8382.3974.300.29	NW WW
8382.3974.300.49	NW WW

built-up

8382.3975/.. - LUCY JACOB WALL | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

35°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8382.3975.1M

8382.3975.2M

8382.3975.16

8382.3975.29

8382.3975.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
To point to the wall

8382.3800/.. - LUCY JACOB XL | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8382.3800.1M

8382.3800.2M

8382.3800.29

8382.3800.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8382.7600/.. - LUCY CAPA X | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø58xH180

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

8382.7600.1M

8382.7600.2M

Price €

NW | WW

NW | WW

built-up

8382.7878/.. - LUCY MERO | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø80xH170

40°

Head Ø80xH120

Materials

Aluminium

1M | 2M

Ref

8382.7878.1M

8382.7878.2M

Price €

NW | WW

NW | WW

built-up
CRI90-95 on request

8382.7879/.. - LUCY MERO | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø60xH180

40°

Head Ø60xH130

Materials

Aluminium

1M | 2M

Ref

8382.7879.1M

8382.7879.2M

Price €

NW | WW

NW | WW

built-up

8382.2740/.. - LUCY SUZETTE | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8382.2740.1M

8382.2740.2M

Price €

NW | WW

NW | WW

built-up

8382.3117/.. - LUCY BABETTE | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8382.3117.1M

8382.3117.2M

8382.3117.16

8382.3117.29

8382.3117.49

Price €

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up

8382.3605/.. - LUCY FLAVIE | 1-10V ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH95

48°

Head L40xB40xH95

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8382.3605.1M

8382.3605.2M

8382.3605.14

8382.3605.16

8382.3605.23

8382.3605.77

8382.3605.47

8382.3605.119

8382.3605.13M

8382.3605.230

8382.3605.127

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

8382.7605/.. - LUCY FIXER | 1/10V ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

L60xB60xH185

36°

Head L60xB60xH125

Materials

Aluminium

1M | 2M

Ref

8382.7605.1M

8382.7605.2M

NW | WW

NW | WW

Price €



8382.3973.300/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH300

35°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

Price €

8382.3973.300.1M.TX1 NW | WW

8382.3973.300.2M.TX2 NW | WW

8382.3973.300.16.TXM NW | WW

8382.3973.300.29.TX2 NW | WW

8382.3973.300.49.TX1 NW | WW

built-up

Please state the exact length of the textile cable when ordering
CRI 90 on request

8382.3600.300/.. - LUCY FLAVIE | 1-10V ADAPTOR

48V-DC



suspension with adaptor - square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH300

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

Price €

8382.3600.300.1M.TX1 NW | WW

8382.3600.300.2M.TX2 NW | WW

8382.3600.300.14.TX11 NW | WW

8382.3600.300.16.TX2 NW | WW

8382.3600.300.23.TX33 NW | WW

8382.3600.300.77.TX1 NW | WW

8382.3600.300.47.TX2 NW | WW

8382.3600.300.119.TX33 NW | WW

8382.3600.300.13M.TX43 NW | WW

8382.3600.300.230.TX44 NW | WW

8382.3600.300.127.TX33 NW | WW

built-up

CRI 90 on request

8382.2741/.. - LUCY SUZETTE | 1/10V ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

Price €

8382.2741.1M.TX1 NW | WW

8382.2741.2M.TX2 NW | WW

built-up

Please state the exact length of the textile cable when ordering

8382.3118/.. - LUCY BABETTE | 1/10V ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

Price €

8382.3118.1M.TX1 NW | WW

8382.3118.2M.TX2 NW | WW

8382.3118.16.TX4 NW | WW

8382.3118.29.TX2 NW | WW

8382.3118.49.TX1 NW | WW

built-up

Please state the exact length of the textile cable when ordering

8382.3991/.. - LUCY MOBY | 1/10V ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamptype

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø250xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8382.3991.1M.TR.TX1

NW | WW

8382.3991.2M.TR.TX2

NW | WW

8382.3991.16.TR.TX4

NW | WW

8382.3991.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering

8382.3992/.. - LUCY MOBY | 1/10V ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamptype

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø200xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8382.3992.1M.TR.TX1

NW | WW

8382.3992.2M.TR.TX2

NW | WW

8382.3992.16.TR.TX4

NW | WW

8382.3992.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering



LUCY DALI SERIES



8384.2406/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref


Price €

8384.2406.1M	NW WW
8384.2406.2M	NW WW
8384.2406.42	NW WW
8384.2406.132	NW WW
8384.2406.142	NW WW
8384.2406.162	NW WW
8384.2406.233	NW WW
8384.2406.282	NW WW
8384.2406.562	NW WW

built-up
Other optics : 15° - 24° - 45° on demand

8384.3978/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref


Price €

8384.3978.1M	NW WW
8384.3978.2M	NW WW
8384.3978.29	NW WW
8384.3978.49	NW WW

built-up

8384.3982/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8384.3982.1M	NW WW
8384.3982.2M	NW WW
8384.3982.29	NW WW
8384.3982.49	NW WW

built-up

8384.3974.300/.. - LUCY JACOB L | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH345

35°

Head Ø40xH300

Materials

Aluminium

1M | 2M | 29 | 49

Ref


Price €

8384.3974.300.1M	NW WW
8384.3974.300.2M	NW WW
8384.3974.300.29	NW WW
8384.3974.300.49	NW WW

built-up

8384.3975/.. - LUCY JACOB WALL | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

35°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8384.3975.1M

8384.3975.2M

8384.3975.16

8384.3975.29

8384.3975.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
To point to the wall

8384.3800/.. - LUCY JACOB XL | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8384.3800.1M

8384.3800.2M

8384.3800.29

8384.3800.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8384.7600/.. - LUCY CAPA X | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø58xH180

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

8384.7600.1M

8384.7600.2M

Price €

NW | WW

NW | WW

built-up

8384.7878/.. - LUCY MERO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø80xH170

40°

Head Ø80xH120

Materials

Aluminium

1M | 2M

Ref

8384.7878.1M

8384.7878.2M

Price €

NW | WW

NW | WW

built-up
CRI90-95 on request

8384.7879/.. - LUCY MERO | DALI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø60xH180

40°

Head Ø60xH130

Materials

Aluminium

1M | 2M

Ref

8384.7879.1M

8384.7879.2M

Price €

NW | WW

NW | WW

built-up

8384.2740/.. - LUCY SUZETTE | DALI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8384.2740.1M

8384.2740.2M

Price €

NW | WW

NW | WW

built-up

8384.3117/.. - LUCY BABETTE | DALI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8384.3117.1M

8384.3117.2M

8384.3117.16

8384.3117.29

8384.3117.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8384.3605/.. - LUCY FLAVIE | DALI ADAPTOR

48V-DC



IP20



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH95

48°

Head Ø40xH95

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8384.3605.1M

8384.3605.2M

8384.3605.14

8384.3605.16

8384.3605.23

8384.3605.77

8384.3605.47

8384.3605.119

8384.3605.13M

8384.3605.230

8384.3605.127

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

8384.7605/.. - LUCY FIXER | DALI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

L60xB60xH185

36°

Head L60xB60xH125

Materials

Aluminium

1M | 2M

Ref

8384.7605.1M

8384.7605.2M

NW | WW

NW | WW

Price €



8384.3973.300/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH300

35°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

Price €

8384.3973.300.1M.TX1 NW | WW

8384.3973.300.2M.TX2 NW | WW

8384.3973.300.16.TXM NW | WW

8384.3973.300.29.TX2 NW | WW

8384.3973.300.49.TX1 NW | WW

built-up

Please state the exact length of the textile cable when ordering
CRI 90 on request

8384.3600.300/.. - LUCY FLAVIE | DALI ADAPTOR

48V-DC



suspension with adaptor - square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH300

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

Price €

8384.3600.300.1M.TX1 NW | WW

8384.3600.300.2M.TX2 NW | WW

8384.3600.300.14.TX11 NW | WW

8384.3600.300.16.TX2 NW | WW

8384.3600.300.23.TX33 NW | WW

8384.3600.300.77.TX1 NW | WW

8384.3600.300.47.TX2 NW | WW

8384.3600.300.119.TX33 NW | WW

8384.3600.300.13M.TX43 NW | WW

8384.3600.300.230.TX44 NW | WW

8384.3600.300.127.TX33 NW | WW

built-up

CRI 90 on request

8384.2741/.. - LUCY SUZETTE | DALI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

Price €

8384.2741.1M.TX1 NW | WW

8384.2741.2M.TX2 NW | WW

built-up

Please state the exact length of the textile cable when ordering

8384.3118/.. - LUCY BABETTE | DALI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

Price €

8384.3118.1M.TX1 NW | WW

8384.3118.2M.TX2 NW | WW

8384.3118.16.TX4 NW | WW

8384.3118.29.TX2 NW | WW

8384.3118.49.TX1 NW | WW

built-up

Please state the exact length of the textile cable when ordering

8384.3991/.. - LUCY MOBY | DALI ADAPTOR

48V-DC



IP20



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø250xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8384.3991.1M.TR.TX1

NW | WW

8384.3991.2M.TR.TX2

NW | WW

8384.3991.16.TR.TX4

NW | WW

8384.3991.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering

8384.3992/.. - LUCY MOBY | DALI ADAPTOR

48V-DC



IP20



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø200xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8384.3992.1M.TR.TX1

NW | WW

8384.3992.2M.TR.TX2

NW | WW

8384.3992.16.TR.TX4

NW | WW

8384.3992.16.TR.TXM


NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering

wireless dimming
dim up to 32 Dali luminaires
in a maximum of 4 groups





CEILING UP

TRACK

LUCY CASAMBI SERIES



8388.2406/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146

35°

Materials

Aluminium

1M | 2M | 142 | 14M2 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref


Price €

8388.2406.1M	NW WW
8388.2406.2M	NW WW
8388.2406.42	NW WW
8388.2406.132	NW WW
8388.2406.142	NW WW
8388.2406.14M2	NW WW
8388.2406.162	NW WW
8388.2406.233	NW WW
8388.2406.282	NW WW
8388.2406.562	NW WW

built-up
Other optics : 15° - 24° - 45° on demand

8388.3978/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8388.3978.1M	NW WW
8388.3978.2M	NW WW
8388.3978.29	NW WW
8388.3978.49	NW WW

built-up

8388.3982/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8388.3982.1M	NW WW
8388.3982.2M	NW WW
8388.3982.29	NW WW
8388.3982.49	NW WW

built-up

8388.3974.300/.. - LUCY JACOB L | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH345

35°

Head Ø40xH300

Materials

Aluminium

1M | 2M | 29 | 49

Ref


Price €

8388.3974.300.1M	NW WW
8388.3974.300.2M	NW WW
8388.3974.300.29	NW WW
8388.3974.300.49	NW WW

built-up

8388.3975/.. - LUCY WALL | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

35°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8388.3975.1M

8388.3975.2M

8388.3975.16

8388.3975.29

8388.3975.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
To point to the wall

8388.3800/.. - LUCY JACOB XL | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8388.3800.1M

8388.3800.2M

8388.3800.29

8388.3800.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8388.7600/.. - LUCY CAPA X | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø58xH180

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

8388.7600.1M

8388.7600.2M

Price €

NW | WW

NW | WW

built-up

8388.7878/.. - LUCY MERO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø80xH170

40°

Head Ø80xH120

Materials

Aluminium

1M | 2M

Ref

8388.7878.1M

8388.7878.2M

Price €

NW | WW

NW | WW

built-up
CRI90-95 on request

8388.7879/.. - LUCY MERO | CASAMBI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø60xH180

40°

Head Ø60xH130

Materials

Aluminium

1M | 2M

Messing

Ref

8388.7879.1M

8388.7879.2M

8388.7879.16

Price €

NW | WW

NW | WW

NW | WW

8388.2740/.. - LUCY SUZETTE | CASAMBI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8388.2740.1M

8388.2740.2M

Price €

NW | WW

NW | WW

8388.3117/.. - LUCY BABETTE | CASAMBI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8388.3117.1M

8388.3117.2M

8388.3117.16

8388.3117.29

8388.3117.49

Price €

NW | WW

NW | WW


NW | WW

NW | WW

NW | WW

8388.3605/.. - LUCY FLAVIE | CASAMBI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH95

48°

Head Ø40xH95

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8388.3605.1M

8388.3605.2M

8388.3605.14

8388.3605.16

8388.3605.23

8388.3605.77

8388.3605.47

8388.3605.119

8388.3605.13M

8388.3605.230

8388.3605.127

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

8388.7605/.. - LUCY FIXER | CASAMBI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

L60xB60xH185

36°

Head L60xB60xH125

Materials

Aluminium

1M | 2M

Ref

8388.7605.1M

8388.7605.2M

NW | WW

NW | WW

Price €



8388.3973.300/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH300

Cable 1500

35°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

Price €

8388.3973.300.1M.TX1 NW | WW

8388.3973.300.2M.TX2 NW | WW

8388.3973.300.16.TXM NW | WW

8388.3973.300.29.TX2 NW | WW

8388.3973.300.49.TX1 NW | WW

built-up
Please state the exact length of the textile cable when ordering

8388.3600.300/.. - LUCY FLAVIE | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH300

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

Price €

8388.3600.300.1M.TX1 NW | WW

8388.3600.300.2M.TX2 NW | WW

8388.3600.300.14.TX11 NW | WW

8388.3600.300.16.TX2 NW | WW

8388.3600.300.23.TX33 NW | WW

8388.3600.300.77.TX1 NW | WW

8388.3600.300.47.TX2 NW | WW

8388.3600.300.119.TX33 NW | WW

8388.3600.300.13M.TX43 NW | WW

8388.3600.300.230.TX44 NW | WW

8388.3600.300.127.TX33 NW | WW

built-up
CRI 90 on request

8388.2741/.. - LUCY SUZETTE | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

Price €

8388.2741.1M.TX1 NW | WW

8388.2741.2M.TX2 NW | WW

built-up
Please state the exact length of the textile cable when ordering

8388.3118/.. - LUCY BABETTE | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

Price €

8388.3118.1M NW | WW

8388.3118.2M NW | WW

8388.3118.16 NW | WW

8388.3118.29 NW | WW

8388.3118.49 NW | WW

built-up
Please state the exact length of the textile cable when ordering

8388.3991/.. - LUCY MOBY | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø250xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8388.3991.1M.TR.TX1

NW | WW

8388.3991.2M.TR.TX2

NW | WW

8388.3991.16.TR.TX4

NW | WW

8388.3991.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering

8388.3992/.. - LUCY MOBY | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø200xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8388.3992.1M.TR.TX1

NW | WW

8388.3992.2M.TR.TX2

NW | WW

8388.3992.16.TR.TX4

NW | WW

8388.3992.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering





Bluetooth 4.0 compatible

READY
CASAMBI
wireless dimming
dim up to 63 Dali luminaires
in a maximum of 4 groups




Remote control
Sensor data
SW updates
configuration



Smart wall
switches




LUCY ADAPTORS



LUCY SINGLE SPOT ADAPTOR 48V | **ON/OFF**
max load: 1kg



- 8600.O.350MA
- 8600.O.500MA
- 8600.O.700MA



- 8602.DS.250MA
- 8602.DS.350MA
- 8602.DS.500MA
- 8602.DS.700MA

LUCY DOUBLE SPOT ADAPTER 48V | **DALI IN SERIE**

max load:
1kg



LUCY SINGLE SPOT ADAPTOR 48V | **BLUETOOTH CASAMBI**
max load: 1kg

- 8601.B.250MA
- 8601.B.350MA
- 8601.B.500MA
- 8601.B.700MA

- 8602.M.DS.250MA
- 8602.M.DS.350MA
- 8602.M.DS.500MA
- 8602.M.DS.700MA

LUCY DOUBLE SPOT ADAPTER 48V | **DALI IN SERIE**


mechanical
max load:
2kg

LUCY SINGLE SPOT ADAPTOR 48V | **DALI**
max load: 1kg

- 8601.D.250MA
- 8601.D.350MA
- 8601.D.500MA
- 8601.D.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **1-10V**
max load: 1kg

- 8601.T.250MA
- 8601.T.350MA
- 8601.T.500MA
- 8601.T.700MA



LUCY SINGLE SPOT ADAPTOR 48V | **ON/OFF**
mechanical
max load: 2kg

- 8600.M.O.350MA
- 8600.M.O.500MA
- 8600.M.O.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **BLUETOOTH CASAMBI**
mechanical
max load: 2kg


- 8601.M.B.250MA
- 8601.M.B.350MA
- 8601.M.B.500MA
- 8601.M.B.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **DALI**
mechanical
max load: 2kg

- 8601.M.D.250MA
- 8601.M.D.350MA
- 8601.M.D.500MA
- 8601.M.D.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **1-10V**
mechanical
max load: 2kg

- 8601.M.T.250MA
- 8601.M.T.350MA
- 8601.M.T.500MA
- 8601.M.T.700MA



8600.O.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L98

Materials

Polyamide

1 | 2

Ref

8600.O.350MA.1

8600.O.350MA.2

Price €*built-up*
350mA / max. 16,5W
max. 1kg**8600.O.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF**

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L98

Materials

Polyamide

1 | 2

Ref

8600.O.500MA.1

8600.O.500MA.2

Price €*built-up*
500mA / max. 24W
max. 1kg**8600.O.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF**

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L98

Materials

Polyamide

1 | 2

Ref

8600.O.700MA.1

8600.O.700MA.2

Price €*built-up*
700mA / max. 33W
max. 1kg

8601.T.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref	Price €
8601.t.250MA.1	
8601.t.250MA.2	

built-up
250mA / max. 12W
max. 1kg

8601.T.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref	Price €
8601.T.350MA.1	
8601.T.350MA.2	

built-up
350mA / max. 16,5W
max. 1kg

8601.T.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref	Price €
8601.T.500MA.1	
8601.T.500MA.2	

built-up
500mA / max. 24W
max. 1kg

8601.T.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref	Price €
8601.T.700MA.1	
8601.T.700MA.2	

built-up
700mA / max. 33W
max. 1kg

8601.M.T.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1 | 2

Ref

8601.M.T.250MA.1

8601.M.T.250MA.2

Price €

built-up
250mA / max. 12W
max. 2kg

8601.M.T.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1 | 2

Ref

8601.M.T.350MA.1

8601.M.T.350MA.2

Price €

built-up
350mA / max. 16,5W
max. 2kg

8601.M.T.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1 | 2

Ref

8601.M.T.500MA.1

8601.M.T.500MA.2

Price €

built-up
500mA / max. 24W
max. 2kg

8601.M.T.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1 | 2

Ref

8601.M.T.700MA.1

8601.M.T.700MA.2

Price €

built-up
700mA / max. 33W
max. 2kg

8601.D.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple M10x1

Dimensions

L166

Materials

Polyamide

1 | 2

Ref	Price €
8601.D.250MA.1	
8601.D.250MA.2	

built-up
250mA / max. 12W
max. 1kg

8601.D.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple M10x1

Dimensions

L166

Materials

Polyamide

1 | 2

Ref	Price €
8601.D.350MA.1	
8601.D.350MA.2	

built-up
350mA / max. 16,5W
max. 1kg

8601.D.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple M10x1

Dimensions

L166

Materials

Polyamide

1 | 2

Ref	Price €
8601.D.500MA.1	
8601.D.500MA.2	

built-up
500mA / max. 24W
max. 1kg

8601.D.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple M10x1

Dimensions

L166

Materials

Polyamide

1 | 2

Ref	Price €
8601.D.700MA.1	
8601.D.700MA.2	

built-up
700mA / max. 33W
max. 1kg

8601.M.D.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

Ref

8601.M.D.250MA.1

8601.M.D.250MA.2

Price €



built-up
250mA / max. 12W
max. 2kg

8601.M.D.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

Ref

8601.M.D.350MA.1

8601.M.D.350MA.2

Price €



built-up
350mA / max. 16,5W
max. 2kg



8601.M.D.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1 | 2

Ref

8601.M.D.500MA.1

8601.M.D.500MA.2

Price €



built-up
500mA / max. 24W
max. 2kg

8601.M.D.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1 | 2

Ref

8601.M.D.700MA.1

8601.M.D.700MA.2

Price €



built-up
700mA / max. 33W
max. 2kg



8602.DS.250MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20

adapter - Led-track double spot adaptor + monting nipple
M10x1**Dimensions**

L166

Materials

Polyamide

1 | 2

Ref	Price €
8602.DS.250MA.1	
8602.DS.250MA.2	

built-up
250mA / max. 12W
max. 1kg

8602.DS.350MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20

adapter - Led-track double spot adaptor + monting nipple
M10x1**Dimensions**

L166

Materials

Polyamide

1 | 2

Ref	Price €
8602.DS.350MA.1	
8602.DS.350MA.2	

built-up
350mA / max. 16,5W
max. 1kg

8602.DS.500MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



0.1000

adapter - Led-track double spot adaptor + monting nipple
M10x1**Dimensions**

L166

Materials

Polyamide

1 | 2

Ref	Price €
8602.DS.500MA.1	
8602.DS.500MA.2	

built-up
500mA / max. 24W
max. 1kg

8602.DS.700MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20

adapter - Led-track double spot adaptor + monting nipple
M10x1**Dimensions**

L166

Materials

Polyamide

1 | 2

Ref	Price €
8602.DS.700MA.1	
8602.DS.700MA.2	

built-up
700mA / max. 33W
max. 1kg

8602.M.DS.250MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref **Price €**

8602.M.DS.250MA.1

8602.M.DS.250MA.2

built-up
250mA / max. 12W
max. 2kg

8602.M.DS.350MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref **Price €**

8602.M.DS.350MA.1

8602.M.DS.350MA.2

built-up
350mA / max. 16,5W
max. 2kg

8602.M.DS.500MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref **Price €**

8602.M.DS.500MA.1

8602.M.DS.500MA.2

built-up
500mA / max. 24W
max. 2kg

8602.M.DS.700MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref **Price €**

8602.M.DS.700MA.1

8602.M.DS.700MA.2

built-up
700mA / max. 33W
max. 2kg

8601.B.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L166

Materials

Polyamide 1 | 2

Ref	Price €
8601.B.250MA.1	
8601.B.250MA.2	

built-up
250mA / max. 12W
max. 1kg

8601.B.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L166

Materials

Polyamide 1 | 2

Ref	Price €
8601.b.350MA.1	
8601.b.350MA.2	

built-up
350mA / max. 16,5W
max. 1kg

8601.B.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L166

Materials

Polyamide 1 | 2

Ref	Price €
8601.B.500MA.1	
8601.B.500MA.2	

built-up
500mA / max. 24W
max. 1kg

8601.B.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L166

Materials

Polyamide 1 | 2

Ref	Price €
8601.B.700MA.1	
8601.B.700MA.2	

built-up
700mA / max. 33W
max. 1kg

8601.M.B.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

L166

Materials

Polyamide

1 | 2

Ref

8601.M.B.250MA.1



8601.M.B.250MA.2


Price €

built-up
250mA / max. 12W
max. 2kg

8601.M.B.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

L166

Materials

Polyamide

1 | 2

Ref

8601.M.B.350MA.1



8601.M.B.350MA.2


Price €

built-up
350mA / max. 16,5W
max. 2kg

8601.M.B.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

L166

Materials

Polyamide

1 | 2

Ref

8601.M.B.500MA.1



8601.M.B.500MA.2


Price €

built-up
500mA / max. 24W
max. 2kg

8601.M.B.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

L166

Materials

Polyamide

1 | 2

Ref

8601.M.B.700MA.1



8601.M.B.700MA.2


Price €

built-up
700mA / max. 33W
max. 2kg

LUCY TRACK LUMINAIRES

8480/.. - LUCY TRACK

=48V-DC



IP20



0.1500

0,5 m

5.6



built-up spot with adaptor - Opal lens - 286mm - with LED driver

Lamptype

1x LED 490lm CRI90 max. 6W

48V-DC

Dimensions

L286xB22,5xH43

Visible L286xB22,5xH25

Materials

Polyamide

2

Ref

8480.2

Price €



built-up

DALI / 1-10V / Casambi / ON-OFF

8481/.. - LUCY TRACK

=48V-DC



IP20



0.2000

0,5 m

4.6



built-up spot with adaptor - Opal lens - 567mm - with LED driver

Lamptype

1x LED 1005lm CRI90 max. 11,9W

48V-DC

Dimensions

L567xB22,5xH43

Visible L567xB22,5xH25

Materials

Polyamide

2

Ref

8481.2

Price €



built-up

DALI / 1-10V / Casambi / ON-OFF

8482/.. - LUCY TRACK

=48V-DC



IP20



0,5 m

4.6



built-up spot with adaptor - Opal lens - 847mm - with LED driver

Lamptype

1x LED 1508lm CRI90 max. 17,8W

48V-DC

Dimensions

L847xB22,5xH43

Visible L847xB22,5xH25

Materials

Polyamide

2

Ref

8482.2

Price €



built-up

DALI / 1-10V / Casambi / ON-OFF

8483/.. - LUCY TRACK

=48V-DC



IP20



0,5 m

4.6



built-up spot with adaptor - Opal lens - 1128mm - with LED driver

Lamptype

1x LED 2011lm CRI90 max. 23,8W

48V-DC

Dimensions

L1128xB22,5xH43

Visible L1128xB22,5xH25

Materials

Polyamide

2

Ref

8483.2

Price €



built-up

DALI / 1-10V / Casambi / ON-OFF

8484/.. - LUCY TRACK		=48V-DC			IP20				
	built-up spot with adaptor - Opal lens - 1408mm - with LED driver		Ref		Price €				
	Lamptype		8484.2						
	1x LED 2514lm CRI90 max. 29,8W								
	Dimensions								
			L1408xB22,5xH43		Visible L1408xB22,5xH25				
Materials									
Polyamide				2					

built-up
DALI / 1-10V / Casambi / ON-OFF



CEILING UP
TRACK

8485/.. - LUCY TRACK

=48V-DC



built-up spot with adaptor - UGR lens - 286mm - with LED driver

Lamptype

1x LED 412lm CRI95 max. 5,2W



Dimensions

L286xB22,5xH43

Visible L286xB22,5xH25

Materials

Polyamide

2

Ref
8485.2

Price €

built-up
DALI / 1-10V / Casambi / ON-OFF

8486/.. - LUCY TRACK

=48V-DC



built-up spot with adaptor - UGR lens - 567mm - with LED driver

Lamptype

1x LED 825lm CRI95 max. 9,9W



Dimensions

L567xB22,5xH43

Visible L567xB22,5xH25

Materials

Polyamide

2

Ref
8486.2

Price €

built-up
DALI / 1-10V / Casambi / ON-OFF

8487/.. - LUCY TRACK

=48V-DC



built-up spot with adaptor - UGR lens - 847mm - with LED driver

Lamptype

1x LED 1236lm CRI95 max. 14,5W



Dimensions

L847xB22,5xH43

Visible L847xB22,5xH25

Materials

Polyamide

2

Ref
8487.2

Price €

built-up
DALI / 1-10V / Casambi / ON-OFF

8488/.. - LUCY TRACK

=48V-DC



built-up spot with adaptor - UGR lens - 1128mm - with LED driver

Lamptype

1x LED 1615lm CRI95 max. 19,8W



Dimensions

L1128xB22,5xH43

Visible L1128xB22,5xH25

Materials

Polyamide

2

Ref
8488.2

Price €

built-up
DALI / 1-10V / Casambi / ON-OFF

8489/.. - LUCY TRACK

=48V-DC

built-up spot with adaptor - directional - Adjustable UGR lens
- 310mm - with LED driver

Ref

Price €

8489.2



Lamp type

1x LED 389lm CRI95 max. 5,2W

48V-DC

Dimensions

L286xB22,5xH68

Visible L286xB22,5xH50

Materials

Polyamide

2

built-up

DALI / 1-10V / Casambi / ON-OFF

8490/.. - LUCY TRACK

=48V-DC

built-up spot with adaptor - directional - Adjustable UGR lens
- 590mm - with LED driver

Ref

Price €

8490.2



Lamp type

1x LED 777lm CRI95 max. 9,9W

48V-DC

Dimensions

L590xB22,5xH68

Visible L590xB22,5xH50

Materials

Polyamide

2

built-up

DALI / 1-10V / Casambi / ON-OFF

8491/.. - LUCY TRACK

=48V-DC

built-up spot with adaptor - directional - Adjustable UGR lens
- 870mm - with LED driver

Ref

Price €

8491.2



Lamp type

1x LED 1167lm CRI95 max. 14,5W

48V-DC

Dimensions

L870xB22,5xH68

Visible L870xB22,5xH50

Materials

Polyamide

2

built-up

DALI / 1-10V / Casambi / ON-OFF

8492/.. - LUCY TRACK

~230V



IP20



0,5 m



5,6



built-up spot with adaptor - directional - Adjustable tube - 295mm - with LED driver

Ref

Price €

8492.2



Lamptype

1x LED 546lm CRI90 max. 6,1W

48V-DC

Dimensions

L310xB30xH62

Visible L310xB30xH44

Materials

Polyamide

2

built-up
DALI / 1-10V / Casambi / ON-OFF

8493/.. - LUCY TRACK

~230V



IP20



0,5 m



4,6



built-up spot with adaptor - directional - Adjustable tube - 575mm - with LED driver

Ref

Price €

8493.2



Lamptype

1x LED 1091lm CRI90 max. 11,9W

48V-DC

Dimensions

L575xB30xH62

Visible L575xB30xH44

Materials

Polyamide

2

built-up
DALI / 1-10V / Casambi / ON-OFF



CBU-TED/.. - CASAMBI

IP20   0.0500  5.14 



dimmer - Trailing edge dimmer for incandescent lamps or dimmable LED lamps

Ref
CBU-TED

Price €

Dimensions

→ L40,4xB36,3xH14

CBU-ASD/.. - CASAMBI

 IP20  0.1000  5.14 



dimmer - Bluetooth controller for 0-10V, 1-10V, Dali, Dali Tunable White, Dali RGB and RGBW

Ref
CBU-ASD

Price €

Dimensions

→ L56,5xB35,8xH22,3

CBU-A2D/.. - CASAMBI

 IP20  0.0900  5.14 



dimmer - Controller for one or two 0-10V LEDs or one tunable white LED with two 0-10V-interfaces. Also configurable in a DALI-modus.

Ref
CBU-A2D

Price €

Dimensions

→ L76xB26xH23

Power supply (W)	A - Distance power supply / feed unit (2x1,5mm ²)			
	5m	10m	20m	30m
	B - Track lenght with $\Delta_v \leq 5,5\%$ (m)			
	(m)	(m)	(m)	(m)
60	50	50	50	50
100	50	50	40	25
150	50	40	20	Not admitted
200	40	30	Not admitted	Not admitted
250	35	20	Not admitted	Not admitted

Information refers to a load equivalent to the power supplied and equally distributed on the relevant lenght in the table.

X-PRESS/.. - CASAMBI

IP20 0.1200 5.14 CE



wire- and battery-free dimmer switch - Wireless bluetooth interface - programmable at will

Dimensions

↔ L90xB90xH12

Materials

Aluminium

1 | 2

Ref

X-PRESS.1

X-PRESS.2

Price €

BLE-EWSSB/.. - CASAMBI

IP20 0.0700 5.14 CE



wire- and battery-free dimmer switch - Kinetic switch - programmable at will

Dimensions

↔ L81xB81xH14

Ref

BLE-EWSSB

Price €

BLE-EWSDB/.. - CASAMBI

IP20 0.0700 5.14 CE



wire- and battery-free dimmer switch - Kinetic switch - programmable at will

Dimensions

↔ L81xB81xH14

Ref

BLE-EWSDB

Price €

SC-TI-CAS/.. - CASAMBI

IP20   0.0400  5.14 



switching module - Input module for up to 4 potential-free buttons - wireless

Dimensions

↔ Ø53xH21

Ref

SC-TI-CAS

Price €

LD220WCM/.. - CASAMBI

 IP20   0.0800  5.14 



dimmer - Bluetooth dimmer with push button - appropriate for LED lamps en LED dimmers

Dimensions

↔ Ø56xH22

Ref

LD220WCM

Price €



Available TRACK - RAIL colours



Available colours spots or pendants











Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.