



+30
YEARS

Lucy

Easy click rail systems



psmlighting

Delighted to help you



All information in this catalogue is without engagement.

Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

A RANGE THAT MATCHES ITS FEATURES



OVERVIEW

LUCY TRACK	P5-6
LUCY O TRACK	P7
LUCY HIGH TRACK	P8
LUCY ON/OFF SERIES	P18-27
LUCY 1/10V SERIES	P28-35
LUCY DALI SERIES	P36-43
LUCY CASAMBI SERIES	P44-51
LUCY ADAPTORS	P52-63
LUCY TRACK LUMINAIRES	P64-69




8401/.. - LUCY TRACK

=48V-DC



IP20



track - Track 1 meter for 1 circuit + data bus

Dimensions

L1000xB26,2xH21 mm

Materials

Aluminium

1 | 2

Ref

8401.1

8401.2

Price €

built-up


You can shorten the rail yourself by sawing

8402/.. - LUCY TRACK

=48V-DC



IP20



track - Track 2 meter for 1 circuit + data bus

Dimensions

L2000xB26,2xH21 mm

Materials

Aluminium

1 | 2

Ref

8402.1

8402.2

Price €

built-up


extra transport cost - long profile - You can shorten the rail yourself by sawing

8403/.. - LUCY TRACK

=48V-DC



IP20



track - Track 3 meter for 1 circuit + data bus

Dimensions

L3000xB26,2xH21 mm

Materials

Aluminium

1 | 2

Ref

8403.1



8403.2

Price €

built-up

extra transport cost - long profile - You can shorten the rail yourself by sawing

8405/.. - LUCY TRACK



accessories for track systems - End cap

Dimensions

coverplate B26,2xH21xD1,2

Materials

Aluminium

Ref

8405.1

8405.2



Price €



1 | 2

built-up

8406/.. - LUCY TRACK



accessories for track systems - End cap with hole for cable

Dimensions

coverplate B26,2xH21xD1,2

Materials

Aluminium

Ref

8406.1

8406.2

Price €




1 | 2

built-up



8451/.. - LUCY O TRACK

=48V-DC  IP20    



track - round - Track 1 meter for 1 circuit + data bus

Dimensions

↔ Ø32xL1000 mm

Materials


Aluminium 1 | 2

Ref	Price €
8451.1	
8451.2	

built-up
You can shorten the rail yourself by sawing

8452/.. - LUCY O TRACK

=48V-DC  IP20   



track - round - Track 2 meter for 1 circuit + data bus

Dimensions

↔ Ø32xL2000 mm

Materials


Aluminium 1 | 2

Ref	Price €
8452.1	
8452.2	

built-up
extra transport cost - long profile - You can shorten the rail yourself by sawing

8453/.. - LUCY O TRACK

=48V-DC  IP20   



track - round - Track 3 meter for 1 circuit + data bus

Dimensions

↔ Ø32xL3000 mm

Materials

Aluminium 1 | 2

Ref	Price €
8453.1	
8453.2	

built-up
extra transport cost - long profile - You can shorten the rail yourself by sawing

8455/.. - LUCY O TRACK



accessories for track systems - round - Blind End

Dimensions

↔ Ø32 mm

Materials

Polyamide 1 | 2

Ref	Price €
8455.1	
8455.2	


built-up

8461/.. - LUCY HIGH TRACK

=48V-DC



IP20



track - Track 1 meter for 1 circuit + data bus

Dimensions

↔ L1000xB26,2xH53 mm

Materials

Aluminium

1 | 2

Ref

8461.1

8461.2

Price €

built-up


You can shorten the rail yourself by sawing

8462/.. - LUCY HIGH TRACK

=48V-DC



IP20



track - Track 2 meter for 1 circuit + data bus

Dimensions

↔ L2000xB26,2xH53 mm

Materials

Aluminium

1 | 2

Ref

8462.1

8462.2

Price €

built-up


extra transport cost - long profile - You can shorten the rail yourself by sawing

8463/.. - LUCY HIGH TRACK

=48V-DC



IP20



track - Track 3 meter for 1 circuit + data bus

Dimensions

↔ L3000xB26,2xH53 mm

Materials

Aluminium

1 | 2

Ref

8463.1

8463.2

Price €

built-up

extra transport cost - long profile - You can shorten the rail yourself by sawing

8466/.. - LUCY HIGH



accessories for track systems - End cap

Dimensions

coverplate B26,2xH53xD1,2

Materials

Aluminium

1 | 2

Ref



8466.1

8466.2

Price €

built-up

8411/.. - LUCY TRACK



accessories for track systems - Cover strip 1m

Dimensions

↔ L1000 mm



Materials

Polyamide

Ref	Price €
8411.1	
8411.2	

built-up

8412/.. - LUCY TRACK



accessories for track systems - Cover strip 2m

Dimensions

↔ L2000 mm



Materials

Polyamide

Ref	Price €
8412.1	
8412.2	

built-up
extra transport cost - long profile

8413/.. - LUCY TRACK



accessories for track systems - Cover strip 3m

Dimensions

↔ L3000 mm


Materials

Polyamide

Ref	Price €
8413.1	
8413.2	

built-up
extra transport cost - long profile

8444/.. - LUCY TRACK



accessories for track systems - Bracket for suspension

Dimensions

↔ L80xB26xH10 mm


Materials

Aluminium 1 | 2

Ref	Price €
8444.1	
8444.2	

built-up

8441/.. - LUCY TRACK



accessories for track systems - Bracket + pendant set 2.25m

Dimensions

L35xB26,2xH10,4 mm


Materials

Aluminium 1 | 2

Ref	Price €
8441.1	
8441.2	

built-up

8456/.. - LUCY O TRACK



accessories for track systems - round - Connection round profile

Dimensions

L40xB13xH4 mm


Materials

Aluminium 1 | 2

Ref	Price €
8456.1	
8456.2	

built-up

8457/.. - LUCY O TRACK



accessories for track systems - round - Bracket + pendant set 2.25m

Dimensions

L40xB13xH4 mm

Materials

Aluminium 1 | 2

Ref	Price €
8457.1	
8457.2	

built-up

8445/.. - LUCY TRACK

   0.3000 

hand tools - Cutting tool for track conductors

Ref


Price €

8445




built-up

surface



suspended




CEILING UP

TRACK

8430/.. - LUCY TRACK

IP20   



accessories for track systems - Box for track with transfo 48V-DC 60W - with 1 entry for square profile

Dimensions

↔ L250xB50xH50 mm


Materials

Aluminium 1M | 2M

Ref	Price €
8430.1M	
8430.2M	

8431/.. - LUCY TRACK

IP20  



accessories for track systems - Box for track with transfo 48V-DC 60W - with 1 entry for round profile

Dimensions

↔ L250xB50xH50 mm


Materials

Aluminium 1M | 2M

Ref	Price €
8431.1M	
8431.2M	

8432/.. - LUCY TRACK

IP20   



accessories for track systems - Box for track with transfo 48V-DC 60W - with 2 entries for square profile

Dimensions

↔ L250xB50xH50 mm


Materials

Aluminium 1M | 2M

Ref	Price €
8432.1M	
8432.2M	

8433/.. - LUCY TRACK

IP20  



accessories for track systems - Box for track with transfo 48V-DC 60W - with 2 entries for round profile

Dimensions

↔ L250xB50xH50 mm

Materials

Aluminium 1M | 2M

Ref	Price €
8433.1M	
8433.2M	

8420/.. - LUCY TRACK

=48V-DC



IP20



power supply for busbar system - End feed polarized left

Dimensions

L111,7 mm

Materials

Polyamide

1 | 2

Ref

8420.1

8420.2

Price €

built-up

8421/.. - LUCY TRACK

=48V-DC



IP20



power supply for busbar system - End feed polarized right

Dimensions

L111,7 mm

Materials

Polyamide

1 | 2

Ref

8421.1

8421.2

Price €

built-up

8499/.. - LUCY TRACK

~230V



IP20



transformer - In-track transformer 48V-DC 100W - with LED driver

Dimensions

L575xB30xH62 mm visible L575xB30xH44 mm

Materials

Aluminium

1 | 2

Ref

8499.1

8499.2

Price €

built-up

8422/.. - LUCY TRACK

=48V-DC



IP20



Connection joinings - Jointing connector polarized

Dimensions

↔ L10,5 mm

Materials

Polyamide

1 | 2

Ref	Price €
8422.1	
8422.2	

built-up

8423/.. - LUCY TRACK

=48V-DC



IP20



Connection joinings - L-connector - polarized external

Dimensions

↔ L104,6xB18,7 mm

Materials

Polyamide

1 | 2

Ref	Price €
8423.1	
8423.2	

built-up

Please attach drawing to the order!

8424/.. - LUCY TRACK

=48V-DC



IP20



Connection joinings - L-connector - polarized internal

Dimensions

↔ L104,6xB18,7 mm

Materials

Polyamide

1 | 2

Ref	Price €
8424.1	
8424.2	

built-up

Please attach drawing to the order!

8440/.. - LUCY TRACK

=48V-DC



IP20



Connection joinings - Connector with adjustable corner

Dimensions

↔ L273,5 mm

Materials

Polyamide

1 | 2

Ref	Price €
8440.1	
8440.2	

built-up




CEILING UP

TRACK





Adaptor article



FAMILY	CIGARO	JACOB		JACOB L	JACOB WALL	JACOB XL	SUZETTE
Spot article	2406	3978	3982	3974.300	3975	3800	2740
Current	350mA	350mA	500mA	500mA	500mA	500mA	500mA
Flux	410lm	410lm	555lm	555lm	555lm	690lm	690lm
Output	4W	4W	5.8W	5.8W	5.8W	6.2W	6.2W
CRI	90	90	90	90	90	97	97
Beam	35°	48°	48°	48°	48°	40°	40°
load/spot	126g	175g		265g	340g	240g	296g

LOAD SCHEME






FAMILY	BABETTE	CAPA X	FIXER	MERO	MERO	TONDO
Spot article	3117	7600.AC	7605	7879	7878	7535
Current	500mA	350mA	350mA	700mA	700mA	500mA
Flux	965lm	1200lm	1200lm	1300lm	1300lm	965lm
Output	6.6W	12.2W	12.2W	9.5W	9.5W	6.6W
CRI	80	92	92	80	80	80
Beam	38°	36°	36°	40°	40°	40°
load/spot	385g	350g - alu 450g - brass	420g	350g	450g	350g

Adaptor article

8381 on/off
8382 1/10V
8384 DALI
8388 Casambi



FAMILY	MOBY	MOBY DECO	JACOB	CIGARO	SUZETTE	BABETTE
Spot article	3991	3992	3973.300	2420	2741	3118
Current	500mA	500mA	500mA	350mA	500mA	500mA
Flux	965lm	965lm	555lm	410lm	690lm	965lm
Output	6.6W	6.6W	5.8W	4W	6.2W	6.6W
CRI	80	80	90	90	97	80
Beam	38°	38°	48°	45°	40°	38°
load/spot	385g	385g	170g	155g	370g	385g

LUCY ON/OFF SERIES



8381.3974.300/.. - LUCY JACOB L | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH345 mm

35°

Head Ø40xH300 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3974.300.1M

NW | WW

8381.3974.300.2M

NW | WW

8381.3974.300.29

NW | WW

8381.3974.300.49


NW | WW

Price €

built-up

8381.3975/.. - LUCY JACOB WALL | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH165 mm

35°

Head Ø40xH125 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3975.1M

NW | WW

8381.3975.2M

NW | WW

8381.3975.16

NW | WW

8381.3975.29

NW | WW

8381.3975.49

NW | WW

Price €

built-up

To point to the wall

8381.3800/.. - LUCY JACOB XL | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 521lm CRI97 5,9w Vf

500mA

Dimensions

Ø50xH156 mm

30°

housing Ø50xH120 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3800.1M

NW | WW

8381.3800.2M

NW | WW

8381.3800.29

NW | WW

8381.3800.49

NW | WW

Price €

built-up

8381.7600/.. - LUCY CAPA X | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 12,2W Vf

350mA

Dimensions

Ø58xH180 mm

36°

Head Ø58xH130 mm

Materials

Aluminium

1M | 2M

Ref

8381.7600.1M

NW | WW

8381.7600.2M

NW | WW

Price €

built-up

8381.7878/.. - LUCY MERO | ON/OFF ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI83 9,5W Vf

700mA

Dimensions

Ø80xH170 mm

40°

Head Ø80xH120 mm

Materials

Aluminium

1M | 2M

Ref

8381.7878.1M

8381.7878.2M

Price €

NW | WW

NW | WW

built-up
CRI90-95 on request

8381.7879/.. - LUCY MERO | ON/OFF ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI83 9,5W Vf

700mA

Dimensions

Ø60xH180 mm

40°

Head Ø60xH130 mm

Materials

Aluminium

1M | 2M

Ref

8381.7879.1M

8381.7879.2M

Price €

NW | WW

NW | WW

built-up


CEILING UP

TRACK



8381.2740/.. - LUCY SUZETTE | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 4,1W Vf

350mA

Dimensions

Ø70xH109 mm

30°

Materials

Aluminium

1M | 2M

Ref

Price €

8381.2740.1M

NW | WW

8381.2740.2M

NW | WW

built-up

8381.3117/.. - LUCY BABETTE | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI83 6,6W Vf

500mA

Dimensions

Ø80xH109 mm

28°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8381.3117.1M

NW | WW

8381.3117.2M

NW | WW

8381.3117.29

NW | WW


8381.3117.49

NW | WW

built-up

8381.2109/.. - LUCY ODETTE | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø100xH146 mm

360

Glass Ø100 mm

Materials

Aluminium

1M | 2M | 117 | 118 | 119

Messing

16 | 13M | 23

Ref

Price €

8381.2109.1M

NW | WW

8381.2109.2M

NW | WW

8381.2109.16

NW | WW

8381.2109.117

NW | WW

8381.2109.13M

NW | WW

8381.2109.23

NW | WW

8381.2109.118

NW | WW

8381.2109.119


NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

8381.3605/.. - LUCY FLAVIE | ON/OFF ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L40xB40xH95 mm

Cable 1500 mm

48°

Head Ø40xH95 mm

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8381.3605.1M

8381.3605.2M

8381.3605.14

8381.3605.16

8381.3605.23

8381.3605.77

8381.3605.47

8381.3605.119

8381.3605.13M

8381.3605.230

8381.3605.127

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

8381.7605/.. - LUCY FIXER | ON/OFF ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 12,2W Vf

350mA

Dimensions

L60xB60xH185 mm

36°

Head L60xB60xH125 mm

Materials

Aluminium

1M | 2M

Ref

8381.7605.1M

8381.7605.2M

Price €

NW | WW

NW | WW



8381.2420.300/.. - LUCY CIGARO | ON/OFF ADAPTOR

48V-DC



IP20



built-up
Other optics : 15° - 24° - 45° on demand

suspension with adapter - directional

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

8381.2420.300.2M	NW WW
8381.2420.300.1M	NW WW
8381.2420.300.142	NW WW
8381.2420.300.233	NW WW
8381.2420.300.42	NW WW
8381.2420.300.162	NW WW
8381.2420.300.132	NW WW
8381.2420.300.282	NW WW
8381.2420.300.562	NW WW

8381.3973.300/.. - LUCY JACOB | ON/OFF ADAPTOR

48V-DC



built-up
Please state the exact length of the textile cable when ordering
CRI 90 on request

round - with textile cable

Lamptype

1x LED 639lm CRI80 5,6W Vf

500mA

Dimensions

Ø40xH300 mm

35°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

Price €

8381.3973.300.1M.TX1	NW WW
8381.3973.300.2M.TX2	NW WW
8381.3973.300.16.TXM	NW WW
8381.3973.300.29.TX2	NW WW
8381.3973.300.49.TX1	NW WW

8381.3600.300/.. - LUCY FLAVIE | ON/OFF ADAPTOR

48V-DC



built-up
CRI 90 on request

square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L40xB40xH300 mm

Cable 1500 mm

48°

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23


Ref

Price €

8381.3600.300.1M.TX1	NW WW
8381.3600.300.2M.TX2	NW WW
8381.3600.300.14.TX11	NW WW
8381.3600.300.16.TX2	NW WW
8381.3600.300.23.TX33	NW WW
8381.3600.300.77.TX1	NW WW
8381.3600.300.47.TX2	NW WW
8381.3600.300.119.TX33	NW WW
8381.3600.300.13M.TX43	NW WW
8381.3600.300.230.TX44	NW WW
8381.3600.300.127.TX33	NW WW

8381.2741/.. - LUCY SUZETTE | ON/OFF ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 407lm CRI97 4,1W Vf

350mA

Dimensions

Ø80xH109 mm

30°

Materials

Aluminium

1M | 2M

Ref

8381.2741.1M.TX1

8381.2741.2M.TX2

Price €

NW | WW

NW | WW

built-up

Please state the exact length of the textile cable when ordering

8381.3118/.. - LUCY BABETTE | ON/OFF ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 965lm CRI83 6,6W Vf

500mA

Dimensions

Ø80xH109 mm

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8381.3118.1M.TX1

8381.3118.2M.TX2

8381.3118.16.TX4

8381.3118.29.TX2

8381.3118.49.TX1

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW


built-up

Please state the exact length of the textile cable when ordering



8381.3991/.. - LUCY MOBY | ON/OFF ADAPTOR

48V-DC



with textile cable

Lamptype

1x LED 720lm CRI83 4,5W Vf

350mA

Dimensions

Ø250xH210 mm

Materials

Aluminium

1M | 2M

Messing

Ref

Price €


8381.3991.1M.TR.TX1				NW WW
8381.3991.2M.TR.TX2				NW WW
8381.3991.16.TR.TX4				NW WW
8381.3991.16.TR.TXM				NW WW

built-up

Please state the exact length of the textile cable when ordering

8381.3992/.. - LUCY MOBY | ON/OFF ADAPTOR

48V-DC



with textile cable

Lamptype

1x LED 720lm CRI83 4,5W Vf

350mA

Dimensions

Ø200xH210 mm

Materials

Aluminium

1M | 2M

Messing

Ref

Price €

8381.3992.1M.TR.TX1				NW WW
8381.3992.2M.TR.TX2				NW WW
8381.3992.16.TR.TX4				NW WW
8381.3992.16.TR.TXM				NW WW

built-up

Please state the exact length of the textile cable when ordering






CEILING UP

TRACK



LUCY

1/10V SERIES



8382.2406/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref


Price €

8382.2406.1M	NW WW
8382.2406.2M	NW WW
8382.2406.142	NW WW
8382.2406.42	NW WW
8382.2406.162	NW WW
8382.2406.282	NW WW
8382.2406.562	NW WW
8382.2406.233	NW WW
8382.2406.132	NW WW

built-up
Other optics : 15° - 24° - 45° on demand

8382.3978/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø40xH130 mm

35°

Head Ø40xH85 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref


Price €

8382.3978.1M	NW WW
8382.3978.2M	NW WW
8382.3978.29	NW WW
8382.3978.49	NW WW

built-up

8382.3982/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH130 mm

35°

Head Ø40xH85 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8382.3982.1M	NW WW
8382.3982.2M	NW WW
8382.3982.29	NW WW
8382.3982.49	NW WW

built-up

8382.3974.300/.. - LUCY JACOB L | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH345 mm

35°

Head Ø40xH300 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8382.3974.300.1M	NW WW
8382.3974.300.2M	NW WW
8382.3974.300.29	NW WW
8382.3974.300.49	NW WW

built-up

8382.3975/.. - LUCY JACOB WALL | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH165 mm

35°

Head Ø40xH125 mm

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8382.3975.1M

8382.3975.2M

8382.3975.16

8382.3975.29

8382.3975.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
To point to the wall

8382.3800/.. - LUCY JACOB XL | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 521lm CRI97 5,9w Vf

500mA

Dimensions

Ø50xH156 mm

30°

housing Ø50xH120 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8382.3800.1M

8382.3800.2M

8382.3800.29

8382.3800.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8382.7600/.. - LUCY CAPA X | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 12,2W Vf

350mA

Dimensions

Ø58xH180 mm

36°

Head Ø58xH130 mm

Materials

Aluminium

1M | 2M

Ref

8382.7600.1M

8382.7600.2M

Price €


NW | WW

NW | WW

built-up

8382.7878/.. - LUCY MERO | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI83 9,5W Vf

700mA

Dimensions

Ø80xH170 mm

40°

Head Ø80xH120 mm

Materials

Aluminium

1M | 2M

Ref

8382.7878.1M

8382.7878.2M

Price €


NW | WW

NW | WW

built-up
CRI90-95 on request

8382.7879/.. - LUCY MERO | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI83 9,5W Vf

700mA

Dimensions

Ø60xH180 mm

40°

Head Ø60xH130 mm

Materials

Aluminium

1M | 2M

Ref

8382.7879.1M

8382.7879.2M

Price €


NW | WW

NW | WW

built-up

8382.2740/.. - LUCY SUZETTE | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 4,1W Vf

350mA

Dimensions

Ø80xH109 mm

30°

Materials

Aluminium

1M | 2M

Ref

8382.2740.1M

8382.2740.2M

Price €


NW | WW

NW | WW

built-up

8382.3117/.. - LUCY BABETTE | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI83 6,6W Vf

500mA

Dimensions

Ø80xH109 mm

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8382.3117.1M

8382.3117.2M

8382.3117.16

8382.3117.29

8382.3117.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8382.2109/.. - LUCY ODETTE | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø100xH146 mm

360°

Glass Ø100 mm

Materials

Aluminium

1M | 2M | 117 | 118 | 119

Messing

16 | 13M | 23

Ref

8382.2109.1M

8382.2109.2M

8382.2109.16

8382.2109.117

8382.2109.13M

8382.2109.23

8382.2109.118

8382.2109.119

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

8382.3605/.. - LUCY FLAVIE | 1-10V ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L40xB40xH95 mm

48°

Head L40xB40xH95 mm

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

Price €

8382.3605.1M	NW WW
8382.3605.2M	NW WW
8382.3605.14	NW WW
8382.3605.16	NW WW
8382.3605.23	NW WW
8382.3605.77	NW WW
8382.3605.47	NW WW
8382.3605.119	NW WW
8382.3605.13M	NW WW
8382.3605.230	NW WW
8382.3605.127	NW WW

8382.7605/.. - LUCY FIXER | 1/10V ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 12,2W Vf

350mA

Dimensions

L60xB60xH185 mm

36°

Head L60xB60xH125 mm

Materials

Aluminium

1M | 2M

Ref

Price €

8382.7605.1M	NW WW
8382.7605.2M	NW WW



8382.2420.300/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



IP20



suspension with adapter - directional

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø28xH146 mm



Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

8382.2420.300.2M	● NW WW
8382.2420.300.1M	● NW WW
8382.2420.300.142	● NW WW
8382.2420.300.233	● NW WW
8382.2420.300.42	● NW WW
8382.2420.300.162	● NW WW
8382.2420.300.132	● NW WW
8382.2420.300.282	● NW WW
8382.2420.300.562	● NW WW

built-up

Other optics : 15° - 24° - 45° on demand

8382.3973.300/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 639lm CRI80 5,6W Vf

500mA

Dimensions

Ø40xH300 mm



Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

Price €

8382.3973.300.1M.TX1	● NW WW
8382.3973.300.2M.TX2	● NW WW
8382.3973.300.16.TXM	● NW WW
8382.3973.300.29.TX2	● NW WW
8382.3973.300.49.TX1	● NW WW

built-up

Please state the exact length of the textile cable when

ordering

CRI 90 on request

8382.3600.300/.. - LUCY FLAVIE | 1-10V ADAPTOR

48V-DC



IP20



square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L40xB40xH300 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

Price €


8382.3600.300.1M.TX1	● NW WW
8382.3600.300.2M.TX2	● NW WW
8382.3600.300.14.TX11	● NW WW
8382.3600.300.16.TX2	● NW WW
8382.3600.300.23.TX33	● NW WW
8382.3600.300.77.TX1	● NW WW
8382.3600.300.47.TX2	● NW WW
8382.3600.300.119.TX33	● NW WW
8382.3600.300.13M.TX43	● NW WW
8382.3600.300.230.TX44	● NW WW
8382.3600.300.127.TX33	● NW WW

built-up

CRI 90 on request

8382.2741/.. - LUCY SUZETTE | 1/10V ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 407lm CRI97 4,1W Vf

350mA

Dimensions

Ø80xH109 mm

30°

Materials

Aluminium

1M | 2M

Ref

Price €

8382.2741.1M.TX1

NW | WW

8382.2741.2M.TX2


NW | WW

built-up

Please state the exact length of the textile cable when ordering

8382.3118/.. - LUCY BABETTE | 1/10V ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 965lm CRI83 6,6W Vf

500mA

Dimensions

Ø80xH109 mm

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

Price €

8382.3118.1M.TX1

NW | WW

8382.3118.2M.TX2

NW | WW

8382.3118.16.TX4

NW | WW

8382.3118.29.TX2

NW | WW

8382.3118.49.TX1

NW | WW

built-up

Please state the exact length of the textile cable when ordering



8382.3991/.. - LUCY MOBY | 1/10V ADAPTOR

48V-DC



with textile cable

Lamptype

1x LED 720lm CRI83 4,5W Vf

350mA

Dimensions

Ø250xH210 mm

Materials

Aluminium

1M | 2M

Messing

Ref

8382.3991.1M.TR.TX1

NW | WW

8382.3991.2M.TR.TX2

NW | WW

8382.3991.16.TR.TX4

NW | WW

8382.3991.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering

8382.3992/.. - LUCY MOBY | 1/10V ADAPTOR

48V-DC



with textile cable

Lamptype

1x LED 720lm CRI83 4,5W Vf

350mA

Dimensions

Ø200xH210 mm

Materials

Aluminium

1M | 2M

Messing

Ref

8382.3992.1M.TR.TX1

NW | WW

8382.3992.2M.TR.TX2

NW | WW

8382.3992.16.TR.TX4

NW | WW

8382.3992.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering




LUCY DALI SERIES



8384.2406/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref



Price €

8384.2406.1M	NW WW
8384.2406.2M	NW WW
8384.2406.142	NW WW
8384.2406.42	NW WW
8384.2406.162	NW WW
8384.2406.282	NW WW
8384.2406.562	NW WW
8384.2406.233	NW WW
8384.2406.132	NW WW

built-up
Other optics : 15° - 24° - 45° on demand

8384.3978/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø40xH130 mm

35°

Head Ø40xH85 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref



Price €

8384.3978.1M	NW WW
8384.3978.2M	NW WW
8384.3978.29	NW WW
8384.3978.49	NW WW

built-up

8384.3982/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH130 mm

35°

Head Ø40xH85 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8384.3982.1M	NW WW
8384.3982.2M	NW WW
8384.3982.29	NW WW
8384.3982.49	NW WW

built-up

8384.3974.300/.. - LUCY JACOB L | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH345 mm

35°

Head Ø40xH300 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref


Price €

8384.3974.300.1M	NW WW
8384.3974.300.2M	NW WW
8384.3974.300.29	NW WW
8384.3974.300.49	NW WW

built-up

8384.3975/.. - LUCY JACOB WALL | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH165 mm

35°

Head Ø40xH125 mm

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8384.3975.1M

8384.3975.2M

8384.3975.16

8384.3975.29

8384.3975.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
To point to the wall

8384.3800/.. - LUCY JACOB XL | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 521lm CRI97 5,9w Vf

500mA

Dimensions

Ø50xH156 mm

30°

housing Ø50xH120 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8384.3800.1M

8384.3800.2M

8384.3800.29

8384.3800.49

Price €

NW | WW

NW | WW


NW | WW

NW | WW

built-up

8384.7600/.. - LUCY CAPA X | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 12,2W Vf

350mA

Dimensions

Ø58xH180 mm

36°

Head Ø58xH130 mm

Materials

Aluminium

1M | 2M

Ref

8384.7600.1M

8384.7600.2M

Price €

NW | WW

NW | WW

built-up

8384.7878/.. - LUCY MERO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI83 9,5W Vf

700mA

Dimensions

Ø80xH170 mm

40°

Head Ø80xH120 mm

Materials

Aluminium

1M | 2M

Ref

8384.7878.1M

8384.7878.2M

Price €

NW | WW

NW | WW

built-up
CRI90-95 on request

8384.7879/.. - LUCY MERO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI83 9,5W Vf

700mA

Dimensions

Ø60xH180 mm

40°

Head Ø60xH130 mm

Materials

Aluminium

1M | 2M

Ref

8384.7879.1M

8384.7879.2M

Price €

NW | WW

NW | WW

built-up

8384.2740/.. - LUCY SUZETTE | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 4,1W Vf

350mA

Dimensions

Ø80xH109 mm

30°

Materials

Aluminium

1M | 2M

Ref

8384.2740.1M

8384.2740.2M

Price €

NW | WW

NW | WW

built-up

8384.3117/.. - LUCY BABETTE | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI83 6,6W Vf

500mA

Dimensions

Ø80xH109 mm

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8384.3117.1M

8384.3117.2M

8384.3117.16

8384.3117.29

8384.3117.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8384.2109/.. - LUCY ODETTE DALI ADAPTOR

48V-DC



built-up spot with adaptor - round

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø100xH146 mm

360°

Glass Ø100 mm

Materials

Aluminium

1M | 2M | 117 | 118 | 119

Messing

16 | 13M | 23

Ref

8384.2109.1M

8384.2109.2M

8384.2109.16

8384.2109.117

8384.2109.13M

8384.2109.23

8384.2109.118

8384.2109.119

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

8384.3605/.. - LUCY FLAVIE | DALI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L40xB40xH95 mm

48°

Head Ø40xH95 mm

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8384.3605.1M
8384.3605.2M
8384.3605.14
8384.3605.16
8384.3605.13M
8384.3605.23
8384.3605.127
8384.3605.230
8384.3605.119
8384.3605.47
8384.3605.77

Price €

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

8384.7605/.. - LUCY FIXER | DALI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 12,2W Vf

350mA

Dimensions

L60xB60xH185 mm

36°

Head L60xB60xH125 mm

Materials

Aluminium

1M | 2M

Ref

8384.7605.1M
8384.7605.2M

Price €

NW | WW
NW | WW



8384.2420.300/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



IP20



suspension with adapter - directional

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø28xH146 mm



Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

228 | 562

Ref

8384.2420.300.1M

NW | WW

8384.2420.300.2M

NW | WW

8384.2420.300.142

NW | WW

8384.2420.300.42

NW | WW

8384.2420.300.162

NW | WW

8384.2420.300.228

NW | WW

8384.2420.300.562

NW | WW

8384.2420.300.233

NW | WW

8384.2420.300.132

NW | WW

Price €

built-up

Other optics : 15° - 24° - 45° on demand

8384.3973.300/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



IP20



round - with textile cable

Lamptype

1x LED 639lm CRI80 5,6W Vf

500mA

Dimensions

Ø40xH300 mm



Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8384.3973.300.1M.TX1

NW | WW

8384.3973.300.2M.TX2

NW | WW

8384.3973.300.16.TXM

NW | WW

8384.3973.300.29.TX2

NW | WW

8384.3973.300.49.TX1

NW | WW

Price €

built-up

Please state the exact length of the textile cable when

ordering

CRI 90 on request

8384.3600.300/.. - LUCY FLAVIE | DALI ADAPTOR

48V-DC



IP20



square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L40xB40xH300 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8384.3600.300.1M.TX1

NW | WW

8384.3600.300.2M.TX2

NW | WW

8384.3600.300.14.TX11

NW | WW

8384.3600.300.16.TX2

NW | WW

8384.3600.300.23.TX33

NW | WW

8384.3600.300.77.TX1

NW | WW

8384.3600.300.47.TX2

NW | WW

8384.3600.300.119.TX33

NW | WW

8384.3600.300.13M.TX43

NW | WW

8384.3600.300.230.TX44

NW | WW

8384.3600.300.127.TX33

NW | WW

Price €

built-up

CRI 90 on request

INDOOR | Ceiling UP | TRACK | LUCY

8384.2741/.. - LUCY SUZETTE | DALI ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 407lm CRI97 4,1W Vf

350mA

Dimensions

Ø80xH109 mm

30°

Materials

Aluminium

1M | 2M

Ref

8384.2741.1M.TX1

8384.2741.2M.TX2

Price €

NW | WW

NW | WW

built-up

Please state the exact length of the textile cable when ordering

8384.3118/.. - LUCY BABETTE | DALI ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 965lm CRI83 6,6W Vf

500mA

Dimensions

Ø80xH109 mm

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8384.3118.1M.TX1

8384.3118.2M.TX2

8384.3118.16.TX4

8384.3118.29.TX2

8384.3118.49.TX1

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

Please state the exact length of the textile cable when ordering



8384.3991/.. - LUCY MOBY | DALI ADAPTOR

48V-DC



with textile cable

Lamptype

1x LED 720lm CRI83 4,5W Vf

350mA

Dimensions

Ø250xH210 mm

Materials

Aluminium

Messing

1M | 2M

16

Ref

8384.3991.1M.TR.TX1

NW | WW

8384.3991.2M.TR.TX2

NW | WW

8384.3991.16.TR.TX4

NW | WW

8384.3991.16.TR.TXM

NW | WW


Price €

built-up

Please state the exact length of the textile cable when ordering

8384.3992/.. - LUCY MOBY | DALI ADAPTOR

48V-DC



with textile cable

Lamptype

1x LED 720lm CRI83 4,5W Vf

350mA

Dimensions

Ø200xH210 mm

Materials

Aluminium

Messing

1M | 2M

16

Ref

8384.3992.1M.TR.TX1

NW | WW

8384.3992.2M.TR.TX2

NW | WW

8384.3992.16.TR.TX4

NW | WW


8384.3992.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering




LUCY CASAMBI SERIES



8388.2406/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 14M2 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref



Price €

8388.2406.1M	NW WW
8388.2406.2M	NW WW
8388.2406.142	NW WW
8388.2406.14M2	NW WW
8388.2406.42	NW WW
8388.2406.162	NW WW
8388.2406.282	NW WW
8388.2406.562	NW WW
8388.2406.233	NW WW
8388.2406.132	NW WW

built-up
Other optics : 15° - 24° - 45° on demand

8388.3978/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø40xH130 mm

35°

Head Ø40xH85 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref



Price €

8388.3978.1M	NW WW
8388.3978.2M	NW WW
8388.3978.29	NW WW
8388.3978.49	NW WW

built-up

8388.3982/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH130 mm

35°

Head Ø40xH85 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

Price €

8388.3982.1M	NW WW
8388.3982.2M	NW WW
8388.3982.29	NW WW
8388.3982.49	NW WW

built-up

8388.3974.300/.. - LUCY JACOB L | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH345 mm

35°

Head Ø40xH300 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref


Price €

8388.3974.300.1M	NW WW
8388.3974.300.2M	NW WW
8388.3974.300.29	NW WW
8388.3974.300.49	NW WW

built-up

8388.3975/.. - LUCY WALL | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH165 mm

35°

Head Ø40xH125 mm

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8388.3975.1M

8388.3975.2M

8388.3975.16

8388.3975.29

8388.3975.49

Price €

NW | WW

NW | WW

NW | WW



NW | WW

NW | WW

built-up
To point to the wall

8388.3800/.. - LUCY JACOB XL | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 521lm CRI97 5,9w Vf

500mA

Dimensions

Ø50xH156 mm

30°

housing Ø50xH120 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8388.3800.1M

8388.3800.2M

8388.3800.29

8388.3800.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8388.7600/.. - LUCY CAPA X | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 12,2W Vf

350mA

Dimensions

Ø58xH180 mm

36°

Head Ø58xH130 mm

Materials

Aluminium

1M | 2M

Ref

8388.7600.1M

8388.7600.2M

Price €

NW | WW

NW | WW

built-up

8388.7878/.. - LUCY MERO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI83 9,5W Vf

700mA

Dimensions

Ø80xH170 mm

40°

Head Ø80xH120 mm

Materials

Aluminium

1M | 2M

Ref

8388.7878.1M

8388.7878.2M

Price €

NW | WW

NW | WW

built-up
CRI90-95 on request

8388.7879/.. - LUCY MERO | CASAMBI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI83 9,5W Vf

700mA

Dimensions

Ø60xH180 mm

40°

Head Ø60xH130 mm

Materials

Aluminium

1M | 2M

Messing

Ref

8388.7879.1M

8388.7879.2M

8388.7879.16

Price €

NW | WW

NW | WW

NW | WW

built-up

8388.2740/.. - LUCY SUZETTE | CASAMBI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 4,1W Vf

350mA

Dimensions

Ø80xH109 mm

30°

Materials

Aluminium

1M | 2M

Ref

8388.2740.1M

8388.2740.2M

Price €

NW | WW

NW | WW

built-up

8388.3117/.. - LUCY BABETTE | CASAMBI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI83 6,6W Vf

500mA

Dimensions

Ø80xH109 mm

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8388.3117.1M

8388.3117.2M

8388.3117.16

8388.3117.29

8388.3117.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

8388.2109/.. - LUCY ODETTE | CASAMBI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - round

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø100xH146 mm

360°

Glass Ø100 mm

Materials

Aluminium

1M | 2M | 117 | 118 | 119

Messing

16 | 13M | 23

Ref

8388.2109.1M

8388.2109.2M

8388.2109.16

8388.2109.117

8388.2109.13M

8388.2109.23

8388.2109.118

8388.2109.119

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

8388.3605/.. - LUCY FLAVIE | CASAMBI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L40xB40xH95 mm

48°

Head Ø40xH95 mm

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

Price €

8388.3605.1M	NW WW
8388.3605.2M	NW WW
8388.3605.14	NW WW
8388.3605.16	NW WW
8388.3605.23	NW WW
8388.3605.77	NW WW
8388.3605.47	NW WW
8388.3605.119	NW WW
8388.3605.13M	NW WW
8388.3605.230	NW WW
8388.3605.127	NW WW

8388.7605/.. - LUCY FIXER | CASAMBI ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 12,2W Vf

350mA

Dimensions

L60xB60xH185 mm

36°

Head L60xB60xH125 mm

Materials

Aluminium

1M | 2M

Ref

Price €

8388.7605.1M	NW WW
8388.7605.2M	NW WW



8388.2420.300/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



IP20



suspension with adapter - directional

Lamptype

1x LED 410lm CRI90 4W Vf

350mA

Dimensions

Ø28xH146 mm



Materials

Aluminium

1M | 2M | 142 | 14M2 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

Price €

8388.2420.300.1M	NW WW
8388.2420.300.2M	NW WW
8388.2420.300.142	NW WW
8388.2420.300.14M2	NW WW
8388.2420.300.233	NW WW
8388.2420.300.42	NW WW
8388.2420.300.162	NW WW
8388.2420.300.132	NW WW
8388.2420.300.282	NW WW
8388.2420.300.562	NW WW

built-up

Other optics : 15° - 24° - 45° on demand

8388.3973.300/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



IP20



round - with textile cable

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

Ø40xH300 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

Price €

8388.3973.300.1M.TX1	NW WW
8388.3973.300.2M.TX2	NW WW
8388.3973.300.16.TXM	NW WW
8388.3973.300.29.TX2	NW WW
8388.3973.300.49.TX1	NW WW

built-up

Please state the exact length of the textile cable when ordering

8388.3600.300/.. - LUCY FLAVIE | CASAMBI ADAPTOR

48V-DC



IP20



square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L40xB40xH300 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

Price €

8388.3600.300.1M.TX1	NW WW
8388.3600.300.2M.TX2	NW WW
8388.3600.300.14.TX11	NW WW
8388.3600.300.16.TX2	NW WW
8388.3600.300.23.TX33	NW WW
8388.3600.300.77.TX1	NW WW
8388.3600.300.47.TX2	NW WW
8388.3600.300.119.TX33	NW WW
8388.3600.300.13M.TX43	NW WW
8388.3600.300.230.TX44	NW WW
8388.3600.300.127.TX33	NW WW

built-up

CRI 90 on request

INDOOR | Ceiling UP | TRACK | LUCY

8388.2741/.. - LUCY SUZETTE | CASAMBI ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 407lm CRI97 4,1W Vf

350mA

Dimensions

Ø80xH109 mm

30°

Materials

Aluminium

1M | 2M

Ref

8388.2741.1M.TX1

8388.2741.2M.TX2

Price €

NW | WW

NW | WW

built-up

Please state the exact length of the textile cable when ordering

8388.3118/.. - LUCY BABETTE | CASAMBI ADAPTOR

48V-DC



round - with textile cable

Lamptype

1x LED 965lm CRI83 6,6W Vf

500mA

Dimensions

Ø80xH109 mm

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8388.3118.1M

8388.3118.2M

8388.3118.16

8388.3118.29

8388.3118.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up

Please state the exact length of the textile cable when ordering



8388.3991/.. - LUCY MOBY | CASAMBI ADAPTOR

48V-DC



IP20



0 m



0,5 m



with textile cable

Lamp type

1x LED 720lm CRI83 4,5W Vf

350mA

Dimensions

Ø250xH210 mm

Materials

Aluminium

1M | 2M

Messing

Ref

8388.3991.1M.TR.TX1

NW | WW

8388.3991.2M.TR.TX2

NW | WW

8388.3991.16.TR.TX4

NW | WW

8388.3991.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering

8388.3992/.. - LUCY MOBY | CASAMBI ADAPTOR

48V-DC



IP20



0 m



0,3500



with textile cable

Lamp type

1x LED 720lm CRI83 4,5W Vf

350mA

Dimensions

Ø200xH210 mm

Materials

Aluminium

1M | 2M

Messing

Ref

8388.3992.1M.TR.TX1

NW | WW

8388.3992.2M.TR.TX2

NW | WW

8388.3992.16.TR.TX4

NW | WW


8388.3992.16.TR.TXM

NW | WW

Price €

built-up

Please state the exact length of the textile cable when ordering






READY
CASAMBI
wireless dimming
dim up to 63 Dali luminaires
in a maximum of 4 groups



Bluetooth 4.0 compatible




Remote control
Sensor data
SW updates
configuration




Smart wall
switches

LUCY ADAPTORS



LUCY SINGLE SPOT ADAPTOR 48V | **ON/OFF**
max load: 1kg



8600.O.350MA
8600.O.500MA
8600.O.700MA



8602.DS.250MA
8602.DS.350MA
8602.DS.500MA
8602.DS.700MA

LUCY DOUBLE SPOT ADAPTER 48V | **DALI IN SERIE**

max load:
1kg



LUCY SINGLE SPOT ADAPTOR 48V | **BLUETOOTH CASAMBI**
max load: 1kg


8601.B.250MA
8601.B.350MA
8601.B.500MA
8601.B.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **DALI**
max load: 1kg

8601.D.250MA
8601.D.350MA
8601.D.500MA
8601.D.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **1-10V**
max load: 1kg

8601.T.250MA
8601.T.350MA
8601.T.500MA
8601.T.700MA



LUCY SINGLE SPOT ADAPTOR 48V | **ON/OFF**
mechanical
max load: 2kg

8600.M.O.350MA
8600.M.O.500MA
8600.M.O.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **BLUETOOTH CASAMBI**
mechanical
max load: 2kg


8601.M.B.250MA
8601.M.B.350MA
8601.M.B.500MA
8601.M.B.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **DALI**
mechanical
max load: 2kg

8601.M.D.250MA
8601.M.D.350MA
8601.M.D.500MA
8601.M.D.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **1-10V**
mechanical
max load: 2kg

8601.M.T.250MA
8601.M.T.350MA
8601.M.T.500MA
8601.M.T.700MA



8600.O.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L 98 mm

Materials

Polyamide

1 | 2

Ref

8600.O.350MA.1

8600.O.350MA.2

Price €*built-up*
350mA / max. 16,5W
max. 1kg**8600.O.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF**

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L 98 mm

Materials

Polyamide

1 | 2

Ref

8600.O.500MA.1

8600.O.500MA.2

Price €*built-up*
500mA / max. 24W
max. 1kg**8600.O.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF**

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L 98 mm

Materials

Polyamide

1 | 2

Ref

8600.O.700MA.1

8600.O.700MA.2

Price €*built-up*
700mA / max. 33W
max. 1kg

8601.T.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref Price €

8601.t.250MA.1



8601.t.250MA.2



built-up
250mA / max. 12W
max. 1kg

8601.T.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref Price €

8601.T.350MA.1



8601.T.350MA.2



built-up
350mA / max. 16,5W
max. 1kg

8601.T.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref Price €

8601.T.500MA.1



8601.T.500MA.2



built-up
500mA / max. 24W
max. 1kg

8601.T.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref Price €

8601.T.700MA.1



8601.T.700MA.2



built-up
700mA / max. 33W
max. 1kg

8601.M.T.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

L166 mm

Materials

Polyamide

1 | 2

Ref

8601.M.T.250MA.1

8601.M.T.250MA.2

Price €*built-up*
250mA / max. 12W
max. 2kg**8601.M.T.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V**

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

L166 mm

Materials

Polyamide

1 | 2

Ref

8601.M.T.350MA.1

8601.M.T.350MA.2

Price €*built-up*
350mA / max. 16,5W
max. 2kg**8601.M.T.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V**

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

L166 mm

Materials

Polyamide

1 | 2

Ref

8601.M.T.500MA.1

8601.M.T.500MA.2

Price €*built-up*
500mA / max. 24W
max. 2kg**8601.M.T.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V**

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

L166 mm

Materials

Polyamide

1 | 2

Ref

8601.M.T.700MA.1

8601.M.T.700MA.2

Price €*built-up*
700mA / max. 33W
max. 2kg

8601.D.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref	Price €
8601.D.250MA.1	
8601.D.250MA.2	

built-up
250mA / max. 12W
max. 1kg

8601.D.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



0.0700



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref	Price €
8601.D.350MA.1	
8601.D.350MA.2	

built-up
350mA / max. 16,5W
max. 1kg

8601.D.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



0.0800



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref	Price €
8601.D.500MA.1	
8601.D.500MA.2	

built-up
500mA / max. 24W
max. 1kg

8601.D.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref	Price €
8601.D.700MA.1	
8601.D.700MA.2	

built-up
700mA / max. 33W
max. 1kg

8601.M.D.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide

1 | 2

Ref

8601.M.D.250MA.1



8601.M.D.250MA.2



Price €

built-up
250mA / max. 12W
max. 2kg

8601.M.D.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide

1 | 2

Ref

8601.M.D.350MA.1



8601.M.D.350MA.2



Price €

built-up
350mA / max. 16,5W
max. 2kg



8601.M.D.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide

Ref

8601.M.D.500MA.1

8601.M.D.500MA.2

Price €



built-up
500mA / max. 24W
max. 2kg

8601.M.D.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide

Ref

8601.M.D.700MA.1

8601.M.D.700MA.2

Price €



built-up
700mA / max. 33W
max. 2kg



8602.DS.250MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot adaptor + monting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide

1 | 2

Ref

8602.DS.250MA.1

8602.DS.250MA.2



Price €

built-up
250mA / max. 12W
max. 1kg

8602.DS.350MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot adaptor + monting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide

1 | 2

Ref

8602.DS.350MA.1

8602.DS.350MA.2



Price €

built-up
350mA / max. 16,5W
max. 1kg

8602.DS.500MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



0.1000



adapter - Led-track double spot adaptor + monting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide

1 | 2

Ref

8602.DS.500MA.1

8602.DS.500MA.2



Price €

built-up
500mA / max. 24W
max. 1kg

8602.DS.700MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot adaptor + monting nipple
M10x1

Dimensions

↔ L166 mm

Materials

Polyamide

1 | 2

Ref

8602.DS.700MA.1

8602.DS.700MA.2



Price €

built-up
700mA / max. 33W
max. 1kg

8602.M.DS.250MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref

8602.M.DS.250MA.1

8602.M.DS.250MA.2

Price €

built-up
250mA / max. 12W
max. 2kg

8602.M.DS.350MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref

8602.M.DS.350MA.1

8602.M.DS.350MA.2

Price €

built-up
350mA / max. 16,5W
max. 2kg

8602.M.DS.500MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref

8602.M.DS.500MA.1

8602.M.DS.500MA.2

Price €

built-up
500mA / max. 24W
max. 2kg

8602.M.DS.700MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC



IP20



adapter - Led-track double spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref

8602.M.DS.700MA.1

8602.M.DS.700MA.2

Price €

built-up
700mA / max. 33W
max. 2kg

8601.B.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L166 mm

Materials

Polyamide

1 | 2

Ref

8601.B.250MA.1

8601.B.250MA.2

Price €*built-up*
250mA / max. 12W
max. 1kg**8601.B.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI**

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L166 mm

Materials

Polyamide

1 | 2

Ref

8601.b.350MA.1

8601.b.350MA.2

Price €*built-up*
350mA / max. 16,5W
max. 1kg**8601.B.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI**

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L166 mm

Materials

Polyamide

1 | 2

Ref

8601.B.500MA.1

8601.B.500MA.2

Price €*built-up*
500mA / max. 24W
max. 1kg**8601.B.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI**

=48V-DC



IP20

adapter - Led-track single spot adaptor + mounting nipple
M10x1**Dimensions**

L166 mm

Materials

Polyamide

1 | 2

Ref

8601.B.700MA.1

8601.B.700MA.2

Price €*built-up*
700mA / max. 33W
max. 1kg

8601.M.B.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref	Price €
8601.M.B.250MA.1	
8601.M.B.250MA.2	

built-up
250mA / max. 12W
max. 2kg

8601.M.B.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref	Price €
8601.M.B.350MA.1	
8601.M.B.350MA.2	

built-up
350mA / max. 16,5W
max. 2kg

8601.M.B.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref	Price €
8601.M.B.500MA.1	
8601.M.B.500MA.2	

built-up
500mA / max. 24W
max. 2kg

8601.M.B.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166 mm

Materials

Polyamide 1 | 2

Ref	Price €
8601.M.B.700MA.1	
8601.M.B.700MA.2	

built-up
700mA / max. 33W
max. 2kg



CEILING UP

TRACK

LUCY TRACK LUMINAIRES

8480/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - Opal lens - 286mm

Ref

Price €

Lamptype

8480.2

1x LED 490lm CRI90 6W

48V-DC

Dimensions

L286xB22,5xH43 mm visible L286xB22,5xH25 mm

Materials

Polyamide

2

built-up
DALI

8481/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - Opal lens - 567mm

Ref

Price €

Lamptype

8481.2

1x LED 1005lm CRI90 11,9W

48V-DC

Dimensions

L567xB22,5xH43 mm visible L567xB22,5xH25 mm

Materials

Polyamide

2

built-up
DALI

8482/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - Opal lens - 847mm

Ref

Price €

Lamptype

8482.2

1x LED 1508lm CRI90 17,8W

48V-DC

Dimensions

L847xB22,5xH43 mm visible L847xB22,5xH25 mm

Materials

Polyamide

2

built-up
DALI

8483/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - Opal lens - 1128mm

Ref

Price €

Lamptype

8483.2

1x LED 2011lm CRI90 23,8W

48V-DC

Dimensions

L1128xB22,5xH43 mm visible L1128xB22,5xH25 mm

Materials

Polyamide

2

built-up
DALI

8484/.. - LUCY TRACK

48V-DC



IP20



built-up spot with adaptor - Opal lens - 1408mm

Lamptype

1x LED 2514lm CRI90 29,8W

48V-DC

Ref

8484.2

Price €



Dimensions

L1408xB22,5xH43 mm visible L1408xB22,5xH25 mm

Materials

Polyamide

2



built-up
DALI



8485/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - UGR lens - 286mm

Ref

Price €

Lamptype

8485.2

1x LED 412lm CRI95 5,2W

48V-DC

Dimensions

L286xB22,5xH43 mm visible L286xB22,5xH25 mm

Materials

Polyamide

2

built-up
DALI

8486/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - UGR lens - 567mm

Ref

Price €

Lamptype

8486.2

1x LED 825lm CRI95 9,9W

48V-DC

Dimensions

L567xB22,5xH43 mm visible L567xB22,5xH25 mm

Materials

Polyamide

2

built-up
DALI

8487/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - UGR lens - 847mm

Ref

Price €

Lamptype

8487.2

1x LED 1236lm CRI95 14,5W

48V-DC

Dimensions

L847xB22,5xH43 mm visible L847xB22,5xH25 mm

Materials

Polyamide

2

built-up
DALI

8488/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - UGR lens - 1128mm

Ref

Price €

Lamptype

8488.2

1x LED 1615lm CRI95 19,8W

48V-DC

Dimensions

L1128xB22,5xH43 mm visible L1128xB22,5xH25 mm

Materials


Polyamide

2

built-up
DALI

8489/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - directional - Adjustable UGR
lens - 310mm

Ref

Price €

8489.2



Lamptype

1x LED 389lm CRI95 5,2W

48V-DC

Dimensions

L286xB22,5xH68 mm visible L286xB22,5xH50 mm

Materials

Polyamide

2



built-up
DALI

8490/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - directional - Adjustable UGR
lens - 590mm

Ref

Price €

8490.2



Lamptype

1x LED 777lm CRI95 9,9W

48V-DC

Dimensions

L590xB22,5xH68 mm visible L590xB22,5xH50 mm

Materials

Polyamide

2



built-up
DALI

8491/.. - LUCY TRACK

48V-DC



built-up spot with adaptor - directional - Adjustable UGR
lens - 870mm

Ref

Price €

8491.2



Lamptype

1x LED 1167lm CRI95 14,5W

48V-DC

Dimensions

L870xB22,5xH68 mm visible L870xB22,5xH50 mm

Materials

Polyamide

2



built-up
DALI

8492/.. - LUCY TRACK

48V-DC



IP20



0,5 m



built-up spot with adaptor - directional - Adjustable tube - 295mm

Ref

Price €

8492.2



Lamptype

1x LED 546lm CRI90 6,1W

48V-DC

Dimensions

L310xB30xH62 mm

visible L310xB30xH44 mm

Materials

Polyamide

2

built-up
DALI

8493/.. - LUCY TRACK

48V-DC



IP20



0,5 m



built-up spot with adaptor - directional - Adjustable tube - 575mm

Ref

Price €

8493.2



Lamptype

1x LED 1091lm CRI90 11,9W

48V-DC

Dimensions

L575xB30xH62 mm

visible L575xB30xH44 mm

Materials

Polyamide

2

built-up
DALI



IP20   0.0500  5.14 



dimmer - Trailing edge dimmer for incandescent lamps or dimmable LED lamps

Dimensions

→ L40,4xB36,3xH14 mm

Ref

CBU-TED

Price €

CBU-ASD/.. - CASAMBI

 IP20   0.1000  5.14 



dimmer - Bluetooth controller for 0-10V, 1-10V, Dali, Dali Tunable White, Dali RGB and RGBW

Dimensions

→ L56,5xB35,8xH22,3 mm

Ref

CBU-ASD

Price €

CBU-A2D/.. - CASAMBI

 IP20   0.0900  5.14 



dimmer - Controller for one or two 0-10V LEDs or one tunable white LED with two 0-10V-interfaces. Also configurable in a DALI-modus.

Dimensions

→ L76xB26xH23 mm

Ref

CBU-A2D

Price €

X-PRESS/.. - CASAMBI
 IP20

 0.1100
 5.14



wire-and battery-free dimmer switch - Wireless bluetooth interface - programmable at will

Dimensions

↔ L90xB90xH12 mm

Materials

Aluminium

1 | 2

Ref

X-PRESS.1

X-PRESS.2

**Price €****BLE-EWSSB/.. - CASAMBI**
 IP20

 0.0700
 5.14



wire-and battery-free dimmer switch - Kinetic switch - programmable at will

Dimensions

↔ L81xB81xH14 mm

Ref

BLE-EWSSB

Price €**BLE-EWSDB/.. - CASAMBI**
 IP20

 0.0700
 5.14



wire-and battery-free dimmer switch - Kinetic switch - programmable at will

Dimensions

↔ L81xB81xH14 mm

Ref

BLE-EWSDB

Price €

SC-TI-CAS/.. - CASAMBI

IP20    



switching module - Input module for up to 4 potential-free buttons - wireless

Dimensions

→ Ø53xH21 mm

Ref

SC-TI-CAS

Price €

LD220WCM/.. - CASAMBI

 IP20   



dimmer - Bluetooth dimmer with push button - appropriate for LED lamps en LED dimmers

Dimensions

→ Ø56xH22 mm

Ref

LD220WCM

Price €

Power supply (W)	A - Distance power supply / feed unit (2x1,5mm ²)			
	5m	10m	20m	30m
	B - Track lenght with $\Delta_v \leq 5,5\%$ (m)			
	(m)	(m)	(m)	(m)
60	50	50	50	50
100	50	50	40	25
150	50	40	20	Not admitted
200	40	30	Not admitted	Not admitted
250	35	20	Not admitted	Not admitted

Information refers to a load equivalent to the power supplied and equally distributed on the relevant lenght in the table.



CEILING UP

TRACK

Available TRACK - RAIL colours



Available colours spots or pendants







psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.