

+30
YEARS



Manon

Where elegance meets light



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

5114.N/.. - MANON N TRANSPARANT

~230V



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH180 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5114.N.1M.TR.TX1



5114.N.2M.TR.TX2



5114.N.14.TR.TX11



5114.N.4.TR.TX4



5114.N.16.TR.TX4



5114.N.16.TR.TXM



5114.N.13.TR.TX8



5114.N.23.TR.TX23



5114.N.28.TR.TX8



5114.N.28.TR.TXRK



built-up

5115.Q/.. - MANON Q TRANSPARANT

~230V



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø320xH130 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5115.Q.1M.TR.TX1



5115.Q.2M.TR.TX2



5115.Q.14.TR.TX11



5115.Q.4.TR.TX4



5115.Q.16.TR.TX4



5115.Q.16.TR.TXM



5115.Q.13.TR.TX8



5115.Q.23.TR.TX23



5115.Q.28.TR.TX8



5115.Q.28.TR.TXRK



built-up

5116.P/.. - MANON P TRANSPARANT

~230V



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

Ø130xH320 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5116.P.1M.TR.TX1



5116.P.2M.TR.TX2



5116.P.14.TR.TX11



5116.P.4.TR.TX4



5116.P.16.TR.TX4



5116.P.16.TR.TXM



5116.P.13.TR.TX8



5116.P.23.TR.TX23



5116.P.28.TR.TX8



5116.P.28.TR.TXRK



built-up



5120.N/.. - MANON N BRONZ

~230V



IP20



2 m



1.3517



0,5 m



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH180 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14 | 4

Messing

16 | 13 | 23

Rood koper

28

Ref

5120.N.1M.BZ.TX1



5120.N.2M.BZ.TX2



5120.N.14.BZ.TX11



5120.N.4.BZ.TX4



5120.N.16.BZ.TX4



5120.N.16.BZ.TXM



5120.N.13.BZ.TX8



5120.N.23.BZ.TX23



5120.N.28.BZ.TX8



5120.N.28.BZ.TXRK



built-up

5121.Q/.. - MANON Q BRONZ

~230V



IP20




2 m



3.3957



0,5 m



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø320xH130 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 23

Rood koper

28

Ref

5121.Q.1M.BZ.TX1



5121.Q.2M.BZ.TX2



5121.Q.14.BZ.TX11



5121.Q.4.BZ.TX4



5121.Q.16.BZ.TX4



5121.Q.16.BZ.TXM



5121.Q.23.BZ.TX23



5121.Q.28.BZ.TX8



5121.Q.28.BZ.TXRK



built-up

5122.P/.. - MANON P BRONZ

~230V



IP20



2 m



1.6667



0,5 m



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

Ø130xH320 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5122.P.1M.BZ.TX1



5122.P.2M.BZ.TX2



5122.P.14.BZ.TX11



5122.P.4.BZ.TX4



5122.P.16.BZ.TX4



5122.P.16.BZ.TXM



5122.P.13.BZ.TX8



5122.P.23.BZ.TX23



5122.P.28.BZ.TX8



5122.P.28.BZ.TXRK



built-up



CEILING UP

PENDANTS

5123.N/.. - MANON N STEEL

~230V



IP20



2 m



0.9925



0,5 m



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH180 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5123.N.1M.ST.TX1



5123.N.2M.ST.TX2



5123.N.14.ST.TX11



5123.N.4.ST.TX4



5123.N.16.ST.TX4



5123.N.16.ST.TXM



5123.N.13.ST.TX8



5123.N.23.ST.TX23



5123.N.28.ST.TX8



5123.N.28.ST.TXRK



built-up

5124.Q/.. - MANON Q STEEL

~230V



IP20




2 m



1.0250



0,5 m



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø320xH130 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5124.Q.1M.ST.TX1



5124.Q.2M.ST.TX2



5124.Q.14.ST.TX11



5124.Q.4.ST.TX4



5124.Q.16.ST.TX4



5124.Q.16.ST.TXM



5124.Q.13.ST.TX8



5124.Q.23.ST.TX23



5124.Q.28.ST.TX8



5124.Q.28.ST.TXRK



built-up

5125.P/.. - MANON P STEEL

~230V



IP20



2 m



1.0500



0,5 m



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

Ø130xH320 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5125.P.1M.ST.TX1



5125.P.2M.ST.TX2



5125.P.14.ST.TX11



5125.P.4.ST.TX4



5125.P.16.ST.TX4



5125.P.16.ST.TXM



5125.P.13.ST.TX8



5125.P.23.ST.TX23



5125.P.28.ST.TX8



5125.P.28.ST.TXRK



built-up



CEILING UP

PENDANTS

5130.3N/.. - MANON N COMBI

~230V



IP20



1.5 m



3.2500

0,5 m

4,6



built-up

pendant - with 3x 1,5m textile cable on Juba base

Lamptype

3x G80 E27 max. 12w 230V
OR 3x A60 E27 max. 15W 230V

Dimensions

L900xB180xH1756,5 mm Cable 1500 mm

Base L900xB50xH40 mm Glass Ø180xH180 mm

Materials

Aluminium 1M | 2M
Aluminium / Messing 216

Ref

5130.3N.1M.TR.TX1	
5130.3N.1M.BZ.TX1	
5130.3N.1M.ST.TX1	
5130.3N.2M.TR.TX2	
5130.3N.2M.BZ.TX2	
5130.3N.2M.ST.TX2	
5130.3N.216.ST.TX2	
5130.3N.216.TR.TX2	
5130.3N.216.BZ.TX2	

5131.3Q/.. - MANON Q COMBI

~230V



IP20



1.5 m



7.0400

0,5 m

4,6



built-up

pendant - with 3x 1,5m textile cable on Juba base

Lamptype

3x G80 E27 max. 12w 230V
OR 3x A60 E27 max. 15W 230V

Dimensions

L1200xB320xH1706,5 mm Cable 1500 mm

Base L1200xB50xH40 mm Glass Ø320xH130 mm

Materials

Aluminium 1M | 2M
Aluminium / Messing 216

Ref

5131.3Q.1M.TR.TX1	
5131.3Q.1M.BZ.TX1	
5131.3Q.1M.ST.TX1	
5131.3Q.2M.TR.TX2	
5131.3Q.2M.BZ.TX2	
5131.3Q.2M.ST.TX2	
5131.3Q.216.TR.TX2	
5131.3Q.216.BZ.TX2	
5131.3Q.216.ST.TX2	

5132.3P/.. - MANON P COMBI

~230V



IP20



1.5 m



0,5 m

4,6



built-up

pendant - with 3x 1,5m textile cable on Juba base

Lamptype

3x IT-32 E27 max. 8W 230V

Dimensions

L900xB130xH1896,5 mm Cable 1500 mm

Base L900xB50xH40 mm Glass Ø130xH320 mm

Materials

Aluminium 1M | 2M
Aluminium / Messing 216

Ref

5132.3P.1M.TR.TX1	
5132.3P.1M.BZ.TX1	
5132.3P.1M.ST.TX1	
5132.3P.2M.TR.TX2	
5132.3P.2M.BZ.TX2	
5132.3P.2M.ST.TX2	
5132.3P.216.TR.TX2	
5132.3P.216.BZ.TX2	
5132.3P.216.ST.TX2	

5130.5N/.. - MANON N COMBI

~230V




IP20



1.5 m



0,5 m



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

5x G80 E27 max. 12w

230V

OR 5x A60 E27 max. 15W

230V

Dimensions

L1400xB180xH1756,5 mm Cable 1500 mm

Base L1400xB50xH40 mm

Glass Ø180xH180 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5130.5N.1M.TR.TX1



5130.5N.1M.BZ.TX1



5130.5N.1M.ST.TX1



5130.5N.2M.TR.TX2



5130.5N.2M.BZ.TX2



5130.5N.2M.ST.TX2



5130.5N.216.TR.TX2



5130.5N.216.BZ.TX2



5130.5N.216.ST.TX2



5132.5P/.. - MANON P COMBI

~230V



IP20




1.5 m



1.0000

0,5 m



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

5x IT-32 E27 max. 8W

230V

Dimensions

L1400xB130xH1896,5 mm Cable 1500 mm

Base L1400xB50xH40 mm

Glass Ø130xH320 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5132.5P.1M.TR.TX1



5132.5P.1M.BZ.TX1



5132.5P.1M.ST.TX1



5132.5P.2M.TR.TX2



5132.5P.2M.BZ.TX2



5132.5P.2M.ST.TX2



5132.5P.216.TR.TX2



5132.5P.216.BZ.TX2



5132.5P.216.ST.TX2



5133.3N2P/.. - MANON NP COMBI

~230V



IP20




1.5 m



5.0250

0,5 m



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

3x G80 E27 max. 12w

230V

2x IT-32 E27 max. 8W

230V

Dimensions

L1400xB180xH1896,5 mm Cable 1500 mm

Base L1400xB50xH40 mm

Glass Ø130xH320 mm

Glass Ø180xH180 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5133.3N2P.1M.TR.TX1



5133.3N2P.1M.BZ.TX1



5133.3N2P.1M.ST.TX1



5133.3N2P.2M.TR.TX2



5133.3N2P.2M.BZ.TX2



5133.3N2P.2M.ST.TX2



5133.3N2P.216.TR.TX2



5133.3N2P.216.BZ.TX2




5133.3N2P.216.ST.TX2



5134.2N3Q/.. - MANON NQ COMBI

~230V



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

5x G80 E27 max. 12w	230V
OR 5x A60 E27 max. 15W	230V

Dimensions

L 1400xB320xH1706,5 mm Cable 1500 mm

Base L1400xB50xH40 mm Glass Ø180xH180 mm

Glass Ø320xH130 mm

Materials


Aluminium	1M 2M
Aluminium / Messing	216

Ref

5134.2N3Q.1M.TR.TX1	
5134.2N3Q.1M.BZ.TX1	
5134.2N3Q.1M.ST.TX1	
5134.2N3Q.2M.TR.TX2	
5134.2N3Q.2M.BZ.TX2	
5134.2N3Q.2M.ST.TX2	
5134.2N3Q.216.TR.TX2	
5134.2N3Q.216.BZ.TX2	
5134.2N3Q.216.ST.TX2	

5135.2N1Q2P/.. - MANON NQP COMBI

~230V



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

3x G80 E27 max. 12w	230V
2x IT-32 E27 max. 8W	230V

Dimensions

L 1400xB320xH1706,5 mm Cable 1500 mm

Base L1400xB50xH40 mm Glass Ø130xH320 mm

Glass Ø180xH180 mm Glass Ø320xH130 mm

Materials


Aluminium	1M 2M
Aluminium / Messing	216

Ref

5135.2N1Q2P.1M.TR.TX1	
5135.2N1Q2P.1M.BZ.TX1	
5135.2N1Q2P.1M.ST.TX1	
5135.2N1Q2P.2M.TR.TX2	
5135.2N1Q2P.2M.BZ.TX2	
5135.2N1Q2P.2M.ST.TX2	
5135.2N1Q2P.216.TR.TX2	
5135.2N1Q2P.216.BZ.TX2	
5135.2N1Q2P.216.ST.TX2	

5143.1N1Q1P/.. - MANON NQP COMBI

~230V



built-up

pendant - with 3x 1,5m textile cable on base Rondo Box

Lamptype

2x G80 E27 max. 12w	230V
1x IT-32 E27 max. 8W	230V

Dimensions

Ø519xH1756 mm Cable 1500 mm

Base Ø400xH28 mm Glass Ø130xH320 mm

Glass Ø180xH180 mm Glass Ø320xH130 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	216

Ref

5143.1N1Q1P.1M.TR.TX1	
5143.1N1Q1P.1M.BZ.TX1	
5143.1N1Q1P.1M.ST.TX1	
5143.1N1Q1P.2M.TR.TX2	
5143.1N1Q1P.2M.BZ.TX2	
5143.1N1Q1P.2M.ST.TX2	
5143.1N1Q1P.216.TR.TX2	
5143.1N1Q1P.216.BZ.TX2	
5143.1N1Q1P.216.ST.TX2	





1562.N.E27/.. - MANON

~230V



table lamp - fixed - with cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH536,5 mm Rod 300 mm
Base Ø160xH20 mm Glass Ø180xH180 mm

Materials

Aluminium 1M | 2M | 53

Ref

1562.N.E27.1M.TR	
1562.N.E27.1M.BZ	
1562.N.E27.1M.ST	
1562.N.E27.2M.TR	
1562.N.E27.2M.BZ	
1562.N.E27.2M.ST	
1562.N.E27.53.BZ	

built-up

1563.P.E27/.. - MANON

~230V



table lamp - fixed - with cable and plug

Lamptype

1x IT-32 E27 max. 8W 230V

Dimensions

Ø160xH676,5 mm Rod 300 mm
Base Ø160xH20 mm Glass Ø130xH320 mm

Materials

Aluminium 1M | 2M | 53

Ref

1563.P.E27.1M.TR	
1563.P.E27.1M.BZ	
1563.P.E27.1M.ST	
1563.P.E27.2M.TR	
1563.P.E27.2M.BZ	
1563.P.E27.2M.ST	
1563.P.E27.53.BZ	

built-up

1564.Q.E27/.. - MANON

~230V



table lamp - fixed - with cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø320xH486,5 mm Rod 300 mm
Base Ø160xH20 mm Glass Ø320xH130 mm

Materials

Aluminium 1M | 2M | 53


Ref

1564.Q.E27.1M.TR	
1564.Q.E27.1M.BZ	
1564.Q.E27.1M.ST	
1564.Q.E27.2M.TR	
1564.Q.E27.2M.BZ	
1564.Q.E27.2M.ST	
1564.Q.E27.53.BZ	

built-up

1590.N.E27/.. - MANON

~230V



floorlamp - fixed - with cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø260xH1446,5 mm Rod 1200 mm

Base Ø260xH30 mm Glass Ø180xH180 mm

Materials

Aluminium

1M | 2M | 53

Options

S1640/..

DIMMER KABEL

Ref

1590.N.E27.1M.TR

1590.N.E27.1M.BZ

1590.N.E27.1M.ST

1590.N.E27.2M.TR

1590.N.E27.2M.BZ


1590.N.E27.2M.ST

1590.N.E27.53.BZ



1591.P.E27/.. - MANON

~230V



floorlamp - fixed - with cable and plug

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

Ø260xH1586,5 mm Rod 1200 mm

Base Ø260xH30 mm Glass Ø130xH320 mm

Materials

Aluminium

1M | 2M | 53 | 46

Options

S1640/..

DIMMER KABEL

Ref

1591.P.E27.1M.TR

1591.P.E27.1M.BZ

1591.P.E27.1M.ST

1591.P.E27.2M.TR

1591.P.E27.2M.BZ

1591.P.E27.2M.ST


1591.P.E27.46.BZ

1591.P.E27.53.BZ



1592.Q.E27/.. - MANON

~230V



floorlamp - fixed - with cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø320xH1396,5 mm Rod 1200 mm

Base Ø260xH30 mm Glass Ø320xH130 mm

Materials

Aluminium

1M | 2M | 53

Options

S1640/..

DIMMER KABEL

Ref

1592.Q.E27.1M.TR

1592.Q.E27.1M.BZ

1592.Q.E27.1M.ST

1592.Q.E27.2M.TR

1592.Q.E27.2M.BZ

1592.Q.E27.2M.ST

1592.Q.E27.53.BZ





5182.Q.SH/.. - MANON

~230V



IP20



floorlamp - fixed - with cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø320xH1396,5 mm

1200 mm

Base Ø260xH30 mm

Glass Ø320xH130 mm

Materials

Aluminium

1M | 2M | 53

Ref

5182.Q.SH.1M.TR

5182.Q.SH.1M.BZ

5182.Q.SH.1M.ST

5182.Q.SH.2M.TR

5182.Q.SH.2M.BZ




5182.Q.SH.2M.ST

5182.Q.SH.53.BZ





built-up


Colours



Textile cables



Glass





psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.