



Manon

Where elegance meets light



psmighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

5114.N/.. - MANON N TRANSPARANT

~230V



IP20



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH180 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

Price €

5114.N.1M.TR.TX1



5114.N.2M.TR.TX2



5114.N.14.TR.TX11



5114.N.4.TR.TX4



5114.N.16.TR.TX4



5114.N.16.TR.TXM



5114.N.13.TR.TX8



5114.N.23.TR.TX23



5114.N.28.TR.TX8



5114.N.28.TR.TXRK




built-up

5115.Q/.. - MANON Q TRANSPARANT

~230V



IP20



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø320xH130 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

Price €

5115.Q.1M.TR.TX1



5115.Q.2M.TR.TX2



5115.Q.14.TR.TX11



5115.Q.4.TR.TX4



5115.Q.16.TR.TX4



5115.Q.16.TR.TXM



5115.Q.13.TR.TX8



5115.Q.23.TR.TX23



5115.Q.28.TR.TX8



5115.Q.28.TR.TXRK



built-up

5116.P/.. - MANON P TRANSPARANT

~230V



IP20



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

Ø130xH320 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

Price €

5116.P.1M.TR.TX1



5116.P.2M.TR.TX2



5116.P.14.TR.TX11



5116.P.4.TR.TX4



5116.P.16.TR.TX4



5116.P.16.TR.TXM



5116.P.13.TR.TX8



5116.P.23.TR.TX23



5116.P.28.TR.TX8



5116.P.28.TR.TXRK



built-up

CEILING UP

PENDANTS

5120.N/.. - MANON N BRONZ

~230V



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH180 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14 | 4

Messing

16 | 13 | 23

Rood koper

28

Ref

5120.N.1M.BZ.TX1

5120.N.2M.BZ.TX2

5120.N.4.BZ.TX4

5120.N.13.BZ.TX8

5120.N.14.BZ.TX11

5120.N.16.BZ.TX4

5120.N.16.BZ.TXM

5120.N.23.BZ.TX23

5120.N.28.BZ.TX8


5120.N.28.BZ.TXRK

Price €

built-up

5121.Q/.. - MANON Q BRONZ

~230V



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø320xH130 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5121.Q.1M.BZ.TX1

5121.Q.2M.BZ.TX2

5121.Q.14.BZ.TX11

5121.Q.4.BZ.TX4

5121.Q.16.BZ.TX4

5121.Q.16.BZ.TXM

5121.Q.13.BZ.TX8

5121.Q.23.BZ.TX23

5121.Q.28.BZ.TX8

5121.Q.28.BZ.TXRK

Price €

built-up

5122.P/.. - MANON P BRONZ

~230V



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

Ø130xH320 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

5122.P.1M.BZ.TX1

5122.P.2M.BZ.TX2

5122.P.4.BZ.TX4

5122.P.13.BZ.TX8

5122.P.14.BZ.TX11

5122.P.16.BZ.TX4

5122.P.16.BZ.TXM

5122.P.23.BZ.TX23

5122.P.28.BZ.TX8

5122.P.28.BZ.TXRK

Price €

built-up

5123.N/.. - MANON N STEEL

~230V



IP20



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH180 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

Price €

5123.N.1M.ST.TX1



5123.N.2M.ST.TX2



5123.N.14.ST.TX11



5123.N.4.ST.TX4



5123.N.16.ST.TX4



5123.N.16.ST.TXM



5123.N.13.ST.TX8



5123.N.23.ST.TX23



5123.N.28.ST.TX8



5123.N.28.ST.TXRK



built-up

5124.Q/.. - MANON Q STEEL

~230V



IP20



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø320xH130 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

Price €

5124.Q.1M.ST.TX1



5124.Q.2M.ST.TX2



5124.Q.4.ST.TX4



5124.Q.13.ST.TX8



5124.Q.14.ST.TX11



5124.Q.16.ST.TX4



5124.Q.16.ST.TXM



5124.Q.23.ST.TX23



5124.Q.28.ST.TX8



5124.Q.28.ST.TXRK



built-up

5125.P/.. - MANON P STEEL

~230V



IP20



pendant - round - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

Ø130xH320 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 13 | 23

Rood koper

28

Ref

Price €

5125.P.1M.ST.TX1



5125.P.2M.ST.TX2



5125.P.4.ST.TX4



5125.P.13.ST.TX8



5125.P.14.ST.TX11



5125.P.16.ST.TX4



5125.P.16.ST.TXM



5125.P.23.ST.TX23



5125.P.28.ST.TX8



5125.P.28.ST.TXRK




built-up



5130.3N/.. - MANON N COMBI

~230V



built-up

pendant - with 3x 1,5m textile cable on Juba base

Lamptype

3x G80 E27 max. 12w

230V

OR 3x A60 E27 max. 15W

230V

Dimensions

L900xB180xH1756,5 mm Cable 1500 mm

Base L900xB50xH40 mm

Glass Ø180xH180 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

Price €

5130.3N.1M.TR.TX1



5130.3N.1M.BZ.TX1



5130.3N.1M.ST.TX1



5130.3N.2M.TR.TX2



5130.3N.2M.BZ.TX2



5130.3N.2M.ST.TX2



5130.3N.216.ST.TX2



5130.3N.216.TR.TX2




5130.3N.216.BZ.TX2



5131.3Q/.. - MANON Q COMBI

~230V



built-up

pendant - with 3x 1,5m textile cable on Juba base

Lamptype

3x G80 E27 max. 12w

230V

OR 3x A60 E27 max. 15W

230V

Dimensions

L1200xB320xH1706,5 mm Cable 1500 mm

Base L1200xB50xH40 mm

Glass Ø320xH130 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

Price €

5131.3Q.1M.TR.TX1



5131.3Q.1M.BZ.TX1



5131.3Q.1M.ST.TX1



5131.3Q.2M.TR.TX2



5131.3Q.2M.BZ.TX2



5131.3Q.2M.ST.TX2



5131.3Q.216.TR.TX2



5131.3Q.216.BZ.TX2




5131.3Q.216.ST.TX2



5132.3P/.. - MANON P COMBI

~230V



built-up

pendant - with 3x 1,5m textile cable on Juba base

Lamptype

3x IT-32 E27 max. 8W

230V

Dimensions

L900xB130xH1896,5 mm Cable 1500 mm

Base L900xB50xH40 mm

Glass Ø130xH320 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

Price €

5132.3P.1M.TR.TX1



5132.3P.1M.BZ.TX1



5132.3P.1M.ST.TX1



5132.3P.2M.TR.TX2



5132.3P.2M.BZ.TX2



5132.3P.2M.ST.TX2



5132.3P.216.TR.TX2



5132.3P.216.BZ.TX2





5132.3P.216.ST.TX2



5130.5N/.. - MANON N COMBI

~230V



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

5x G80 E27 max. 12w 230V
OR 5x A60 E27 max. 15W 230V

Dimensions

L1400xB180xH1756,5 mm Cable 1500 mm

Base L1400xB50xH40 mm Glass Ø180xH180 mm



Materials

Aluminium 1M | 2M
Aluminium / Messing 216

Ref	Price €
5130.5N.1M.TR.TX1	
5130.5N.1M.BZ.TX1	
5130.5N.1M.ST.TX1	
5130.5N.2M.TR.TX2	
5130.5N.2M.BZ.TX2	
5130.5N.2M.ST.TX2	
5130.5N.216.TR.TX2	
5130.5N.216.BZ.TX2	
5130.5N.216.ST.TX2	

5132.5P/.. - MANON P COMBI

~230V



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

5x IT-32 E27 max. 8W 230V

Dimensions

L1400xB130xH1896,5 mm Cable 1500 mm

Base L1400xB50xH40 mm Glass Ø130xH320 mm



Materials

Aluminium 1M | 2M
Aluminium / Messing 216

Ref	Price €
5132.5P.1M.TR.TX1	
5132.5P.1M.BZ.TX1	
5132.5P.1M.ST.TX1	
5132.5P.2M.TR.TX2	
5132.5P.2M.BZ.TX2	
5132.5P.2M.ST.TX2	
5132.5P.216.TR.TX2	
5132.5P.216.BZ.TX2	
5132.5P.216.ST.TX2	

5133.3N2P/.. - MANON NP COMBI

~230V



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

3x G80 E27 max. 12w 230V
2x IT-32 E27 max. 8W 230V

Dimensions

L1400xB180xH1896,5 mm Cable 1500 mm

Base L1400xB50xH40 mm Glass Ø130xH320 mm

Glass Ø180xH180 mm

Materials

Aluminium 1M | 2M
Aluminium / Messing 216

Ref	Price €
5133.3N2P.1M.TR.TX1	
5133.3N2P.1M.BZ.TX1	
5133.3N2P.1M.ST.TX1	
5133.3N2P.2M.TR.TX2	
5133.3N2P.2M.BZ.TX2	
5133.3N2P.2M.ST.TX2	
5133.3N2P.216.TR.TX2	
5133.3N2P.216.BZ.TX2	
5133.3N2P.216.ST.TX2	



5134.2N3Q/.. - MANON NQ COMBI

~230V



IP20



1.5 m




12.6000

0,5 m



4,6



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

5x G80 E27 max. 12w

230V

OR 5x A60 E27 max. 15W

230V

Dimensions

L1400xB320xH1706,5 mm Cable 1500 mm

Base L1400xB50xH40 mm

Glass Ø180xH180 mm

Glass Ø320xH130 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5134.2N3Q.1M.TR.TX1



5134.2N3Q.1M.BZ.TX1



5134.2N3Q.1M.ST.TX1



5134.2N3Q.2M.TR.TX2



5134.2N3Q.2M.BZ.TX2



5134.2N3Q.2M.ST.TX2



5134.2N3Q.216.TR.TX2



5134.2N3Q.216.BZ.TX2



5134.2N3Q.216.ST.TX2



Price €

5135.2N1Q2P/.. - MANON NQP COMBI

~230V



IP20



1.5 m



9.8000

0,5 m



4,6



built-up

pendant - with 5x 1,5m textile cable on base Juba

Lamptype

3x G80 E27 max. 12w

230V

2x IT-32 E27 max. 8W

230V

Dimensions

L1400xB320xH1706,5 mm Cable 1500 mm

Base L1400xB50xH40 mm

Glass Ø130xH320 mm

Glass Ø180xH180 mm

Glass Ø320xH130 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5135.2N1Q2P.1M.TR.TX1



5135.2N1Q2P.1M.BZ.TX1



5135.2N1Q2P.1M.ST.TX1



5135.2N1Q2P.2M.TR.TX2



5135.2N1Q2P.2M.BZ.TX2



5135.2N1Q2P.2M.ST.TX2



5135.2N1Q2P.216.TR.TX2



5135.2N1Q2P.216.BZ.TX2



5135.2N1Q2P.216.ST.TX2



Price €

5143.1N1Q1P/.. - MANON NQP COMBI

~230V



IP20



1.5 m



7.5000

0,5 m



4,6



built-up

pendant - with 3x 1,5m textile cable on base Rondo Box

Lamptype

2x G80 E27 max. 12w

230V

1x IT-32 E27 max. 8W

230V

Dimensions

Ø519xH1756 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø130xH320 mm

Glass Ø180xH180 mm

Glass Ø320xH130 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5143.1N1Q1P.1M.TR.TX1



5143.1N1Q1P.1M.BZ.TX1



5143.1N1Q1P.1M.ST.TX1



5143.1N1Q1P.2M.TR.TX2



5143.1N1Q1P.2M.BZ.TX2



5143.1N1Q1P.2M.ST.TX2



5143.1N1Q1P.216.TR.TX2



5143.1N1Q1P.216.BZ.TX2



5143.1N1Q1P.216.ST.TX2



Price €







1590.N.E27/.. - MANON

~230V



floorlamp - fixed - with cable and plug

Lamp type

1x A60 E27 max. 15W

230V

Dimensions

Ø260xH1446,5 mm

Tige 1200 mm

Base Ø260xH30 mm

Glass Ø180xH180 mm

Materials

Aluminium

1M | 2M | 53

Ref**Price €**

1590.N.E27.1M.TR

1590.N.E27.1M.BZ

1590.N.E27.1M.ST

1590.N.E27.2M.TR

1590.N.E27.2M.BZ

1590.N.E27.2M.ST

1590.N.E27.53.BZ

built-up

1591.P.E27/.. - MANON

~230V



floorlamp - fixed - with cable and plug

Lamp type

1x IT-32 E27 max. 8W

230V

Dimensions

Ø260xH1586,5 mm

Tige 1200 mm

Base Ø260xH30 mm

Glass Ø130xH320 mm

Materials

Aluminium

1M | 2M | 53 | 46

Ref**Price €**

1591.P.E27.1M.TR

1591.P.E27.1M.BZ

1591.P.E27.1M.ST

1591.P.E27.2M.TR

1591.P.E27.2M.BZ

1591.P.E27.2M.ST

1591.P.E27.46.BZ

1591.P.E27.53.BZ

built-up

1592.Q.E27/.. - MANON

~230V



floorlamp - fixed - with cable and plug

Lamp type

1x A60 E27 max. 15W

230V

Dimensions

Ø320xH1396,5 mm

Tige 1200 mm

Base Ø260xH30 mm

Glass Ø320xH130 mm

Materials

Aluminium

1M | 2M | 53

Ref**Price €**

1592.Q.E27.1M.TR

1592.Q.E27.1M.BZ

1592.Q.E27.1M.ST

1592.Q.E27.2M.TR

1592.Q.E27.2M.BZ

1592.Q.E27.2M.ST

1592.Q.E27.53.BZ

built-up

5144.P/. - MANON

~230V



built-up wall light - fixed - with E27 lampholder

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

B125xH380xD160 mm Base B50xH70xD120 mm

Glass Ø125xH315 mm

Materials

Aluminium

1M | 2M

Ref

5144.P.1M.TR

5144.P.1M.BZ

5144.P.1M.ST

5144.P.2M.TR

5144.P.2M.BZ

5144.P.2M.ST

Price €

built-up

5144.N/. - MANON

~230V



built-up wall light - fixed - with E27 lampholder

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

B170xH240xD185 mm Base B50xH70xD120 mm

Glass Ø170xH175 mm

Materials

Aluminium

1M | 2M

Ref

5144.N.1M.TR

5144.N.1M.BZ

5144.N.1M.ST

5144.N.2M.TR

5144.N.2M.BZ

5144.N.2M.ST

Price €

built-up

5146.P/. - MANON

~230V



built-up wall light - fixed - with E27 lampholder

Lamptype

1x IT-32 E27 max. 8W

230V

Dimensions

B125xH420xD185 mm Glass Ø125xH315 mm

B60xH110xD25 mm

Materials

Aluminium

1M | 2M

Ref

5146.P.1M.TR

5146.P.1M.BZ

5146.P.1M.ST

5146.P.2M.TR

5146.P.2M.BZ

5146.P.2M.ST

Price €

built-up

5146.N/. - MANON

~230V



built-up wall light - fixed - with E27 lampholder

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

B170xH280xD210 mm Glass Ø170xH175 mm

B60xH110xD25 mm

Materials

Aluminium

1M | 2M

Ref

5146.N.1M.TR

5146.N.1M.BZ

5146.N.1M.ST

5146.N.2M.TR


5146.N.2M.BZ

5146.N.2M.ST



Price €

built-up



Colours glass



Colours textile cable



Colours socket



Other colors available on request





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.