

+30
years
psmlighting



Mero

timeless classic lighting



psmlighting

Delighted to help you




All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1837.ES50/.. - MERO ES50

~230V



built-up ceiling light - round - fixed - down

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø70xH130 mm

Materials

Aluminium

Ref

1837.ES50.1M

1837.ES50.2M

1837.ES50.14

1837.ES50.29

1837.ES50.45

1837.ES50.49

Price €

built-up

1837.SLA/.. - MERO SLA

~230V



built-up ceiling light - fixed - down

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø70xH130 mm

36°

Materials

Aluminium

Ref

1837.SLA.1M

1837.SLA.2M

1837.SLA.14

1837.SLA.45

1837.SLA.29

1837.SLA.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up



INDOOR | Ceiling UP | Luminaires | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1834.250/.. - MERO			~230V		IP20				1.1400		0,5 m		5,6	
		built-up ceiling light - round - fixed - down		Ref		Price €								
		Lamptype		1834.250.1M										
		1x QPAR 51 GU10 max. 20W 230V		1834.250.2M										
		Dimensions		1834.250.29										
		 Ø60xH250 mm		1834.250.49										
Materials														
Aluminium		1M 2M 29 49												

built-up

1834.300/.. - MERO		~230V			IP20				0.4000		0,5 m		5,6	
		built-up ceiling light - round - fixed - down		Ref		Price €								
	Lamptype		1834.300.1M											
	1x QPAR 51 GU10 max. 20W 230V		1834.300.2M											
	Dimensions		1834.300.29											
	 Ø60xH300 mm		1834.300.49											
Materials		Aluminium		1M 2M 29 49										

built-up

1834.400/.. - MERO		~230V			IP20				0.5500		0,5 m		5,6	
		built-up ceiling light - round - fixed - down		Ref		Price €								
	Lamptype		1834.400.1M											
	1x QPAR 51 GU10 max. 20W 230V		1834.400.2M											
	Dimensions		1834.400.29											
	 Ø60xH400 mm		1834.400.49											
Materials		Aluminium		1M 2M 29 49										

built-up

1834.675/.. - MERO		~230V		IP20				0.6800		0,5 m		4,6	
		built-up ceiling light - round - fixed - down		Ref		Price €							
	Lamptype		1834.675.1M										
	1x QPAR 51 GU10 max. 20W 230V		1834.675.2M										
	Dimensions		1834.675.29										
	 Ø60xH675 mm		1834.675.49										
Materials													
Aluminium		1M 2M 29 49											

built-up

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1834.900/.. - MERO		~230V	 IP20			 0.8600	 0,5 m		
	built-up ceiling light - round - fixed - down		Ref		Price €				
	Lamptype		1834.900.1M						
	1x QPAR 51 GU10 max. 20W 230V		1834.900.2M						
	Dimensions		1834.900.29						
	 Ø60xH900 mm		1834.900.49						
Materials									
Aluminium		1M 2M 29 49							

built-up

built-up




CEILING UP
LUMINAIRES

INDOOR | Ceiling UP | Luminaires | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1837C/.. - MERO 230V

~230V



built-up ceiling light - fixed - down

Lamptype

1x LED 860lm CRI90 max. 10W

F G 230V

Dimensions

Ø78xH130 mm

30°

Base Ø60xH25 mm

Reflector Ø70 mm

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

1837C.1M

1837C.2M

1837C.14

1837C.29

1837C.45

1837C.49

Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

built-up

1839/.. - MERO XICATO

~230V



built-up ceiling light - fixed - down - with XICATO LED module - with LED driver

Lamptype

1x LED 2000lm CRI80 max. 15,2W

D 700mA

Dimensions

Ø120xH350 mm

40°

Materials

Aluminium

1M | 2M | 14

Ref

1839.1M

1839.2M

1839.14

Price €

● NW | WW

● NW | WW

● NW | WW

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1821.E27.250/.. - MERO PENDEL

~230V



IP20



1.5 m



0.2500

0.5 m

5.6



CE



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 4W

240V

OR 1x G95 E27 max. 10,5W

230V

Dimensions

Ø60xH250 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 45

Ref

1821.E27.250.1M.TX1

1821.E27.250.2M.TX2

1821.E27.250.45.TX4

Price €

built-up

1821.E27.300/.. - MERO PENDEL

~230V



IP20



1.5 m



0.2000

0.5 m

5.6



CE



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 6W

230V

OR 1x G95 E27 max. 6W

230V

Dimensions

Ø60xH300 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 45

Ref

1821.E27.300.1M.TX1

1821.E27.300.2M.TX2

1821.E27.300.45.TX4

Price €

built-up

1821.E27.450/.. - MERO PENDEL

~230V



IP20



1.5 m



0.2500

0.5 m

5.6



CE



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 4W

240V

OR 1x G95 E27 max. 10,5W

230V

Dimensions

Ø60xH450 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 45

Ref

1821.E27.450.1M.TX1

1821.E27.450.2M.TX2

1821.E27.450.45.TX4

Price €

built-up

1821.E27.500/.. - MERO PENDEL

~230V



IP20



1.5 m



1.0100

0.5 m

5.6



CE



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 4W

240V

OR 1x G95 E27 max. 10,5W

230V

Dimensions

Ø60xH500 mm

Cable 1500 mm

Materials

Aluminium

1M | 2M | 45

Ref

1821.E27.500.1M.TX1

1821.E27.500.2M.TX2

1821.E27.500.45.TX4

Price €


built-up

INDOOR | Ceiling UP | Pendants | MERO


All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1838.ES50.250/.. - MERO PENDEL		~230V		IP20			1.5 m			0.6000		0,5 m		5,6	
		pendant - round - with 1,5m textile cable and strain relief on lampholder's side													
	Lamptype														
	1x QPAR 51 GU10 max. 20W	230V													
	Dimensions														
	 Ø60xH250 mm	Cable 1500 mm													
Materials															
Aluminium		1M 2M 45													
Ref		Price €													
1838.ES50.250.1M.TX1															
1838.ES50.250.2M.TX2															
1838.ES50.250.45.TX4															

built-up

1838.ES50.300/.. - MERO PENDEL		~230V		IP20			1.5 m			0.8000		0,5 m		5,6	
	pendant - round - with 1,5m textile cable and strain relief on lampholder's side														
	Lamptype														
	1x QPAR 51 GU10 max. 20W		230V												
	Dimensions														
	 Ø60xH300 mm		Cable 1500 mm												
Materials															
Aluminium		1M 2M 45													
Ref		Price €													
1838.ES50.300.1M.TX1															
1838.ES50.300.2M.TX2															
1838.ES50.300.45.TX4															

built-up

1838.ES50.450/.. - MERO PENDEL		~230V		IP20		 1.5 m		 0.9000	 0,5 m	 5,6	
	pendant - round - with 1,5m textile cable and strain relief on lampholder's side										
	Lamptype										
	1x QPAR 51 GU10 max. 20W	230V									
	Dimensions										
	 Ø60xH450 mm	Cable 1500 mm									
Materials											
Aluminium		1M 2M 45									
Ref		Price €									
1838.ES50.450.1M.TX1											
1838.ES50.450.2M.TX2											
1838.ES50.450.45.TX4											

built-up

1838.ES50.675/.. - MERO PENDEL		~230V		IP20		 1.5 m		 1.2000	 0,5 m	 4.6	
 	pendant - round - with 1,5m textile cable and strain relief on lampholder's side										
	Lamptype										
	1x QPAR 51 GU10 max. 20W	230V									
	Dimensions										
	 Ø60xH675 mm	Cable 1500 mm									
Materials											
Aluminium		1M 2M 45									
Ref		Price €									
1838.ES50.675.1M.TX1		 									
1838.ES50.675.2M.TX2		 									
1838.ES50.675.45.TX4		 									

built-up

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1838.ES50.900/.. - MERO PENDEL		~230V		IP20			1.5 m				1.6000		0,5 m		4,6	
		pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref		Price €										
		Lamptype		1838.ES50.900.1M.TX1												
		1x QPAR 51 GU10 max. 20W		1838.ES50.900.2M.TX2												
		230V		1838.ES50.900.45.TX4												
		Dimensions														
 Ø60xH900 mm		Cable 1500 mm														
Materials																
Aluminium		1M 2M 45														

built-up



CEILING UP

PENDANTS

INDOOR | Ceiling UP | Pendants | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1842.AC.250/.. - MERO PENDEL		~230V		IP20			1.5 m			0.7400		0.5 m		5.6	
 		pendant - round - with 1,5m textile cable and strain relief on lampholder's side													
	Lamptype														
	1x LED 700lm CRI92 max. 9,5W  230V														
	Dimensions														
	 Ø60xH250 mm Cable 1500 mm														
 36°															
Materials															
Aluminium		1M 2M 14 45													

built-up

built-up

1842.AC.300/.. - MERO PENDEL		~230V		IP20			1.5 m			0.8500		0.5 m		5.6	
 		pendant - round - with 1,5m textile cable and strain relief on lampholder's side													
	Lamptype														
	1x LED 700lm CRI92 max. 9,5W  230V														
	Dimensions														
	 Ø60xH300 mm Cable 1500 mm														
		36°													
Materials															
Aluminium		1M 2M 14 45													

<

built-up

1842.AC.450/.. - MERO PENDEL		~230V			IP20			1.5 m			1.2500		0.5 m		5.6	
  	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref													Price €
	Lamptype		1842.AC.450.1M.TX1   NW WW													
	1x LED 700lm CRI92 max. 9,5W		1842.AC.450.2M.TX2   NW WW													
	Dimensions		1842.AC.450.14.TX11   NW WW													
	 Ø60xH450 mm Cable 1500 mm		1842.AC.450.45.TX4   NW WW													
 36°																
Materials																
Aluminium		1M 2M 14 45														

built-up

built-up

1842.AC.500/.. - MERO PENDEL		~230V		IP20			1.5 m			1.0800		0.5 m		5.6	
  	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref												Price €
	Lamptype		1842.AC.500.1M.TX1   NW WW												
	1x LED 700lm CRI92 max. 9,5W		1842.AC.500.2M.TX2   NW WW												
	Dimensions		1842.AC.500.14.TX11   NW WW												
	 Ø60xH500 mm Cable 1500 mm		1842.AC.500.45.TX4   NW WW												
 36°															
Materials															
Aluminium		1M 2M 14 45													
built-up															

built-up





All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1843.E27.250/.. - MERO PENDEL

~230V



pendant - square - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 6W 230V
OR 1x G95 E27 max. 6W 230V

Dimensions

L60xB60xH250 mm Cable 1500 mm

Materials

Aluminium 1M | 2M | 45

Ref

1843.E27.250.1M.TX1

1843.E27.250.2M.TX2

1843.E27.250.45.TX4

Price €

built-up

1843.E27.300/.. - MERO PENDEL

~230V



pendant - square - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 6W 230V
OR 1x G95 E27 max. 6W 230V

Dimensions

L60xB60xH300 mm Cable 1500 mm

Materials

Aluminium 1M | 2M | 45

Ref

1843.E27.300.1M.TX1

1843.E27.300.2M.TX2

1843.E27.300.45.TX4

Price €

built-up

1843.E27.450/.. - MERO PENDEL

~230V



pendant - square - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 6W 230V
OR 1x G95 E27 max. 6W 230V

Dimensions

L60xB60xH450 mm Cable 1500 mm

Materials

Aluminium 1M | 2M | 45

Ref

1843.E27.450.1M.TX1

1843.E27.450.2M.TX2

1843.E27.450.45.TX4

Price €

built-up

INDOOR | Ceiling UP | Pendants | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1844.ES50.250/.. - MERO PENDEL		~230V	IP20			1.5 m		0.7000		0.5 m		5.6	CE
 	pendant - square - with 1,5m textile cable and strain relief on lampholder's side												
	Lamptype												
	1x QPAR 51 GU10 max. 20W						230V						
	Dimensions												
	 L60xB60xH250 mm						Cable 1500 mm						
Materials													
Aluminium						1M 2M 45							
Ref												Price €	
1844.ES50.250.1M.TX1													
1844.ES50.250.2M.TX2													
1844.ES50.250.45.TX4													

built-up

1844.ES50.300/.. - MERO PENDEL		~230V		IP20		1.5 m		0.3500		0.5 m		5.6		
		pendant - square - with 1,5m textile cable and strain relief on lampholder's side												
		Lamptype												
		1x QPAR 51 GU10 max. 20W						230V						
		Dimensions												
		 L60xB60xH300 mm						Cable 1500 mm						
Materials														
Aluminium						1M 2M 45								
Ref														
1844.ES50.300.1M.TX1													Price €	
1844.ES50.300.2M.TX2														
1844.ES50.300.45.TX4														

built-up

1844.ES50.450/.. - MERO PENDEL		~230V	 IP20		 1.5 m	 0,5 m	 5,6	
 	pendant - square - with 1,5m textile cable and strain relief on lampholder's side							
	Lamptype							
	1x QPAR 51 GU10 max. 20W		230V					
	Dimensions							
	 L60xB60xH450 mm		Cable 1500 mm					
Materials								
Aluminium		1M 2M 45						
		Ref	Price €					
		1844.ES50.450.1M.TX1						
		1844.ES50.450.2M.TX2						
		1844.ES50.450.45.TX4						

built-up

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1846.AC.250/.. - MERO PENDEL

~230V



pendant - square - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

L60xB60xH250 mm Cable 1500 mm

36°

Materials

Aluminium

1M | 2M | 45

Ref

1846.AC.250.1M.TX1

NW | WW

1846.AC.250.2M.TX2

NW | WW

1846.AC.250.45.TX4


NW | WW

Price €

built-up

1846.AC.300/.. - MERO PENDEL

~230V



pendant - square - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

L60xB60xH300 mm Cable 1500 mm

36°

Materials

Aluminium

1M | 2M | 45

Ref

1846.AC.300.1M.TX1

NW | WW

1846.AC.300.2M.TX2

NW | WW

1846.AC.300.45.TX4


NW | WW

Price €

built-up

1846.AC.450/.. - MERO PENDEL

~230V



pendant - square - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

L60xB60xH450 mm Cable 1500 mm

36°

Materials

Aluminium

1M | 2M | 45

Ref

1846.AC.450.1M.TX1

NW | WW

1846.AC.450.2M.TX2

NW | WW

1846.AC.450.45.TX4

NW | WW

Price €

built-up

INDOOR | Ceiling UP | Pendants | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1847.E27.125/.. - MERO PENDEL BRASS		~230V	 IP20		 0 m	 0,5 m	 5,6			
 	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref						Price €	
	Lamptype		1847.E27.125.16.TXM							
	1x G125 E27 max. 6W		230V	1847.E27.125.13.TX23						
	1x G95 E27 max. 10,5W		230V	1847.E27.125.23.TX23						
	Dimensions									
	 Ø54xH250 mm		1500 mm							
	Materials									
Messing		16 13 23								

built-up

1847.E27.250/.. - MERO PENDEL BRASS		~230V	IP20		1.5 m	0.8500	0.5 m	5.6	CE		
 	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref							Price €	
	Lamptype		1847.E27.250.16.TXM								
	1x G125 E27 max. 6W		230V	1847.E27.250.13.TX23							
	OR 1x G95 E27 max. 10,5W		230V	1847.E27.250.23.TX23							
	Dimensions										
		↔ Ø54xH250 mm	Cable 1500 mm								
Materials											
Messing		16 13 23									

built-up

1847.E27.300/.. - MERO PENDEL BRASS		~230V	IP20		1.5 m	0.9500	0.5 m	5.6	CE		
 	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref							Price €	
	Lamptype		1847.E27.300.16.TXM								
	1x G125 E27 max. 6W		230V	1847.E27.300.13.TX23							
	OR 1x G95 E27 max. 10,5W		230V	1847.E27.300.23.TX23							
	Dimensions										
	 Ø54xH300 mm		Cable 1500 mm								
	Materials										
Messing		16 13 23									

built-up

1847.E27.450/.. - MERO PENDEL BRASS		~230V	 IP20		 1.5 m	 0,5 m	 5,6		
 	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref		Price €				
	Lamptype		1847.E27.450.13.TX23						
	1x G125 E27 max. 6W		230V	1847.E27.450.16.TXM					
	OR 1x G95 E27 max. 10,5W		230V	1847.E27.450.23.TX23					
	Dimensions								
 Ø54xH450 mm		Cable 1500 mm							
Materials									
Messing		16 13 23							

built-up





All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1833.ES50.125/.. - MERO PENDEL BRASS

~230V



IP20



1.5 m



0.2500

0.5 m

5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH125 mm

Cable 1500 mm

Materials

Messing

16 | 13 | 23

Ref

Price €

1833.ES50.125.16.TXM



1833.ES50.125.13.TX23



1833.ES50.125.23.TX23



built-up

1833.ES50.250/.. - MERO PENDEL BRASS

~230V



IP20



1.5 m



0.8000

0.5 m

5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH250 mm

Cable 1500 mm

Materials

Messing

16 | 13 | 23

Ref

Price €

1833.ES50.250.16.TXM



1833.ES50.250.13.TX23



1833.ES50.250.23.TX23



built-up

1833.ES50.300/.. - MERO PENDEL BRASS

~230V



IP20



1.5 m



1.5000

0.5 m

5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH300 mm

Cable 1500 mm

Materials

Messing

16 | 13 | 23

Ref

Price €

1833.ES50.300.16.TXM



1833.ES50.300.13.TX23



1833.ES50.300.23.TX23



built-up

1833.ES50.450/.. - MERO PENDEL BRASS

~230V



IP20



1.5 m



1.2000

0.5 m

5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH450 mm

Cable 1500 mm

Materials

Messing

16 | 13 | 23

Ref

Price €

1833.ES50.450.16.TXM



1833.ES50.450.13.TX23



1833.ES50.450.23.TX23



built-up

INDOOR | Ceiling UP | Pendants | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1833.ES50.500/.. - MERO PENDEL BRASS

~230V



IP20



1.5 m



0.9200

0.5 m



5.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH500 mm

Cable 1500 mm

Materials

Messing

16 | 13 | 23

Ref

1833.ES50.500.13.TX23



1833.ES50.500.16.TXM



1833.ES50.500.23.TX23



Price €

built-up

1833.ES50.675/.. - MERO PENDEL BRASS

~230V



IP20



1.5 m



0.5 m



4.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH675 mm

Cable 1500 mm

Materials

Messing

16 | 13 | 23

Ref

1833.ES50.675.13.TX23



1833.ES50.675.16.TXM



1833.ES50.675.23.TX23



Price €

built-up

1833.ES50.900/.. - MERO PENDEL BRASS

~230V



IP20



1.5 m



0.5 m



4.6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø54xH900 mm

Cable 1500 mm

Materials

Messing

16 | 13 | 23

Ref

1833.ES50.900.16.TXM



1833.ES50.900.13.TX23



1833.ES50.900.23.TX23



Price €

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1823.AC.125/.. - MERO PENDEL BRASS

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø54xH125 mm

Cable 1500 mm

36°

Materials

Messing

16 | 13 | 23

Ref

Price €

1823.AC.125.16.TXM NW | WW

1823.AC.125.13.TX23 NW | WW

1823.AC.125.23.TX23 NW | WW

built-up

1823.AC.250/.. - MERO PENDEL BRASS

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø54xH250 mm

Cable 1500 mm

36°

Materials

Messing

16 | 13 | 23

Ref

Price €

1823.AC.250.16.TXM NW | WW

1823.AC.250.13.TX23 NW | WW

1823.AC.250.23.TX23 NW | WW

built-up

1823.AC.300/.. - MERO PENDEL BRASS

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø54xH300 mm

Cable 1500 mm

36°

Materials

Messing

16 | 13 | 23

Ref

Price €

1823.AC.300.16.TXM NW | WW

1823.AC.300.13.TX23 NW | WW

1823.AC.300.23.TX23 NW | WW

built-up

1823.AC.450/.. - MERO PENDEL BRASS

~230V



pendant - round - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø54xH450 mm

Cable 1500 mm

36°

Materials

Messing

16 | 13 | 13M | 23

Ref

Price €

1823.AC.450.16.TXM NW | WW

1823.AC.450.13.TX23 NW | WW

1823.AC.450.13M.TX43 NW | WW

1823.AC.450.23.TX23 NW | WW

built-up

INDOOR | Ceiling UP | Pendants | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1823.AC.500/.. - MERO PENDEL BRASS		~230V		IP20			1.5 m			1.1000		0,5 m		5.6	
  	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref												Price €
	Lamptype		1823.AC.500.16.TXM   NW WW												
	1x LED 700lm CRI92 max. 9,5W		1823.AC.500.13.TX23   NW WW												
			1823.AC.500.23.TX23   NW WW												
	Dimensions														
 Ø54xH500 mm		Cable 1500 mm													
 36°															
Materials															
Messing		16 13 23													

built-up

built-up

1823.AC.675/.. - MERO PENDEL BRASS			~230V			IP20			1.5 m			0,5 m		4.6		CE
  	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref													Price €
	Lamptype		1823.AC.675.16.TXM   NW WW													
	1x LED 700lm CRI92 max. 9,5W		1823.AC.675.13.TX23   NW WW													
			1823.AC.675.23.TX23   NW WW													
	Dimensions															
 Ø54xH675 mm		Cable 1500 mm														
 36°																
Materials																
Messing		16 13 23														

<

built-up

1823.AC.900/.. - MERO PENDEL BRASS		~230V			IP20			1.5 m			0,5 m		CE	
  	pendant - round - with 1,5m textile cable and strain relief on lampholder's side		Ref											Price €
	Lamptype		1823.AC.900.16.TXM											  NW WW
	1x LED 700lm CRI92 max. 9,5W		1823.AC.900.13.TX23											  NW WW
	230V		1823.AC.900.23.TX23											  NW WW
	Dimensions													
 Ø54xH900 mm		Cable 1500 mm												
 36°														
Materials														
Messing		16 13 23												


built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1907.3/.. - MERO

~230V



built-up



pendant - round - with 3x Mero on base Juba

Lamptype

3x LED 700lm CRI92 max. 9,5W

230V

Dimensions

L900xB60xH1845 mm Cable 1500 mm

36°

Base L900xB45xH45 mm

Tube Ø60xH300 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref

1907.3.1M.TX1

1907.3.2M.TX2

1907.3.16.TXM

1907.3.216.TX2

1907.3.216.TXM

Price €

NW | WW

NW | WW



NW | WW

NW | WW

NW | WW

1908.5/.. - MERO

~230V



built-up



pendant - round - with 5x Mero on base Juba

Lamptype

5x LED 700lm CRI92 max. 9,5W

230V

Dimensions

L1200xB60xH1845 mm Cable 1500 mm

36°

Base L1200xB45xH45 mm

Tube Ø60xH300 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref

1908.5.1M.TX1

1908.5.2M.TX2

1908.5.16.TXM

1908.5.216.TX2

1908.5.216.TXM

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW




INDOOR | Ceiling UP | Pendants | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1909.5/.. - MERO		~230V			IP20			1.5 m					CE	
 		pendant - round - with 5x Mero on base Rondobox		Ref										Price €
		Lamptype		1909.5.1M.TX1										  NW WW
		5x LED 700lm CRI92 max. 9,5W  230V		1909.5.2M.TX2										  NW WW
		Dimensions		1909.5.216.TX2										  NW WW
		 Ø350xH1828 mm Cable 1500 mm		1909.5.216.TXM										  NW WW
		 36° Base Ø350xH28 mm												
		Tube Ø60xH300 mm												
		Materials												
Aluminium		1M 2M												
Aluminium / Messing		216												

built-up

1910.7/.. - MERO		~230V			IP20			1.5 m			0,5 m		4,6	
 		pendant - round - with 7x Mero on base Rondobox		Ref										Price €
		Lamptype		1910.7.1M.TX1										  NW WW
		7x LED 700lm CRI92 max. 9,5W		1910.7.2M.TX2										  NW WW
		Dimensions		1910.7.216.TX2										  NW WW
		→ Ø400xH1828 mm Cable 1500 mm		1910.7.216.TXM										  NW WW
△ 36°		Base Ø400xH28 mm												
Tube Ø60xH300 mm														
Materials														
Aluminium		1M 2M												
Aluminium / Messing		216												

built-up

1916.5/.. - MERO		~230V		IP20				0,5 m		4,6	
		pendant - round - with 5x Mero on base Rondobox		Ref		Price €					
		Lamptype		1916.5.1M.TX1		 					
		2x LED 700lm CRI92 max. 9,5W		1916.5.2M.TX2		 					
		3x G80 E27 max. 8W		1916.5.216.TXM		 					
		Dimensions									
 Ø400xH1828 mm		Cable 1500 mm									
 36°		Base Ø400xH28 mm									
Tube Ø60xH300 mm											
Materials											
Aluminium		1M 2M									
Aluminium / Messing		216									

</

1927.11/.. - MERO		~230V		IP20				0,5 m		CE	
 <i>built-up</i>		pendant - round - with 11x Mero on base Rondobox		Ref		Price €					
		Lamptype		1927.11.1M.TX1		 					
		6x LED 700lm CRI92 max. 9,5W		1927.11.2M.TX2		 					
		5x G95 E27 max. 10,5W		1927.11.216.TXM		 					
		Dimensions									
		 Ø500xH1828 mm		Cable 1500 mm							
		 36°		Base Ø500xH27 mm							
		Tube Ø60xH300 mm									
		Materials									
Aluminium		1M 2M									
Aluminium / Messing		216									




INDOOR | Ceiling UP | Pendants | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

5157.2E.3M/.. - MOBY DECO GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 700lm CRI92 max. 9,5W

230V

2x ST64 E27 max. 10w

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm



36°

Base L1400xB45xH45 mm

Glass Ø200 mm

Tube Ø60xH300 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216

Messing 16

Ref	Price €
5157.2E.3M.1M.TR.TX1	NW WW
5157.2E.3M.1M.ST.TX1	NW WW
5157.2E.3M.2M.TR.TX2	NW WW
5157.2E.3M.2M.ST.TX2	NW WW
5157.2E.3M.16.TR.TXM	NW WW
5157.2E.3M.216.TR.TXM	NW WW
5157.2E.3M.216.TR.TX2	NW WW

5158.2C.3M/.. - MOBY GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 700lm CRI92 max. 9,5W

230V

2x G80 E27 max. 8W

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm



36°

Base L1400xB50xH40 mm

Glass Ø250 mm

Tube Ø60xH300 mm

Materials

Aluminium 1M | 2M


Aluminium / Messing 216

Messing 16

Ref	Price €
5158.2C.3M.1M.TR.TX1	NW WW
5158.2C.3M.1M.ST.TX1	NW WW
5158.2C.3M.2M.TR.TX2	NW WW
5158.2C.3M.2M.ST.TX2	NW WW
5158.2C.3M.16.TR.TXM	NW WW
5158.2C.3M.216.TR.TXM	NW WW
5158.2C.3M.216.TR.TX2	NW WW

5157.2E.3M/.. - MOBY DECO GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 700lm CRI92 max. 9,5W

230V

2x ST64 E27 max. 10w

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm



36°

Base L1400xB45xH45 mm

Glass Ø200 mm

Tube Ø60xH300 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216


Messing 16

Ref	Price €
5157.2E.3M.1M.TR.TX1	NW WW
5157.2E.3M.1M.ST.TX1	NW WW
5157.2E.3M.2M.TR.TX2	NW WW
5157.2E.3M.2M.ST.TX2	NW WW
5157.2E.3M.16.TR.TXM	NW WW
5157.2E.3M.216.TR.TXM	NW WW
5157.2E.3M.216.TR.TX2	NW WW

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1837.1000/.. - MERO 230V

~230V



built-up spot LED M10 - round - directional

Lamp type

1x LED 860lm CRI90 max. 10W

230V

Dimensions

Ø80xH180 mm

30°

Head Ø80xH120 mm

Materials

Aluminium

1M | 2M

Ref

1837.1000.1M

1837.1000.2M

Price €

● NW | WW

● NW | WW

*built-up
to combine with adaptor or on a profile*



CEILING UP

SPOTS

Colours



Colours textile cable





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.