

+30
years
psmlighting

Moby

Class in a glass



psmlighting
Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

5087.C.E27/.. - MOBY TRANSPARANT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W 230V

Dimensions

Ø250xH210 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14 | 53

Messing 16 | 23

Rood koper 28

Ref

5087.C.E27.1M.TR.TX1

5087.C.E27.2M.TR.TX2

5087.C.E27.14.TR.TX11

5087.C.E27.16.TR.TXM

5087.C.E27.23.TR.TXG23

5087.C.E27.53.TR.TXJ

5087.C.E27.28.TR.TXRK

Price €

built-up

5088.B.E27/.. - MOBY TRANSPARANT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W 230V

Dimensions

Ø180xH140 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14 | 53

Messing 16 | 23

Rood koper 28

Ref

5088.B.E27.1M.TR.TX1

5088.B.E27.2M.TR.TX2

5088.B.E27.14.TR.TX11

5088.B.E27.16.TR.TXM

5088.B.E27.23.TR.TXG23

5088.B.E27.53.TR.TXJ

5088.B.E27.28.TR.TXRK

Price €

built-up

5089.A.E27/.. - MOBY TRANSPARANT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø140xH120 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14

Messing 16 | 23

Rood koper 28

Ref

5089.A.E27.1M.TR.TX1

5089.A.E27.2M.TR.TX2

5089.A.E27.14.TR.TX11

5089.A.E27.16.TR.TXM

5089.A.E27.23.TR.TXG23

5089.A.E27.28.TR.TXRK

Price €

built-up

5089.A.E14/.. - MOBY TRANSPARANT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W 230V

1x C35 E14 max. 4W 230V

Dimensions

Ø140xH120 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14

Messing 16 | 23

Rood koper 28

Ref

5089.A.E14.1M.TR.TX1

5089.A.E14.2M.TR.TX2

5089.A.E14.14.TR.TX11

5089.A.E14.16.TR.TXM

5089.A.E14.23.TR.TXG23

5089.A.E14.28.TR.TXRK

Price €

built-up



CEILING UP

PENDANTS

5093.C.E27/.. - MOBY BRONZ

~230V



IP20



2 m



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44 | 53

Ref

5093.C.E27.2M.BZ.TXJ



5093.C.E27.2M.BZ.TX2



5093.C.E27.44.BZ.TX7



5093.C.E27.53.BZ.TXJ



5093.C.E27.53.BZ.TXG4



5093.C.E27.53.BZ.TX12



5093.C.E27.53.BZ.TXG13



5093.C.E27.53.BZ.TX33



Price €

5094.B.E27/.. - MOBY BRONZ

~230V



IP20



2 m



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH140 mm

Cable 2000 mm

Materials

Aluminium

2M | 44 | 53

Ref

5094.B.E27.2M.BZ.TX2



5094.B.E27.2M.BZ.TX44



5094.B.E27.44.BZ.TX7



5094.B.E27.53.BZ.TXJ



5094.B.E27.53.BZ.TXG4



5094.B.E27.53.BZ.TX12



5094.B.E27.53.BZ.TXG13



5094.B.E27.53.BZ.TX33



Price €

5095.A.E27/.. - MOBY BRONZ

~230V



IP20



2 m



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 44 | 53 | 46

Ref

5095.A.E27.1M.BZ.TX1



5095.A.E27.2M.BZ.TX2



5095.A.E27.44.BZ.TX7



5095.A.E27.53.BZ.TXJ



5095.A.E27.53.BZ.TX12



5095.A.E27.46.BZ.TXG4



Price €

5095.A.E14/.. - MOBY BRONZ

~230V



IP20



2 m



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 44 | 53 | 46

Ref

5095.A.E14.1M.BZ.TX1



5095.A.E14.2M.BZ.TX2



5095.A.E14.44.BZ.TX7



5095.A.E14.53.BZ.TXJ



5095.A.E14.53.BZ.TX12



5095.A.E14.53.BZ.TXG4



5095.A.E14.46.BZ.TXG4



Price €



5084.C.E27/.. - MOBY SMOKEY GREY

~230V



IP20



2 m



1.1677



0,5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5084.C.E27.2M.SG.TX2



5084.C.E27.2M.SG.TXG7



5084.C.E27.44.SG.TX44



Price €

built-up

5085.B.E27/.. - MOBY SMOKEY GREY

~230V



IP20



2 m



0.7241



0,5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH140 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5085.B.E27.2M.SG.TX2



5085.B.E27.2M.SG.TXG7



5085.B.E27.44.SG.TX44



Price €

built-up

5086.A.E27/.. - MOBY SMOKEY GREY

~230V



IP20



2 m



0.7789



0,5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5086.A.E27.2M.SG.TX2



5086.A.E27.2M.SG.TXG7



5086.A.E27.44.SG.TX44



Price €

built-up

5099.A.E14/.. - MOBY SMOKEY GREY

~230V



IP20



2 m



0.5467



0,5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5099.A.E14.2M.SG.TX2



5099.A.E14.2M.SG.TXG7



5099.A.E14.44.SG.TX44



Price €

built-up

5109.C.E27/.. - MOBY STEEL

~230V



IP20



2 m



0.9680

0.5 m

5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

Ref

5109.C.E27.2M.ST.TX2

5109.C.E27.44.ST.TX44

Price €



built-up



CEILING UP

PENDANTS

5176.C.E27/.. - MOBY OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5176.C.E27.1M.OM.TX1



5176.C.E27.2M.OM.TX2



5176.C.E27.16.OM.TXM



5176.C.E27.16.OM.TX42



5176.C.E27.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5177.B.E27/.. - MOBY OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5177.B.E27.1M.OM.TX1



5177.B.E27.2M.OM.TX2



5177.B.E27.16.OM.TXM



5177.B.E27.16.OM.TX42



5177.B.E27.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5178.A.E27/.. - MOBY OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5178.A.E27.1M.OM.TX1



5178.A.E27.2M.OM.TX2



5178.A.E27.16.OM.TXM



5178.A.E27.16.OM.TX42



5178.A.E27.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs



3991.C.ZXO/.. - MOBY ZXO

~230V



IP20



2 m



3.5000

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamp type

1x LED 350lm CRI90 4W

230V

Dimensions

Ø250xH235 mm

2000 mm

Materials

Aluminium

1M | 2M

Messing

Ref

3991.C.ZXO.1M.TR.TX1

NW | WW

3991.C.ZXO.2M.TR.TX2

NW | WW

3991.C.ZXO.16.TR.TX4

NW | WW

3991.C.ZXO.16.TR.TXM

NW | WW

Price €

built-up

3991.C.XTM/.. - MOBY XTM

=350mA



IP20



2 m



2.0033

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI83 4,5W 12,86Vf

350mA

Dimensions

Ø250xH235 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

Ref

3991.C.XTM.1M.TR.TX1

NW | WW

3991.C.XTM.2M.TR.TX2

NW | WW

3991.C.XTM.16.TR.TX4

NW | WW

3991.C.XTM.16.TR.TXM

NW | WW

Price €

built-up

3993.B.XTM/.. - MOBY XTM

=350mA



IP20



2 m



1.8250

0,5 m

4,6



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI83 4,5W 12,86Vf

350mA

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

Ref

3993.B.XTM.1M.TR.TX1

NW | WW

3993.B.XTM.2M.TR.TX2

NW | WW

3993.B.XTM.16.TR.TX4

NW | WW

3993.B.XTM.16.TR.TXM

NW | WW

Price €

built-up

3994.A.XTM/.. - MOBY XTM

=350mA



IP20



2 m



1.3000

0,5 m

4,6



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI83 4,5W 12,86Vf

350mA

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

Ref

3994.A.XTM.1M.TR.TX1

NW | WW

3994.A.XTM.2M.TR.TX2

NW | WW

3994.A.XTM.16.TR.TX4

NW | WW

3994.A.XTM.16.TR.TXM

NW | WW

Price €

built-up

4973.C.E27/.. - MOBY GOLD

~230V



IP20



2 m



1.2150



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Messing

16

Ref

4973.C.E27.16.GC.TX2



4973.C.E27.16.GC.TXM



Price €

built-up
gold coated glass

4970.B.E27/.. - MOBY GOLD

~230V



IP20



2 m



0.7460



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

4970.B.E27.2M.GC.TX2



4970.B.E27.4.GC.TX4



4970.B.E27.16.GC.TXM



Price €

built-up
gold coated glass

4998.A.E27/.. - MOBY GOLD

~230V



IP20



2 m



0.8925



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

4998.A.E27.2M.GC.TX2



4998.A.E27.4.GC.TX4



4998.A.E27.16.GC.TXM



Price €

built-up
gold coated glass



4974.C.E27/.. - MOBY RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Rood koper

Ref

4974.C.E27.28.RKC.TX2



4974.C.E27.28.RKC.TXG28



4974.C.E27.28.RKC.TXRK



Price €

built-up
red copper coated glass

4971.B.E27/.. - MOBY RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28

Ref

4971.B.E27.2M.RKC.TX2



4971.B.E27.28.RKC.TXG28



4971.B.E27.28.RKC.TXRK



Price €

built-up
red copper coated glass

4999.A.E27/.. - MOBY RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28

Ref

4999.A.E27.2M.RKC.TX2



4999.A.E27.28.RKC.TXG28



4999.A.E27.28.RKC.TXRK




4999.A.E27.28.RKC.TX2



Price €

built-up
red copper coated glass



4975.C.E27/.. - MOBY SILVER

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

Ref

4975.C.E27.14.SC.TX2

4975.C.E27.14.SC.TX7

4975.C.E27.14.SC.TXS

4975.C.E27.14.SC.TX11

Price €

built-up
silver coated glass

4972.B.E27/.. - MOBY SILVER

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175 mm

Cable 2000 mm

Materials

Aluminium

Ref

4972.B.E27.2M.SC.TX2

4972.B.E27.14.SC.TXS

4972.B.E27.14.SC.TXS2

Price €

built-up
silver coated glass

4994.A.E27/.. - MOBY SILVER

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

Ref

4994.A.E27.2M.SC.TX2

4994.A.E27.14.SC.TXS

4994.A.E27.14.SC.TXS2

4994.A.E27.14.SC.TX11

Price €

built-up
silver coated glass

5127.C.E27/.. - MOBY PINKY

~230V



IP20



2



2 m



1.2800

0,5 m

5,6



CE



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Ref

5127.C.E27.2M.PKY.TX2



5127.C.E27.2M.PKY.TXG30



Price €

*built-up
pink coated glass*



CEILING UP

PENDANTS

4101.C.E27/.. - MOBY METAL LEAF

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH235 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4101.C.E27.2M.GL.TX2	
4101.C.E27.2M.RCL.TX2	
4101.C.E27.2M.SL.TX2	
4101.C.E27.2M.GLP.TX2	
4101.C.E27.14.SL.TXN	
4101.C.E27.14.SL.TX11	
4101.C.E27.16.GL.TXM	
4101.C.E27.16.GL.TX42	
4101.C.E27.28.RCL.TXRK	
4101.C.E27.28.RCL.TX14	

4102.B.E27/.. - MOBY METAL LEAF

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4102.B.E27.2M.GL.TX2	
4102.B.E27.2M.RCL.TX2	
4102.B.E27.2M.SL.TX2	
4102.B.E27.2M.GLP.TX2	
4102.B.E27.14.SL.TXN	
4102.B.E27.14.SL.TX11	
4102.B.E27.16.GL.TXM	
4102.B.E27.16.GL.TX42	
4102.B.E27.28.RCL.TXRK	
4102.B.E27.28.RCL.TX14	

4103.A.E27/.. - MOBY METAL LEAF

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH135 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4103.A.E27.2M.GL.TX2	
4103.A.E27.2M.RCL.TX2	
4103.A.E27.2M.SL.TX2	
4103.A.E27.2M.GLP.TX2	
4103.A.E27.14.SL.TXN	
4103.A.E27.14.SL.TX11	
4103.A.E27.16.GL.TXM	
4103.A.E27.16.GL.TX42	
4103.A.E27.28.RCL.TXRK	
4103.A.E27.28.RCL.TX14	



5169.D.E27/.. - MOBY DOUBLE

~230V



IP20



2 m



3.1000



0,5 m



5,6



CE



pendant - fixed - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø350xH300 mm

Cable 2000 mm

Glass Ø180 mm

Glass Ø350 mm

Materials

Aluminium

1M | 2M

Ref

5169.D.E27.1M.TR.TX1



5169.D.E27.2M.TR.TX2



Price €

built-up
With Moby gold leaf Ø180mm inside

5164.D.E27/.. - MOBY TRANSPARANT

~230V



IP20



2 m



2.2000



0,5 m



5,6



CE



pendant - fixed - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 8W

230V

Dimensions

Ø350xH300 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

16

Ref

5164.D.E27.1M.TR.TX1



5164.D.E27.2M.TR.TX2



5164.D.E27.14.TR.TX11



5164.D.E27.16.TR.TXM




Price €

built-up



5096.C.E27/.. - MOBY METAL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W 230V

Dimensions

Ø245xH210 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 45 | 29


Ref Price €

5096.C.E27.1M.TX1	
5096.C.E27.1M.TXW1	
5096.C.E27.2M.TX2	
5096.C.E27.2M.TXW2	
5096.C.E27.45.TX2	
5096.C.E27.45.TXW2	
5096.C.E27.45.TX4	
5096.C.E27.29.TX2	
5096.C.E27.29.TXW2	
5096.C.E27.29.TX4	

built-up
powder coated aluminium

5096.B.E27/.. - MOBY METAL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W 230V

Dimensions

Ø200xH165 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 45 | 29


Ref Price €

5096.B.E27.1M.TX1	
5096.B.E27.2M.TX2	
5096.B.E27.45.TX2	
5096.B.E27.45.TX4	
5096.B.E27.29.TX2	
5096.B.E27.29.TX4	

built-up
powder coated aluminium

5096.A.E27/.. - MOBY METAL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø152xH130 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 45 | 29

Ref Price €

5096.A.E27.1M.TX1	
5096.A.E27.2M.TX2	
5096.A.E27.45.TX2	
5096.A.E27.45.TX4	
5096.A.E27.29.TX2	
5096.A.E27.29.TX4	

built-up
powder coated aluminium




5150.3C.E27/.. - MOBY 3 GLASS

~230V



IP20



built-up

pendant - with 3x Moby Ø250 - 1,5m textile cable

Lamptype

3x G80 E27 max. 8W

230V

Dimensions

L1200xB250xH1755 mm Cable 1500 mm

Base L1200xB50xH40 mm

Glass Ø250 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Messing

16


Ref	Price €
5150.3C.E27.2M.TR.TX2	
5150.3C.E27.2M.BZ.TX2	
5150.3C.E27.2M.SG.TX2	
5150.3C.E27.16.TR.TXM	
5150.3C.E27.53.BZ.TXJ	
5150.3C.E27.216.TR.TX2	
5150.3C.E27.216.TR.TXM	

5150.5C.E27/.. - MOBY 5 GLASS

~230V



IP20



built-up

pendant - with 5x Moby Ø250 - 1,5m textile cable

Lamptype

5x G80 E27 max. 8W

230V

Dimensions

L1800xB250xH1750 mm Cable 1500 mm

Base L1800xB45xH45 mm

Glass Ø250 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Messing

16

Ref	Price €
5150.5C.E27.2M.TR.TX2	
5150.5C.E27.2M.BZ.TX2	
5150.5C.E27.2M.SG.TX2	
5150.5C.E27.16.TR.TXM	
5150.5C.E27.53.BZ.TXJ	
5150.5C.E27.216.TR.TX2	
5150.5C.E27.216.TR.TXM	

5159.2B.3C/.. - MOBY 5 GLASS

~230V



IP20



built-up

pendant - with 3x Moby Ø250 and 2x Moby Ø180 - 1,5m textile cable

Lamptype

2x A60 E27 max. 8W

230V

3x G80 E27 max. 8W

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm

Base L1400xB50xH40 mm

Glass Ø180 mm

Glass Ø250 mm

Materials

Aluminium

1M | 2M | 53

Aluminium / Messing

216

Messing

16

Ref	Price €
5159.2B.3C.1M.TR.TX1	
5159.2B.3C.1M.BZ.TX1	
5159.2B.3C.1M.SG.TX1	
5159.2B.3C.2M.TR.TX2	
5159.2B.3C.2M.BZ.TX2	
5159.2B.3C.2M.SG.TX2	
5159.2B.3C.16.TR.TXM	
5159.2B.3C.53.BZ.TXJ	
5159.2B.3C.216.TR.TXM	
5159.2B.3C.216.TR.TX2	

5152.3.E27/.. - MOBY 3 GLASS

~230V



IP20



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

2x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø390xH1676 mm

Cable 1500 mm

Base Ø250xH28 mm

Glass Ø180 mm

Glass Ø250 mm

Ø220 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

Price €

5152.3.E27.2M.TR.TX2



5152.3.E27.2M.BZ.TX2



5152.3.E27.2M.SG.TX2



5152.3.E27.53.BZ.TXJ



5152.3.E27.216.TR.TX2



5152.3.E27.216.TR.TXM



built-up

5152.5.E27/.. - MOBY 5 GLASS

~230V



IP20



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

4x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

Ø530xH1676 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø370 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

Price €

5152.5.E27.2M.TR.TX2



5152.5.E27.2M.BZ.TX2



5152.5.E27.2M.SG.TX2



5152.5.E27.53.BZ.TXJ



5152.5.E27.216.TR.TX2



5152.5.E27.216.TR.TXM



built-up

CEILING UP

PENDANTS



5154.4.E27/.. - MOBY GLASS MIX

~230V



IP20



1.5 m



1.0000

0,5 m

4,6



pendant - combination 4x Moby - 1,5m textile cable

Lamptype

1x G80 E27 max. 8W

230V

3x ST64 E27 max. 8W

230V

Dimensions

Ø525xH1741 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø200 mm

Glass Ø250 mm

Ø370 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5154.4.E27.1M.TR.TX1



5154.4.E27.2M.TR.TX2



5154.4.E27.216.TR.TX2



5154.4.E27.216.TR.TXM



Price €

built-up

5155.7.E27/.. - MOBY GLASS MIX

~230V



IP20



1.5 m



5,6500

0,5 m

4,6



pendant - combination 7x Moby - 2m textile cable glitter

Lamptype

6x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

Ø650xH1741 mm

Cable 2000 mm

Base Ø500xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø470 mm

Materials

Aluminium

1M | 2M

Ref

5155.7.E27.1M.RBSMIX



5155.7.E27.2M.RBSMIX



Price €

built-up

TXG4 - TXG7 - TXG28



BT.5152.3.E27/.. - CASAMBI MOBY 3 GLASS

~230V



IP20



1.5 m



0.5 m



4.6



built-up

pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

2x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

↔ Ø390xH1676 mm

Cable 1500 mm

Base Ø250xH28 mm

Glass Ø180 mm

Glass Ø250 mm

↗ Ø220 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

Price €

BT.5152.3.E27.2M.TR.TX2



BT.5152.3.E27.2M.BZ.TX2



BT.5152.3.E27.2M.SG.TX2



BT.5152.3.E27.2M.SG.TX7



BT.5152.3.E27.53.BZ.TXJ



BT.5152.3.E27.216.TR.TX2



BT.5152.3.E27.216.TR.TXM



BT.5152.5.E27/.. - CASAMBI MOBY 5 GLASS

~230V



IP20



1.5 m



1.3000



0.5 m



4.6



built-up

pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

4x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

↔ Ø530xH1676 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

↗ Ø370 mm

Materials

Aluminium

2M | 53

Ref

Price €

BT.5152.5.E27.2M.TR.TX2



BT.5152.5.E27.2M.BZ.TX2



BT.5152.5.E27.2M.SG.TX2



BT.5152.5.E27.53.BZ.TXJ



BT.5152.5.E27.216.TR.TX2



BT.5152.5.E27.216.TR.TXM



INDOOR | Ceiling UP | Pendants | MERO

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

5157.2E.3M/.. - MOBY DECO GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamp type

3x LED 800lm CRI92 9,4W

230V

2x ST64 E27 max. 10w

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm

36°

Base L1400xB45xH45 mm

Glass Ø200 mm

tube Ø60xH300 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216

Messing 16

Ref	Price €
5157.2E.3M.1M.TR.TX1	NW WW
5157.2E.3M.1M.ST.TX1	NW WW
5157.2E.3M.2M.TR.TX2	NW WW
5157.2E.3M.2M.ST.TX2	NW WW
5157.2E.3M.16.TR.TXM	NW WW
5157.2E.3M.216.TR.TXM	NW WW
5157.2E.3M.216.TR.TX2	NW WW

5158.2C.3M/.. - MOBY GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamp type

3x LED 800lm CRI92 9,4W

230V

2x G80 E27 max. 8W

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm

36°

Base L1400xB50xH40 mm

Glass Ø250 mm

tube Ø60xH300 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216

Messing 16

Ref	Price €
5158.2C.3M.1M.TR.TX1	NW WW
5158.2C.3M.1M.ST.TX1	NW WW
5158.2C.3M.2M.TR.TX2	NW WW
5158.2C.3M.2M.ST.TX2	NW WW
5158.2C.3M.16.TR.TXM	NW WW
5158.2C.3M.216.TR.TXM	NW WW
5158.2C.3M.216.TR.TX2	NW WW





5063.C.E27.SH/.. - MOBY SH TRANSPARANT

~230V



IP20



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W 230V

Dimensions

Ø250xH270 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14

Messing 16 | 23

Rood koper 28

Ref

Price €

5063.C.E27.SH.1M.TR.TX1	
5063.C.E27.SH.2M.TR.TX2	
5063.C.E27.SH.14.TR.TX11	
5063.C.E27.SH.16.TR.TXM	
5063.C.E27.SH.23.TR.TXG23	
5063.C.E27.SH.28.TR.TXRK	

5064.B.E27.SH/.. - MOBY SH TRANSPARANT

~230V



IP20



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W 230V

OR 1x G80 E27 max. 8W 230V

Dimensions

Ø180xH210 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14 | 53

Messing 16 | 23

Rood koper 28

Ref

Price €

5064.B.E27.SH.1M.TR.TX1	
5064.B.E27.SH.2M.TR.TX2	
5064.B.E27.SH.14.TR.TX11	
5064.B.E27.SH.16.TR.TXM	
5064.B.E27.SH.23.TR.TXG23	
5064.B.E27.SH.53.TR.TXJ	
5064.B.E27.SH.28.TR.TXRK	

5082.A.E27.SH/.. - MOBY SH TRANSPARANT

~230V



IP20



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø140xH170 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14

Messing 16 | 23

Rood koper 28

Ref

Price €

5082.A.E27.SH.1M.TR.TX1	
5082.A.E27.SH.2M.TR.TX2	
5082.A.E27.SH.14.TR.TX11	
5082.A.E27.SH.16.TR.TXM	
5082.A.E27.SH.23.TR.TXG23	
5082.A.E27.SH.28.TR.TXRK	

5078.C.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 44 | 53

Messing

13

Ref

Price €

5078.C.E27.SH.2M.BZ.TXJ	
5078.C.E27.SH.2M.BZ.TX2	
5078.C.E27.SH.44.BZ.TX7	
5078.C.E27.SH.13.BZ.TX2	
5078.C.E27.SH.53.BZ.TXJ	
5078.C.E27.SH.53.BZ.TXG4	
5078.C.E27.SH.53.BZ.TX12	
5078.C.E27.SH.53.BZ.TXG13	

built-up

5079.B.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44 | 53

Messing

13

Ref

Price €

5079.B.E27.SH.2M.BZ.TX2	
5079.B.E27.SH.44.BZ.TX7	
5079.B.E27.SH.44.BZ.TX44	
5079.B.E27.SH.13.BZ.TXJ	
5079.B.E27.SH.13.BZ.TX2	
5079.B.E27.SH.53.BZ.TXJ	
5079.B.E27.SH.53.BZ.TXG4	
5079.B.E27.SH.53.BZ.TX12	
5079.B.E27.SH.53.BZ.TXG13	

built-up

5126.A.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



suspension with textile cable - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 44 | 53 | 46

Messing

13

Ref

Price €

5126.A.E27.SH.1M.BZ.TX1	
5126.A.E27.SH.2M.BZ.TX2	
5126.A.E27.SH.44.BZ.TX7	
5126.A.E27.SH.13.BZ.TX2	
5126.A.E27.SH.53.BZ.TXJ	
5126.A.E27.SH.53.BZ.TX12	
5126.A.E27.SH.46.BZ.TXG4	

built-up



5068.C.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



2 m



1.2883



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

↔ Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5068.C.E27.SH.2M.SG.TX2



5068.C.E27.SH.44.SG.TX44



Price €

built-up

5069.B.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



2 m



0.8220



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

↔ Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5069.B.E27.SH.2M.SG.TX2



5069.B.E27.SH.44.SG.TX44



Price €

built-up

5083.A.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



2 m



0.8900



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

↔ Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5083.A.E27.SH.2M.SG.TX2



5083.A.E27.SH.44.SG.TX44



Price €

built-up

5128.C.E27.SH/.. - MOBY SH STEEL

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5128.C.E27.SH.2M.ST.TX2

5128.C.E27.SH.44.ST.TX44

Price €

built-up

4988.B.E27.SH/.. - MOBY SH STEEL

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

4988.B.E27.SH.2M.ST.TX2

4988.B.E27.SH.44.ST.TX44

Price €

built-up

4976.A.E27.SH/.. - MOBY SH STEEL

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

4976.A.E27.SH.2M.ST.TX2

4976.A.E27.SH.44.ST.TX44

Price €

built-up

5188.B.E27.SH/.. - MOBY SH OLIVE GREEN

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH250 mm

Cable 2000 mm

Materials

Aluminium

RAL 1015 | RAL 7033

Ref

5188.B.E27.SH.RAL 1015.OGR.

TX50

5188.B.E27.SH.RAL 7033.OGR.

TX364

Price €

built-up

5189.A.E27.SH/.. - MOBY SH OLIVE GREEN

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH210 mm

Cable 2000 mm

Materials

Aluminium

RAL 1015 | RAL 7033

Ref

5189.A.E27.SH.RAL 1015.

OGR.TX50

5189.A.E27.SH.RAL 7033.

OGR.TX364

Price €

built-up



CEILING UP

PENDANTS



5170.C.E27.SH/.. - MOBY SH OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5170.C.E27.SH.1M.OM.TX1



5170.C.E27.SH.2M.OM.TX2



5170.C.E27.SH.16.OM.TXM



5170.C.E27.SH.16.OM.TX42



5170.C.E27.SH.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5171.B.E27.SH/.. - MOBY SH OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5171.B.E27.SH.1M.OM.TX1



5171.B.E27.SH.2M.OM.TX2



5171.B.E27.SH.16.OM.TXM



5171.B.E27.SH.16.OM.TX42



5171.B.E27.SH.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5172.A.E27.SH/.. - MOBY SH OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5172.A.E27.SH.1M.OM.TX1



5172.A.E27.SH.2M.OM.TX2



5172.A.E27.SH.16.OM.TXM



5172.A.E27.SH.16.OM.TX42



5172.A.E27.SH.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs



5173.C.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

Price €

5173.C.E27.SH.1M.OG.TX1



5173.C.E27.SH.2M.OG.TX2



5173.C.E27.SH.16.OG.TXM



5173.C.E27.SH.16.OG.TX42



5173.C.E27.SH.16.OG.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5174.B.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

Price €

5174.B.E27.SH.1M.OG.TX1



5174.B.E27.SH.2M.OG.TX2



5174.B.E27.SH.16.OG.TXM



5174.B.E27.SH.16.OG.TX42



5174.B.E27.SH.16.OG.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5175.A.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

Price €

5175.A.E27.SH.1M.OG.TX1



5175.A.E27.SH.2M.OG.TX2



5175.A.E27.SH.16.OG.TXM



5175.A.E27.SH.16.OG.TX42



5175.A.E27.SH.16.OG.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

4950.C.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4

Ref

Price €

4950.C.E27.SH.2M.GD.TX2



4950.C.E27.SH.2M.GD.TXM



4950.C.E27.SH.4.GD.TX2



4950.C.E27.SH.4.GD.TXM



*built-up
gold coated to transparent*

4951.B.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4

Ref

Price €

4951.B.E27.SH.2M.GD.TX2



4951.B.E27.SH.2M.GD.TXM



4951.B.E27.SH.4.GD.TXM



4951.B.E27.SH.4.GD.TX2



*built-up
gold coated to transparent*

4952.A.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

16

Ref

Price €

4952.A.E27.SH.2M.GD.TX2



4952.A.E27.SH.16.GD.TXG4



*built-up
Combination with built-in rosette possible from 81.10
with torsion springs*



4953.C.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



2 m



1.0000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Ref

4953.C.E27.SH.2M.SGD.TX2

4953.C.E27.SH.14.SGD.TX2

4953.C.E27.SH.14.SGD.TXN

Price €

built-up
silver coated to transparent

4954.B.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



2 m



0.8000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Ref

4954.B.E27.SH.2M.SGD.TX2

4954.B.E27.SH.14.SGD.TXN

4954.B.E27.SH.14.SGD.TX2

Price €

built-up
silver coated to transparent

4955.A.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



2 m



0.8000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Ref

4955.A.E27.SH.2M.SGD.TX2

4955.A.E27.SH.14.SGD.TXN

4955.A.E27.SH.14.SGD.TX2

Price €

built-up
Combination with built-in rosette possible from 81.10
with torsion springs



4969.C.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



2 m



1.1900



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

13

Ref

4969.C.E27.SH.2M.BRC.TX2



4969.C.E27.SH.13.BRC.TX43



4969.C.E27.SH.13.BRC.TX33



Price €

*built-up
bronze coated glass*

4968.B.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



2 m



0.7340



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

13

Ref

4968.B.E27.SH.2M.BRC.TX2



4968.B.E27.SH.13.BRC.TX43



4968.B.E27.SH.13.BRC.TX33



Price €

*built-up
bronze coated glass*

4967.A.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



2 m



0.6583



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

13

Ref

4967.A.E27.SH.2M.BRC.TX2



4967.A.E27.SH.13.BRC.TX43



4967.A.E27.SH.13.BRC.TX33



Price €

*built-up
bronze coated glass*



4993.C.E27.SH/.. - MOBY SH GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

16

Ref

4993.C.E27.SH.2M.GC.TX2



4993.C.E27.SH.16.GC.TX2



4993.C.E27.SH.16.GC.TXM



Price €

built-up
gold coated glass

4989.B.E27.SH/.. - MOBY SH GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

4989.B.E27.SH.2M.GC.TX2



4989.B.E27.SH.4.GC.TX4



4989.B.E27.SH.16.GC.TXM



4989.B.E27.SH.16.GC.TX2



Price €

built-up
gold coated glass

4995.A.E27.SH/.. - MOBY SH GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

4995.A.E27.SH.2M.GC.TX2



4995.A.E27.SH.4.GC.TX4



4995.A.E27.SH.16.GC.TXM




Price €

built-up
gold coated glass

4979.C.E27.SH/.. - MOBY SH RKC ~230V IP20 2 m 1.1300 0,5 m 5.6

~230V  IP20     2 m   1.1300  0,5 m  5.6 



	Ref	Price €
pendant - with 2m textile cable and strain relief on lampholder's side		

Lamptype 4979.C.E27.SH.2M.RKC.TX2

1x G80 E27 max. 12w 230V 4979.C.E27.SH.28.RKC.TXG28

Dimensions 4979.C.E27.SH.28.RKC.TXRK

↔ Ø250xH270 mm Cable 2000 mm

Materials


Aluminium	2M
-----------	----

Rood koper 28

*built-up
red copper coated glass*

4978.B.E27.SH/.. - MOBY SH RKC ~230V IP20 2 m 0.7800 0.5 m 5.6

~230V 2m



	Ref	Price €
pendant - with 2m textile cable and strain relief on lampholder's side		

Lamptype 4978.B.E27.SH.2M.RKC.TX2

1x G80 E27 max. 12w	230V	4978.B.E27.SH.28.RKC.TXG28	
---------------------	------	----------------------------	---

Dimensions 4978.B.E27.SH.28.RKC.TXRK

 Ø180xH210 mm
 Cable 2000 mm
 4978.B.E27.SH.28.RKC.TX14
 

Materials


Aluminium	2M
-----------	----

Rood koper	28
------------	----

built-up
red copper coated glass

4996.A.E27.SH/.. - MOBY SH RKC ~230V IP20 2 m 0.5200 0,5 m 5.6

~230V  IP20    2m    



	Ref	Price €
pendant - with 2m textile cable and strain relief on lampholder's side		

Lamptype 4996.A.E27.SH.2M.RKC.1X2

1x D45 E27 max. 15W 230V 4996.A.E27.SH.28.RKC.TXG28

Dimensions 4996.A.E27.SH.28.RKC.TXRK

 Ø140xH170 mm
 Cable 2000 mm
 4996.A.E27.SH.28.RKC.TX14

Materials

Aluminium	2M
-----------	----

Rood koper 28

built-up
red copper coated glass

4997.A.E27.SH/.. - MOBY SH PINKY

~230V



IP20



2



2 m



0.6833



0.5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M | 46

Ref

4997.A.E27.SH.2M.PKY.TX2



4997.A.E27.SH.46.PKY.TXG30



4997.A.E27.SH.46.PKY.TX31



Price €

*built-up
pink coated glass*



CEILING UP

PENDANTS

4068.C.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

Ø250xH270 mm Cable 2000 mm

Materials

Aluminium 2M | 14

Messing 16

Rood koper 28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4068.C.E27.SH.2M.GL.TX2	
4068.C.E27.SH.2M.RCL.TX2	
4068.C.E27.SH.2M.SL.TX2	
4068.C.E27.SH.2M.GLP.TX2	
4068.C.E27.SH.14.SL.TXN	
4068.C.E27.SH.14.SL.TX11	
4068.C.E27.SH.16.GL.TXM	
4068.C.E27.SH.16.GL.TX42	
4068.C.E27.SH.28.RCL.TXRK	
4068.C.E27.SH.28.RCL.TX14	

4069.B.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH210 mm Cable 2000 mm

Materials

Aluminium 2M | 14

Messing 16

Rood koper 28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4069.B.E27.SH.2M.GL.TX2	
4069.B.E27.SH.2M.RCL.TX2	
4069.B.E27.SH.2M.SL.TX2	
4069.B.E27.SH.2M.GLP.TX2	
4069.B.E27.SH.14.SL.TXN	
4069.B.E27.SH.14.SL.TX11	
4069.B.E27.SH.16.GL.TXM	
4069.B.E27.SH.16.GL.TX42	
4069.B.E27.SH.28.RCL.TXRK	
4069.B.E27.SH.28.RCL.TX14	

4070.A.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 5W 230V

Dimensions

Ø140xH170 mm Cable 2000 mm

Materials


Aluminium 2M | 14

Messing 16

Rood koper 28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4070.A.E27.SH.2M.GL.TX2	
4070.A.E27.SH.2M.RCL.TX2	
4070.A.E27.SH.2M.SL.TX2	
4070.A.E27.SH.2M.GLP.TX2	
4070.A.E27.SH.14.SL.TXN	
4070.A.E27.SH.14.SL.TX11	
4070.A.E27.SH.16.GL.TXM	
4070.A.E27.SH.16.GL.TX42	
4070.A.E27.SH.28.RCL.TXRK	
4070.A.E27.SH.28.RCL.TX14	



5183.C.E27.SH/.. - MOBY SH COPPER BRONZ

~230V



IP20



2 m



1.3000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 71

Messing

13

Ref

5183.C.E27.SH.2M.CB.TX2



5183.C.E27.SH.13.CB.TX43



5183.C.E27.SH.13.CB.TX33



5183.C.E27.SH.71.CB.TX21



Price €

built-up
copper-bronze coated glass

5184.B.E27.SH/.. - MOBY SH COPPER BRONZ

~230V



IP20



2 m



0.8900



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 71

Messing

13

Ref

5184.B.E27.SH.2M.CB.TX2



5184.B.E27.SH.13.CB.TX43



5184.B.E27.SH.13.CB.TX33



5184.B.E27.SH.71.CB.TX21



Price €

built-up
copper-bronze coated glass

5185.A.E27.SH/.. - MOBY SH COPPER BRONZ

~230V



IP20



2 m



0.8000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M | 71

Messing

13

Ref

5185.A.E27.SH.2M.CB.TX2



5185.A.E27.SH.13.CB.TX43



5185.A.E27.SH.13.CB.TX33



5185.A.E27.SH.71.CB.TX21





Price €

built-up
copper-bronze coated glass



5151.3C.SH/.. - MOBY SH 3 GLASS

~230V



built-up

pendant - with 3x Moby Ø250 - 1,5m textile cable

Lamptype

3x G80 E27 max. 12w 230V

Dimensions

L1200xB250xH1810 mm Cable 1500 mm

Base L1200xB50xH40 mm Glass Ø250 mm

Materials


Aluminium 2M | 53
Aluminium / Messing 216
Messing 16

Ref Price €

5151.3C.SH.2M.TR.TX2	
5151.3C.SH.2M.BZ.TX2	
5151.3C.SH.2M.SG.TX2	
5151.3C.SH.16.TR.TXM	
5151.3C.SH.53.BZ.TXJ	
5151.3C.SH.216.TR.TX2	
5151.3C.SH.216.TR.TXM	

5151.5C.SH/.. - MOBY SH 5 GLASS

~230V



built-up

pendant - with 5x Moby Ø250 - 1,5m textile cable

Lamptype

5x G80 E27 max. 12w 230V

Dimensions

L1400xB250xH1810 mm Cable 1500 mm

Base L1400xB50xH40 mm Glass Ø250 mm

Materials


Aluminium 2M | 53
Aluminium / Messing 216
Messing 16

Ref Price €

5151.5C.SH.2M.TR.TX2	
5151.5C.SH.2M.BZ.TX2	
5151.5C.SH.2M.SG.TX2	
5151.5C.SH.16.TR.TXM	
5151.5C.SH.53.BZ.TXJ	
5151.5C.SH.216.TR.TX2	
5151.5C.SH.216.TR.TXM	

5156.3B.E27/.. - MOBY GLASS

~230V



built-up

pendant + swivel, rod shorten. - 3x Moby Ø180

Lamptype

3x A60 E27 max. 15W 230V

Dimensions

L900xB180xH1100 mm Rod 800 mm

Base L900 mm Glass Ø180 mm

L450xB60xH30 mm

Materials


Aluminium 1M | 2M | 53

Ref Price €

5156.3B.E27.1M.TR	
5156.3B.E27.1M.BZ	
5156.3B.E27.1M.SG	
5156.3B.E27.2M.TR	
5156.3B.E27.2M.BZ	
5156.3B.E27.2M.SG	
5156.3B.E27.53.BZ	

5156.5B.E27/.. - MOBY GLASS

~230V



built-up

pendant + swivel, rod shorten. - 5x Moby Ø180

Lamptype

5x A60 E27 max. 15W 230V

Dimensions

L1600xB180xH1100 mm Rod 800 mm

Base L1600 mm Glass Ø180 mm

L450xB60xH30 mm

Materials

Aluminium 1M | 2M | 53

Ref Price €

5156.5B.E27.1M.TR	
5156.5B.E27.1M.BZ	
5156.5B.E27.1M.SG	
5156.5B.E27.2M.TR	
5156.5B.E27.2M.BZ	
5156.5B.E27.2M.SG	
5156.5B.E27.53.BZ	



5153.SH.3/.. - MOBY SH 3 GLASS

~230V



IP20



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

3x A60 E27 max. 8W

230V

Dimensions

Ø390xH1798 mm

Cable 1500 mm

Base Ø250xH28 mm

Glass Ø180 mm

Glass Ø250 mm

Ø220 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

5153.SH.3.2M.TR.TX2



5153.SH.3.2M.BZ.TX2



5153.SH.3.2M.SG.TX2



5153.SH.3.53.BZ.TXJ



5153.SH.3.216.TR.TX2



5153.SH.3.216.TR.TXM



Price €

built-up

5153.SH.5/.. - MOBY SH 5 GLASS

~230V



IP20



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

Ø530xH1798 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø370 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

5153.SH.5.2M.TR.TX2



5153.SH.5.2M.BZ.TX2



5153.SH.5.2M.SG.TX2



5153.SH.5.53.BZ.TXJ



5153.SH.5.216.TR.TX2



5153.SH.5.216.TR.TXM



Price €

built-up

5163.7.E27/.. - MOBY NOELLA GLASS MIX

~230V



IP20



pendant - combination Moby, Moby metal leaf and Noella - with 4m textile cable

Lamptype

5x A60 E27 max. 15W

230V

2x D45 E27 max. 15W

230V

Dimensions

Ø500 mm

Cable 4000 mm

Base Ø500xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø470 mm

Materials

Aluminium / Messing

116

Ref

5163.7.E27.116.GRMIX.TXM



Price €

built-up

Ceiling plate in satin gold - base in black

5186.7.E27.SH../.. - MOBY GLASS BRONZE MIX

~230V



IP20



pendant - combination 7x Moby - bronz + copper bronz - 2m textile cable

Lamptype

6x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

Ø650xH1741 mm

Cable 2000 mm

Base Ø500xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø470 mm

Materials

Aluminium

Ref

5186.7.E27.SH.71.BZMIX.TX21

Price €

built-up
Other base colours on request
Ceiling base white - socket light rust - cable rust





CEILING UP

PENDANTS

5181.3B.E27/.. - MOBY SH OPAL GLASS

~230V



pendant + swivel, rod shorten. - 3x Moby Ø180

Lamptype

3x A60 E27 max. 15W

230V

Dimensions

↔ L900xB180xH1100 mm Rod 800 mm

Base L900 mm

Glass Ø180 mm

↗ L450xB60xH30 mm

Materials

Aluminium

1M | 2M

Ref

5181.3B.E27.1M.OM

5181.3B.E27.1M.OG

5181.3B.E27.2M.OM

5181.3B.E27.2M.OG





Price €

built-up

5181.5B.E27/.. - MOBY SH OPAL GLASS

~230V



pendant + swivel, rod shorten. - 5x Moby Ø180

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

↔ L1600xB180xH1100 mm Rod 800 mm

Base L1600 mm

Glass Ø180 mm

↗ L450xB60xH30 mm

Materials

Aluminium

1M | 2M

Ref

5181.5B.E27.1M.OM

5181.5B.E27.1M.OG

5181.5B.E27.2M.OM

5181.5B.E27.2M.OG



Price €

built-up

CEILING UP

PENDANTS



5180.SH.3/.. - MOBY SH 3 OPAL GLASS

~230V



IP20



1.5 m



0,5 m



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

3x A60 E27 max. 8W

230V

Dimensions

Ø390xH1798 mm

Cable 1500 mm

Base Ø250xH28 mm

Glass Ø180 mm

Glass Ø250 mm

Ø220 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

Price €

5180.SH.3.1M.OM.TX1



5180.SH.3.1M.OG.TX1



5180.SH.3.2M.OG.TX2



5180.SH.3.2M.OM.TX2



5180.SH.3.216.OM.TXM



5180.SH.3.216.OG.TXM



5180.SH.3.216.OM.TX2



5180.SH.3.216.OG.TX2



built-up

5180.SH.5/.. - MOBY SH 5 OPAL GLASS

~230V



IP20



1.5 m



0,5 m



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

Ø530xH1798 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø370 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

Price €

5180.SH.5.1M.OG.TX1



5180.SH.5.1M.OM.TX1



5180.SH.5.2M.OM.TX2



5180.SH.5.2M.OG.TX2



5180.SH.5.216.OG.TXM



5180.SH.5.216.OM.TXM



5180.SH.5.216.OG.TX2



5180.SH.5.216.OM.TX2




built-up



3992.E.ZXO/.. - MOBY DECO ZXO

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamp type

1x LED 350lm CRI90 4W

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

3992.E.ZXO.1M.TR.TX1

NW | WW

3992.E.ZXO.2M.TR.TX2

NW | WW

3992.E.ZXO.16.TR.TX4

NW | WW

3992.E.ZXO.16.TR.TXM

NW | WW

Price €

built-up

3992.E.XTM/.. - MOBY DECO XTM

=350mA



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI83 4,5W 12,86Vf

350mA

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

3992.E.XTM.1M.TR.TX1

NW | WW

3992.E.XTM.2M.TR.TX2

NW | WW

3992.E.XTM.16.TR.TX4

NW | WW

3992.E.XTM.16.TR.TXM

NW | WW

Price €

built-up



5206.E.E27/.. - MOBY DECO BRONZ

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w 230V

Dimensions

Ø200xH210 mm Cable 2000 mm

Materials

Aluminium 2M | 53

Ref

5206.E.E27.2M.BZ.TX2
5206.E.E27.53.BZ.TX2
5206.E.E27.53.BZ.TXG13
5206.E.E27.53.BZ.TXJ

Price €

built-up

5043.E.E27/.. - MOBY DECO STEEL

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w 230V

Dimensions

Ø200xH210 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14
Messing 16 | 23
Rood koper 28

Ref

5043.E.E27.1M.ST.TX1
5043.E.E27.2M.ST.TX2
5043.E.E27.14.ST.TX11
5043.E.E27.16.ST.TXM
5043.E.E27.23.ST.TXG23
5043.E.E27.28.ST.TXRK

Price €

built-up

5097.E.E27/.. - MOBY DECO TRANPARANT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w 230V

Dimensions

Ø200xH210 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14
Messing 16 | 23
Rood koper 28

Ref

5097.E.E27.1M.TR.TX1
5097.E.E27.2M.TR.TX2
5097.E.E27.14.TR.TX11
5097.E.E27.16.TR.TXM
5097.E.E27.23.TR.TXG23
5097.E.E27.28.TR.TXRK

Price €

built-up

5138.E.E27/.. - MOBY DECO GOLD

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

5138.E.E27.2M.GC.TX2



5138.E.E27.4.GC.TX4



5138.E.E27.16.GC.TXM



Price €

built-up
gold coated glass

5129.E.E27/.. - MOBY DECO RKC

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28

Ref

5129.E.E27.2M.RKC.TX2



5129.E.E27.2M.RKC.TXG28



5129.E.E27.28.RKC.TXRK



5129.E.E27.28.RKC.TX14



Price €

built-up
red copper coated glass

5139.E.E27/.. - MOBY DECO PINKY

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Ref

5139.E.E27.2M.PKY.TX2



5139.E.E27.2M.PKY.TXG30




Price €

built-up
pink coated glass

5162.3E/.. - MOBY DECO GLASS

~230V



built-up

pendant - with 3x Moby - 1,5m textile cable

Lamptype

3x ST64 E27 max. 8W 230V

Dimensions

L900xB200xH1755 mm Cable 1500 mm

Base L900xB50xH40 mm Glass Ø200xH215 mm


Materials

Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref	Price €
5162.3E.1M.TR.TX1	
5162.3E.1M.ST.TX1	
5162.3E.2M.TR.TX2	
5162.3E.2M.ST.TX2	
5162.3E.16.TR.TXM	
5162.3E.216.TR.TXM	
5162.3E.216.TR.TX2	

5157.2E.3M/.. - MOBY DECO GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 800lm CRI92 9,4W 230V
2x ST64 E27 max. 10w 230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm

36° Base L1400xB45xH45 mm

Glass Ø200 mm tube Ø60xH300 mm


Materials

Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref	Price €
5157.2E.3M.1M.TR.TX1	NW WW
5157.2E.3M.1M.ST.TX1	NW WW
5157.2E.3M.2M.TR.TX2	NW WW
5157.2E.3M.2M.ST.TX2	NW WW
5157.2E.3M.16.TR.TXM	NW WW
5157.2E.3M.216.TR.TXM	NW WW
5157.2E.3M.216.TR.TX2	NW WW

BT.5157.2E.3M/.. - CASAMBI MOBY DECO GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 800lm CRI92 9,4W 230V
2x ST64 E27 max. 10w 230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm

36° Base L1400xB50xH40 mm

Glass Ø200 mm tube Ø60xH300 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref	Price €
BT.5157.2E.3M.1M.TR.TX1	NW WW
BT.5157.2E.3M.1M.ST.TX1	NW WW
BT.5157.2E.3M.2M.TR.TX2	NW WW
BT.5157.2E.3M.2M.ST.TX2	NW WW
BT.5157.2E.3M.16.TR.TXM	NW WW
BT.5157.2E.3M.216.TR.TXM	NW WW
BT.5157.2E.3M.216.TR.TX2	NW WW



CEILING UP

PENDANTS

5098.E27/.. - MOBY TULIP TRANSPARANT

~230V



IP20



2 m



0.9329



0.5 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W 230V
OR 1x G80 E27 max. 8W 230V

Dimensions

Ø200xH200 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14 | 53
Messing 16 | 23
Rood koper 28

Ref

5098.E27.1M.TR.TX1

5098.E27.2M.TR.TX2

5098.E27.14.TR.TX11

5098.E27.16.TR.TXM

5098.E27.23.TR.TXG23

5098.E27.53.TR.TXJ

5098.E27.28.TR.TXRK

Price €



built-up



 IP20

 1.9000
 0,5 m
 5.6



 IP20

 0,5 m
 5.6



 IP20

 1.0500
 0,5 m
 5.6



1467.SH.C.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

Ø250xH570 mm Rod 300 mm

Base Ø160xH20 mm Glass Ø250 mm

Materials

Aluminium 1M | 2M | 53

Ref

1467.SH.C.300.1M.TR	
1467.SH.C.300.1M.BZ	
1467.SH.C.300.1M.SG	
1467.SH.C.300.2M.TR	
1467.SH.C.300.2M.BZ	
1467.SH.C.300.2M.SG	
1467.SH.C.300.53.BZ	

Price €

built-up

1618.SH.B.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH510 mm Rod 300 mm

Base Ø170xH20 mm Glass Ø180 mm

Materials

Aluminium 2M | 53

Ref

1618.SH.B.300.2M.BZ	
1618.SH.B.300.2M.SG	
1618.SH.B.300.2M.TR	
1618.SH.B.300.53.BZ	

Price €

built-up

1619.SH.A.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W 230V

Dimensions

Ø170xH470 mm Rod 300 mm

Base Ø170xH20 mm Glass Ø140 mm

Materials

Aluminium 2M | 53

Ref

1619.SH.A.300.2M.RKC	
1619.SH.A.300.2M.GC	
1619.SH.A.300.2M.SC	
1619.SH.A.300.2M.PKY	
1619.SH.A.300.2M.ST	
1619.SH.A.300.2M.SG	
1619.SH.A.300.2M.TR	
1619.SH.A.300.2M.BZ	
1619.SH.A.300.53.BZ	

Price €

built-up

1620.SH.B.300/.. - MOBY SH

~230V



built-up

table lamp - directional - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH560 mm

Rod 300 mm

Base Ø160xH20 mm

Glass Ø180 mm

Materials

Aluminium

2M | 53

Ref

1620.SH.B.300.2M.BZ



1620.SH.B.300.2M.TR



1620.SH.B.300.2M.SG



1620.SH.B.300.2M.ST



1620.SH.B.300.2M.GL



1620.SH.B.300.53.BZ

**Price €**

1621.SH.A.300/.. - MOBY SH

~230V



built-up

table lamp - directional - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø160xH520 mm

Rod 300 mm

Base Ø160xH20 mm

Glass Ø140 mm

Materials

Aluminium

2M | 53

Ref

1621.SH.A.300.2M.TR



1621.SH.A.300.2M.SG



1621.SH.A.300.2M.ST



1621.SH.A.300.2M.BZ



1621.SH.A.300.2M.GC



1621.SH.A.300.2M.SC



1621.SH.A.300.2M.PKY



1621.SH.A.300.2M.RKC



1621.SH.A.300.53.BZ

**Price €**

1536.SH.C/.. - MOBY SH

~230V



floorlamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

Ø260xH1480 mm Rod 1200 mm

Base Ø260xH30 mm Glass Ø250 mm

Materials

Aluminium 1M | 2M | 53

Options

S1640/.. DIMMER KABEL

Ref

1536.SH.C.1M.TR	
1536.SH.C.1M.BZ	
1536.SH.C.1M.SG	
1536.SH.C.2M.TR	
1536.SH.C.2M.BZ	
1536.SH.C.2M.SG	
1536.SH.C.53.BZ	

Price €

built-up

1538.SH.B/.. - MOBY SH

~230V



floorlamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø260xH1420 mm Rod 1200 mm

Base Ø260xH30 mm Glass Ø180 mm

Materials

Aluminium 1M | 2M | 53

Options

S1640/.. DIMMER KABEL

Ref

1538.SH.B.1M.TR	
1538.SH.B.1M.BZ	
1538.SH.B.1M.SG	
1538.SH.B.2M.TR	
1538.SH.B.2M.BZ	
1538.SH.B.2M.SG	
1538.SH.B.53.BZ	

Price €

built-up

1539.SH.A/.. - MOBY SH

~230V



floorlamp - fixed - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W 230V

Dimensions

Ø260xH1380 mm Rod 1200 mm

Base Ø260xH30 mm Glass Ø140 mm

Materials

Aluminium 1M | 2M | 53

Options

S1640/.. DIMMER KABEL

Ref

1539.SH.A.1M.TR	
1539.SH.A.1M.BZ	
1539.SH.A.1M.SG	
1539.SH.A.2M.TR	
1539.SH.A.2M.BZ	
1539.SH.A.2M.SG	
1539.SH.A.53.BZ	

Price €

built-up

5204.SH.C/.. - MOBY SH

~230V



IP20



11.3000 0,5 m 4,6



built-up

floorlamp - directional - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø320xH1120 mm

Rod 1000 mm

Glass Ø250 mm

Materials

Aluminium

1M | 2M | 53 | 46

Messing

16

Ref

Price €

5204.SH.C.1M.90



5204.SH.C.1M.TR



5204.SH.C.2M.90



5204.SH.C.2M.TR



5204.SH.C.16.90



5204.SH.C.16.TR



5204.SH.C.46.90



5204.SH.C.46.TR




5204.SH.C.53.BZ



1639.SH/.. - MOBY SH

~230V



built-up

floorlamp - fixed - with switch - cable and plug

Lamptype

2x A60 E27 max. 15W 230V
1x D45 E27 max. 15W 230V

Dimensions

↔ L245xB245xH1782 mm Bar H1000 mm

Bar H1250 mm Bar H1500 mm

Base L245xB245xH32 mm Glass Ø140 mm

Glass Ø180 mm Glass Ø250 mm

Materials

Aluminium 2M | 53

Options

S1640/.. DIMMER KABEL

Ref

1639.SH.2M.TR

1639.SH.2M.BZ

1639.SH.2M.GL

1639.SH.53.BZ



Price €

1740.SH.C/.. - MOBY SH

~230V



built-up




table lamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

↔ Ø250xH230 mm Base Ø160xH20 mm

Glass Ø250 mm

Materials

Aluminium 1M | 2M | 53

Messing 16

Ref

1740.SH.C.1M.TR

1740.SH.C.1M.BZ

1740.SH.C.1M.SG

1740.SH.C.2M.TR

1740.SH.C.2M.BZ

1740.SH.C.2M.SG

1740.SH.C.16.TR

1740.SH.C.16.BZ

1740.SH.C.53.BZ



Price €

1740.SH.B/.. - MOBY SH

~230V



built-up



table lamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

↔ Ø180xH170 mm Base Ø160xH20 mm

Glass Ø180 mm

Materials

Aluminium 1M | 2M | 53 | 46

Messing 16

Ref

1740.SH.B.1M.TR

1740.SH.B.1M.BZ

1740.SH.B.1M.SG

1740.SH.B.2M.BZ

1740.SH.B.2M.SG

1740.SH.B.2M.TR

1740.SH.B.16.TR

1740.SH.B.16.BZ

1740.SH.B.53.BZ

1740.SH.B.46.BZ



Price €

5161.SH.A/.. - MOBY SH

~230V

IP20 0.6500 0.5 m 5.6 CE



built-up wall light - fixed - with E27 lampholder

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

B140xH210xD170 mm Base B50xH70xD120 mm

Glass Ø140 mm

Materials

Aluminium

1M | 2M

Ref

5161.SH.A.1M.TR

5161.SH.A.1M.BZ

5161.SH.A.1M.SG

5161.SH.A.2M.TR

5161.SH.A.2M.BZ

5161.SH.A.2M.SG

Price €









built-up








WALL UP

Glass Colours



Colours



Andere kleuren op aanvraag - Autres couleurs sur demande - Andere Farben auf Anfrage
Other colours on request



Textile Colours





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.