



Moby

timeless classic lighting



psmighting
Delighted to help you



All information in this catalogue is without engagement.
Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmlighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

5087.C.E27/.. - MOBY TRANSPARANT

~230V



IP20



2 m



1.7000



0,5 m



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210

Cable 2000

Materials

Aluminium

1M | 2M | 14 | 53

Messing

16 | 23

Rood koper

28

Ref

5087.C.E27.1M.TR.TX1



5087.C.E27.2M.TR.TX2



5087.C.E27.14.TR.TX11



5087.C.E27.16.TR.TXM



5087.C.E27.23.TR.TXG23



5087.C.E27.53.TR.TXJ



5087.C.E27.28.TR.TXRK



Price €

5088.B.E27/.. - MOBY TRANSPARANT

~230V



IP20



2 m



1.3000



0,5 m



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH140

Cable 2000

Materials

Aluminium

1M | 2M | 14 | 53

Messing

16 | 23

Rood koper

28

Ref

5088.B.E27.1M.TR.TX1



5088.B.E27.2M.TR.TX2



5088.B.E27.14.TR.TX11



5088.B.E27.16.TR.TXM



5088.B.E27.23.TR.TXG23



5088.B.E27.53.TR.TXJ



5088.B.E27.28.TR.TXRK



Price €

5089.A.E27/.. - MOBY TRANSPARANT

~230V



IP20



2 m



4.6000



0,5 m



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120

Cable 2000

Materials

Aluminium

1M | 2M | 14

Messing

16 | 23

Rood koper

28

Ref

5089.A.E27.1M.TR.TX1



5089.A.E27.2M.TR.TX2



5089.A.E27.14.TR.TX11



5089.A.E27.16.TR.TXM



5089.A.E27.23.TR.TXG23



5089.A.E27.28.TR.TXRK



Price €

5089.A.E14/.. - MOBY TRANSPARANT

~230V



IP20



2 m



0.8000



0,5 m



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W

230V

1x C35 E14 max. 4W

230V

Dimensions

Ø140xH120

Cable 2000

Materials

Aluminium

1M | 2M | 14

Messing

16 | 23

Rood koper

28

Ref

5089.A.E14.1M.TR.TX1



5089.A.E14.2M.TR.TX2



5089.A.E14.14.TR.TX11



5089.A.E14.16.TR.TXM



5089.A.E14.23.TR.TXG23



5089.A.E14.28.TR.TXRK



Price €




CEILING UP

PENDANTS

5093.C.E27/.. - MOBY BRONZ

~230V



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W 230V

Dimensions

Ø250xH210 Cable 2000


Materials

Aluminium 2M | 44 | 53

Ref	Price €
5093.C.E27.2M.BZ.TXJ	
5093.C.E27.2M.BZ.TX2	
5093.C.E27.44.BZ.TX7	
5093.C.E27.53.BZ.TXJ	
5093.C.E27.53.BZ.TXG4	
5093.C.E27.53.BZ.TX12	
5093.C.E27.53.BZ.TXG13	
5093.C.E27.53.BZ.TX33	

5094.B.E27/.. - MOBY BRONZ

~230V



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W 230V

Dimensions

Ø180xH140 Cable 2000


Materials

Aluminium 2M | 44 | 53

Ref	Price €
5094.B.E27.2M.BZ.TX2	
5094.B.E27.2M.BZ.TX44	
5094.B.E27.44.BZ.TX7	
5094.B.E27.53.BZ.TXJ	
5094.B.E27.53.BZ.TXG4	
5094.B.E27.53.BZ.TX12	
5094.B.E27.53.BZ.TXG13	
5094.B.E27.53.BZ.TX33	

5095.A.E27/.. - MOBY BRONZ

~230V



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø140xH120 Cable 2000


Materials

Aluminium 1M | 2M | 44 | 53 | 46

Ref	Price €
5095.A.E27.1M.BZ.TX1	
5095.A.E27.2M.BZ.TX2	
5095.A.E27.44.BZ.TX7	
5095.A.E27.53.BZ.TXJ	
5095.A.E27.53.BZ.TX12	
5095.A.E27.46.BZ.TXG4	

5095.A.E14/.. - MOBY BRONZ

~230V



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W 230V

Dimensions

Ø140xH120 Cable 2000

Materials

Aluminium 1M | 2M | 44 | 53 | 46

Ref	Price €
5095.A.E14.1M.BZ.TX1	
5095.A.E14.2M.BZ.TX2	
5095.A.E14.44.BZ.TX7	
5095.A.E14.53.BZ.TXJ	
5095.A.E14.53.BZ.TX12	
5095.A.E14.53.BZ.TXG4	
5095.A.E14.46.BZ.TXG4	



5084.C.E27/.. - MOBY SMOKEY GREY

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210

Cable 2000

Materials

Aluminium

2M | 44

Ref

5084.C.E27.2M.SG.TX2



5084.C.E27.2M.SG.TXG7



5084.C.E27.44.SG.TX44



Price €

built-up

5085.B.E27/.. - MOBY SMOKEY GREY

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH140

Cable 2000

Materials

Aluminium

2M | 44

Ref

5085.B.E27.2M.SG.TX2



5085.B.E27.2M.SG.TXG7



5085.B.E27.44.SG.TX44



Price €

built-up

5086.A.E27/.. - MOBY SMOKEY GREY

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120

Cable 2000

Materials

Aluminium

2M | 44

Ref

5086.A.E27.2M.SG.TX2



5086.A.E27.2M.SG.TXG7



5086.A.E27.44.SG.TX44



Price €

built-up

5099.A.E14/.. - MOBY SMOKEY GREY

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W

230V

Dimensions

Ø140xH120

Cable 2000

Materials

Aluminium

2M | 44

Ref

5099.A.E14.2M.SG.TX2



5099.A.E14.2M.SG.TXG7



5099.A.E14.44.SG.TX44



Price €

built-up

5109.C.E27/.. - MOBY STEEL

~230V



IP20



2 m



built-up

pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210

Cable 2000

Materials

Aluminium

2M | 44

Ref

5109.C.E27.2M.ST.TX2



5109.C.E27.44.ST.TX44



Price €



CEILING UP

PENDANTS

5176.C.E27/.. - MOBY OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

1M | 2M

Messing

16

Ref

5176.C.E27.1M.OM.TX1



5176.C.E27.2M.OM.TX2



5176.C.E27.16.OM.TXM



5176.C.E27.16.OM.TX42



5176.C.E27.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5177.B.E27/.. - MOBY OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

1M | 2M

Messing

16

Ref

5177.B.E27.1M.OM.TX1



5177.B.E27.2M.OM.TX2



5177.B.E27.16.OM.TXM



5177.B.E27.16.OM.TX42



5177.B.E27.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5178.A.E27/.. - MOBY OPAL MAT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

1M | 2M

Messing

16

Ref

5178.A.E27.1M.OM.TX1



5178.A.E27.2M.OM.TX2



5178.A.E27.16.OM.TXM



5178.A.E27.16.OM.TX42



5178.A.E27.16.OM.TX2



Price €

built-up

Combination with built-in rosette possible from 81.10 with torsion springs



3991.C.ZXO/.. - MOBY ZXO

~230V



built-up

pendant - with 2m textile cable and strain relief on lampholder's side

Lamp type

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø250xH235

2000

Materials

Aluminium

1M | 2M

Messing

Ref

3991.C.ZXO.2M.TR.TX2

NW | WW

3991.C.ZXO.16.TR.TX4

NW | WW

3991.C.ZXO.16.TR.TXM

NW | WW


3991.C.ZXO.1M.TR.TX1

NW | WW

Price €

3991.C.XTM/.. - MOBY XTM

=350mA



built-up

pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø250xH235

Cable 2000

Materials

Aluminium

1M | 2M

Messing

Ref

3991.C.XTM.2M.TR.TX2

NW | WW

3991.C.XTM.16.TR.TX4

NW | WW

3991.C.XTM.16.TR.TXM

NW | WW


3991.C.XTM.1M.TR.TX1

NW | WW

Price €

3993.B.XTM/.. - MOBY XTM

=350mA



built-up

pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

1M | 2M

Messing

Ref

3993.B.XTM.2M.TR.TX2

NW | WW

3993.B.XTM.16.TR.TX4

NW | WW

3993.B.XTM.16.TR.TXM

NW | WW

3993.B.XTM.1M.TR.TX1

NW | WW

Price €

3994.A.XTM/.. - MOBY XTM

=350mA



built-up

pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

1M | 2M

Messing

Ref

3994.A.XTM.2M.TR.TX2

NW | WW

3994.A.XTM.16.TR.TX4

NW | WW

3994.A.XTM.16.TR.TXM

NW | WW

3994.A.XTM.1M.TR.TX1

NW | WW

Price €

4973.C.E27/.. - MOBY GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210

Cable 2000

Materials

Messing

Ref

4973.C.E27.16.GC.TX2

4973.C.E27.16.GC.TXM

Price €

built-up
gold coated glass

4970.B.E27/.. - MOBY GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175

Cable 2000

Materials

Aluminium

2M

Messing

4 | 16

Ref

4970.B.E27.2M.GC.TX2

4970.B.E27.4.GC.TX4

4970.B.E27.16.GC.TXM

Price €

built-up
gold coated glass

4998.A.E27/.. - MOBY GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120

Cable 2000

Materials

Aluminium

2M

Messing

4 | 16

Ref

4998.A.E27.2M.GC.TX2

4998.A.E27.4.GC.TX4

4998.A.E27.16.GC.TXM

Price €

built-up
gold coated glass

4974.C.E27/.. - MOBY RKC

~230V



IP20



2 m



1.3700



0,5 m



CE



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

↔ Ø250xH210

Cable 2000

Materials

Rood koper

28

Ref

Price €

4974.C.E27.28.RKC.TX2



4974.C.E27.28.RKC.TXG28



4974.C.E27.28.RKC.TXRK



built-up
red copper coated glass

4971.B.E27/.. - MOBY RKC

~230V



IP20



2 m



1.0000



0,5 m



CE



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

↔ Ø180xH175

Cable 2000

Materials

Aluminium

2M

Rood koper

28

Ref

Price €

4971.B.E27.2M.RKC.TX2



4971.B.E27.28.RKC.TXG28



4971.B.E27.28.RKC.TXRK



built-up
red copper coated glass

4999.A.E27/.. - MOBY RKC

~230V



IP20



2 m



1.6000



0,5 m



CE



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

↔ Ø140xH120

Cable 2000

Materials

Aluminium

2M

Rood koper

28

Ref

Price €

4999.A.E27.2M.RKC.TX2



4999.A.E27.28.RKC.TXG28



4999.A.E27.28.RKC.TXRK



4999.A.E27.28.RKC.TX2



built-up
red copper coated glass

4975.C.E27/.. - MOBY SILVER

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210

Cable 2000

Materials

Aluminium

Ref

4975.C.E27.14.SC.TX2

4975.C.E27.14.SC.TX7

4975.C.E27.14.SC.TXS

4975.C.E27.14.SC.TX11

Price €

built-up
silver coated glass

4972.B.E27/.. - MOBY SILVER

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175

Cable 2000

Materials

Aluminium

Ref

4972.B.E27.2M.SC.TX2

4972.B.E27.14.SC.TXS

4972.B.E27.14.SC.TXS2

Price €

built-up
silver coated glass

4994.A.E27/.. - MOBY SILVER

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120

Cable 2000

Materials

Aluminium

Ref

4994.A.E27.2M.SC.TX2

4994.A.E27.14.SC.TXS

4994.A.E27.14.SC.TXS2

4994.A.E27.14.SC.TX11

Price €

built-up
silver coated glass

5127.C.E27/.. - MOBY PINKY

~230V



IP20



2 m



1.3000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210

Cable 2000

Materials

Aluminium

2M

Ref

5127.C.E27.2M.PKY.TX2

5127.C.E27.2M.PKY.TXG30

Price €

*built-up
pink coated glass*




CEILING UP

PENDANTS

4101.C.E27/.. - MOBY METAL LEAF

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH235

Cable 2000

Materials

Aluminium

2M | 14

Messing

16

Rood koper


28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4101.C.E27.2M.GL.TX2	
4101.C.E27.2M.RCL.TX2	
4101.C.E27.2M.SL.TX2	
4101.C.E27.2M.GLP.TX2	
4101.C.E27.14.SL.TXN	
4101.C.E27.14.SL.TX11	
4101.C.E27.16.GL.TXM	
4101.C.E27.16.GL.TX42	
4101.C.E27.28.RCL.TXRK	
4101.C.E27.28.RCL.TX14	

4102.B.E27/.. - MOBY METAL LEAF

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175

Cable 2000

Materials

Aluminium

2M | 14

Messing

16

Rood koper


28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4102.B.E27.2M.GL.TX2	
4102.B.E27.2M.RCL.TX2	
4102.B.E27.2M.SL.TX2	
4102.B.E27.2M.GLP.TX2	
4102.B.E27.14.SL.TXN	
4102.B.E27.14.SL.TX11	
4102.B.E27.16.GL.TXM	
4102.B.E27.16.GL.TX42	
4102.B.E27.28.RCL.TXRK	
4102.B.E27.28.RCL.TX14	

4103.A.E27/.. - MOBY METAL LEAF

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH135

Cable 2000

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

built-up
transparent glass hand covered with metal leaf

Ref	Price €
4103.A.E27.2M.GL.TX2	
4103.A.E27.2M.RCL.TX2	
4103.A.E27.2M.SL.TX2	
4103.A.E27.2M.GLP.TX2	
4103.A.E27.14.SL.TXN	
4103.A.E27.14.SL.TX11	
4103.A.E27.16.GL.TXM	
4103.A.E27.16.GL.TX42	
4103.A.E27.28.RCL.TXRK	
4103.A.E27.28.RCL.TX14	



5169.D.E27/.. - MOBY DOUBLE

~230V



IP20



pendant - fixed - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø350xH300

Cable 2000

Glass Ø180

Glass Ø350

Materials

Aluminium

1M | 2M

Messing

16 | 23

Ref

5169.D.E27.1M.TR.TX1

5169.D.E27.2M.TR.TX2

Price €

built-up
With Moby gold leaf Ø180mm inside

5164.D.E27/.. - MOBY TRANSPARANT

~230V



IP20



pendant - fixed - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 8W

230V

Dimensions

Ø350xH300

Cable 2000

Materials

Aluminium

1M | 2M | 14

Messing

16

Ref

5164.D.E27.1M.TR.TX1

5164.D.E27.2M.TR.TX2

5164.D.E27.14.TR.TX11

5164.D.E27.16.TR.TXM


Price €

built-up



5096.C.E27/.. - MOBY METAL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø245xH210

Cable 2000

Materials

Aluminium


1M | 2M | 45 | 29

Ref	Price €
5096.C.E27.1M.TX1	
5096.C.E27.1M.TXW1	
5096.C.E27.2M.TX2	
5096.C.E27.2M.TXW2	
5096.C.E27.29.TX2	
5096.C.E27.29.TXW2	
5096.C.E27.29.TX4	
5096.C.E27.45.TX2	
5096.C.E27.45.TXW2	
5096.C.E27.45.TX4	

built-up
powder coated aluminium

5096.B.E27/.. - MOBY METAL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø200xH165

Cable 2000

Materials

Aluminium


1M | 2M | 45 | 29

Ref	Price €
5096.B.E27.1M.TX1	
5096.B.E27.2M.TX2	
5096.B.E27.29.TX2	
5096.B.E27.29.TX4	
5096.B.E27.45.TX2	
5096.B.E27.45.TX4	

built-up
powder coated aluminium

5096.A.E27/.. - MOBY METAL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø152xH130

Cable 2000

Materials

Aluminium

1M | 2M | 45 | 29

Ref	Price €
5096.A.E27.1M.TX1	
5096.A.E27.2M.TX2	
5096.A.E27.29.TX2	
5096.A.E27.29.TX4	
5096.A.E27.45.TX2	
5096.A.E27.45.TX4	

built-up
powder coated aluminium



CEILING UP


PENDANTS

5150.3C.E27/.. - MOBY 3 GLASS

~230V



IP20



built-up

pendant - with 3x Moby Ø250 - 1,5m textile cable

Lamptype

3x G80 E27 max. 8W

230V

Dimensions

L1200xB250xH1755

Cable 1500

Base L1200xB50xH40

Glass Ø250

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Messing

16

Ref

Price €


5150.3C.E27.2M.TR.TX2	
5150.3C.E27.2M.BZ.TX2	
5150.3C.E27.2M.SG.TX2	
5150.3C.E27.16.TR.TXM	
5150.3C.E27.53.BZ.TXJ	
5150.3C.E27.216.TR.TX2	
5150.3C.E27.216.TR.TXM	

5150.5C.E27/.. - MOBY 5 GLASS

~230V



IP20



built-up

pendant - with 5x Moby Ø250 - 1,5m textile cable

Lamptype

5x G80 E27 max. 8W

230V

Dimensions

L1800xB250xH1750

Cable 1500

Base L1800xB45xH45

Glass Ø250

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Messing

16

Ref

Price €


5150.5C.E27.2M.TR.TX2	
5150.5C.E27.2M.BZ.TX2	
5150.5C.E27.2M.SG.TX2	
5150.5C.E27.16.TR.TXM	
5150.5C.E27.53.BZ.TXJ	
5150.5C.E27.216.TR.TX2	
5150.5C.E27.216.TR.TXM	

5159.2B.3C/.. - MOBY 5 GLASS

~230V



IP20



built-up

pendant - with 3x Moby Ø250 and 2x Moby Ø180 - 1,5m textile cable

Lamptype

2x A60 E27 max. 8W

230V

3x G80 E27 max. 8W

230V

Dimensions

L1400xB250xH1755

Cable 1500

Base L1400xB50xH40

Glass Ø180

Glass Ø250

Materials

Aluminium

1M | 2M | 53

Aluminium / Messing

216

Messing

16

Ref

Price €

5159.2B.3C.1M.TR.TX1	
5159.2B.3C.1M.BZ.TX1	
5159.2B.3C.1M.SG.TX1	
5159.2B.3C.2M.TR.TX2	
5159.2B.3C.2M.BZ.TX2	
5159.2B.3C.2M.SG.TX2	
5159.2B.3C.16.TR.TXM	
5159.2B.3C.53.BZ.TXJ	
5159.2B.3C.216.TR.TXM	
5159.2B.3C.216.TR.TX2	

5152.3.E27/.. - MOBY 3 GLASS

~230V



IP20



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

2x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø390xH1676

Cable 1500

Base Ø250xH28

Glass Ø180

Glass Ø250

Ø220

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

Price €

5152.3.E27.2M.TR.TX2



5152.3.E27.2M.BZ.TX2



5152.3.E27.2M.SG.TX2



5152.3.E27.53.BZ.TXJ



5152.3.E27.216.TR.TX2



5152.3.E27.216.TR.TXM



built-up

5152.5.E27/.. - MOBY 5 GLASS

~230V



IP20



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

4x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

Ø530xH1676

Cable 1500

Base Ø400xH28

Glass Ø140

Glass Ø180

Glass Ø250

Ø370

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

Price €

5152.5.E27.2M.TR.TX2



5152.5.E27.2M.BZ.TX2



5152.5.E27.2M.SG.TX2



5152.5.E27.53.BZ.TXJ



5152.5.E27.216.TR.TX2



5152.5.E27.216.TR.TXM



built-up



5154.4.E27/.. - MOBY GLASS MIX

~230V



IP20



pendant - combination 4x Moby - 1,5m textile cable

Lamptype

1x G80 E27 max. 8W

230V

3x ST64 E27 max. 8W

230V

Dimensions

Ø525xH1741

Cable 1500

Base Ø400xH28

Glass Ø200

Glass Ø250

Ø370

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5154.4.E27.1M.TR.TX1



5154.4.E27.2M.TR.TX2



5154.4.E27.216.TR.TX2



5154.4.E27.216.TR.TXM



Price €

built-up

5155.7.E27/.. - MOBY GLASS MIX

~230V



IP20



pendant - combination 7x Moby - 2m textile cable glitter

Lamptype

6x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

Ø650xH1741

Cable 2000

Base Ø500xH28

Glass Ø140

Glass Ø180

Glass Ø250

Ø470

Materials

Aluminium

1M | 2M

Ref

5155.7.E27.1M.RBSMIX



5155.7.E27.2M.RBSMIX



Price €

built-up

TXG4 - TXG7 - TXG28

5158.2C.3M/.. - MOBY GLASS

~230V



IP20



pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 700lm CRI92 max. 9,5W

230V

2x G80 E27 max. 8W

230V

Dimensions

L1400xB250xH1755

Cable 1500

36°

Base L1400xB50xH40

Glass Ø250

Tube Ø60xH300

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Messing

16

Ref

5158.2C.3M.1M.TR.TX1



5158.2C.3M.1M.ST.TX1



5158.2C.3M.2M.TR.TX2



5158.2C.3M.2M.ST.TX2



5158.2C.3M.16.TR.TXM



5158.2C.3M.216.TR.TXM



5158.2C.3M.216.TR.TX2



Price €

built-up



CEILING UP

PENDANTS

BT.5152.3.E27/.. - CASAMBI MOBY 3 GLASS

~230V



built-up

pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

2x A60 E27 max. 8W 230V
1x G80 E27 max. 8W 230V

Dimensions

Ø390xH1676 1500
Base Ø250xH28 Glass Ø180
Glass Ø250 Ø220


Materials

Aluminium 2M | 53
Aluminium / Messing 216

Ref	Price €
BT.5152.3.E27.2M.TR.TX2	
BT.5152.3.E27.2M.BZ.TX2	
BT.5152.3.E27.2M.SG.TX2	
BT.5152.3.E27.2M.SG.TX7	
BT.5152.3.E27.53.BZ.TXJ	
BT.5152.3.E27.216.TR.TX2	
BT.5152.3.E27.216.TR.TXM	

BT.5152.5.E27/.. - CASAMBI MOBY 5 GLASS

~230V



built-up

pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

4x A60 E27 max. 8W 230V
1x D45 E27 max. 8W 230V

Dimensions

Ø530xH1676 1500
Base Ø400xH28 Glass Ø140
Glass Ø180 Glass Ø250

Ø370


Materials

Aluminium 2M | 53
Aluminium / Messing 216

Ref	Price €
BT.5152.5.E27.2M.TR.TX2	
BT.5152.5.E27.2M.BZ.TX2	
BT.5152.5.E27.2M.SG.TX2	
BT.5152.5.E27.53.BZ.TXJ	
BT.5152.5.E27.216.TR.TX2	
BT.5152.5.E27.216.TR.TXM	

5157.2E.3M/.. - MOBY DECO GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 700lm CRI92 max. 9,5W 230V
2x ST64 E27 max. 10w 230V

Dimensions

L1400xB250xH1755 Cable 1500
36° Base L1400xB45xH45
Glass Ø200 Tube Ø60xH300

Materials

Aluminium 1M | 2M
Aluminium / Messing 216
Messing 16

Ref	Price €
5157.2E.3M.1M.TR.TX1	NW WW
5157.2E.3M.1M.ST.TX1	NW WW
5157.2E.3M.2M.TR.TX2	NW WW
5157.2E.3M.2M.ST.TX2	NW WW
5157.2E.3M.16.TR.TXM	NW WW
5157.2E.3M.216.TR.TXM	NW WW
5157.2E.3M.216.TR.TX2	NW WW

5158.2C.3M/.. - MOBY GLASS


~230V



1.5 m



0.5 m



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamp type

3x LED 700lm CRI92 max. 9,5W

230V

2x G80 E27 max. 8W

230V

Dimensions

L1400xB250xH1755

Cable 1500

36°

Base L1400xB50xH40

Glass Ø250

Tube Ø60xH300

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Messing

16

Ref

5158.2C.3M.1M.TR.TX1

NW | WW

5158.2C.3M.1M.ST.TX1

NW | WW

5158.2C.3M.2M.TR.TX2

NW | WW

5158.2C.3M.2M.ST.TX2

NW | WW

5158.2C.3M.16.TR.TXM

NW | WW

5158.2C.3M.216.TR.TXM

NW | WW

5158.2C.3M.216.TR.TX2

NW | WW

Price €

CEILING UP

PENDANTS



5063.C.E27.SH/.. - MOBY SH TRANSPARANT

~230V



IP20



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

1M | 2M | 14

Messing

16 | 23

Rood koper

28

Ref

5063.C.E27.SH.1M.TR.TX1



5063.C.E27.SH.2M.TR.TX2



5063.C.E27.SH.14.TR.TX11



5063.C.E27.SH.16.TR.TXM



5063.C.E27.SH.23.TR.TXG23



5063.C.E27.SH.28.TR.TXRK



Price €

5064.B.E27.SH/.. - MOBY SH TRANSPARANT

~230V



IP20



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

OR 1x G80 E27 max. 8W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

1M | 2M | 14 | 53

Messing

16 | 23

Rood koper

28

Ref

5064.B.E27.SH.1M.TR.TX1



5064.B.E27.SH.2M.TR.TX2



5064.B.E27.SH.14.TR.TX11



5064.B.E27.SH.16.TR.TXM



5064.B.E27.SH.23.TR.TXG23



5064.B.E27.SH.53.TR.TXJ



5064.B.E27.SH.28.TR.TXRK



Price €

5082.A.E27.SH/.. - MOBY SH TRANSPARANT

~230V



IP20



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

1M | 2M | 14

Messing

16 | 23

Rood koper

28

Ref

5082.A.E27.SH.1M.TR.TX1



5082.A.E27.SH.2M.TR.TX2



5082.A.E27.SH.14.TR.TX11



5082.A.E27.SH.16.TR.TXM



5082.A.E27.SH.23.TR.TXG23



5082.A.E27.SH.28.TR.TXRK



Price €

5078.C.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M | 44 | 53

Messing

13

Ref

Price €

5078.C.E27.SH.2M.BZ.TXJ			
5078.C.E27.SH.2M.BZ.TX2			
5078.C.E27.SH.44.BZ.TX7			
5078.C.E27.SH.13.BZ.TX2			
5078.C.E27.SH.53.BZ.TXJ			
5078.C.E27.SH.53.BZ.TXG4			
5078.C.E27.SH.53.BZ.TX12			
5078.C.E27.SH.53.BZ.TXG13			

5079.B.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



built-up



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M | 44 | 53

Messing

13

Ref

Price €

5079.B.E27.SH.2M.BZ.TX2			
5079.B.E27.SH.44.BZ.TX7			
5079.B.E27.SH.44.BZ.TX44			
5079.B.E27.SH.13.BZ.TXJ			
5079.B.E27.SH.13.BZ.TX2			
5079.B.E27.SH.53.BZ.TXJ			
5079.B.E27.SH.53.BZ.TXG4			
5079.B.E27.SH.53.BZ.TX12			
5079.B.E27.SH.53.BZ.TXG13			

5126.A.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



built-up



suspension with textile cable - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

1M | 2M | 44 | 53 | 46

Messing

13

Ref

Price €

5126.A.E27.SH.1M.BZ.TX1			
5126.A.E27.SH.2M.BZ.TX2			
5126.A.E27.SH.44.BZ.TX7			
5126.A.E27.SH.13.BZ.TX2			
5126.A.E27.SH.53.BZ.TXJ			
5126.A.E27.SH.53.BZ.TX12			
5126.A.E27.SH.46.BZ.TXG4			



5068.C.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



2 m



1.4400

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

↔ Ø250xH270

Cable 2000

Materials

Aluminium

2M | 44

Ref

5068.C.E27.SH.2M.SG.TX2



5068.C.E27.SH.44.SG.TX44



Price €

built-up

5069.B.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



2 m



0.8600

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

↔ Ø180xH210

Cable 2000

Materials

Aluminium

2M | 44

Ref

5069.B.E27.SH.2M.SG.TX2



5069.B.E27.SH.44.SG.TX44



Price €

built-up

5083.A.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



2 m



0.9800

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

↔ Ø140xH170

Cable 2000

Materials

Aluminium

2M | 44

Ref

5083.A.E27.SH.2M.SG.TX2



5083.A.E27.SH.44.SG.TX44




Price €

built-up

5128.C.E27.SH/.. - MOBY SH STEEL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M | 44

Ref

5128.C.E27.SH.2M.ST.TX2


5128.C.E27.SH.44.ST.TX44

Price €

built-up

4988.B.E27.SH/.. - MOBY SH STEEL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M | 44

Ref

4988.B.E27.SH.2M.ST.TX2


4988.B.E27.SH.44.ST.TX44

Price €

built-up

4976.A.E27.SH/.. - MOBY SH STEEL

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

2M | 44

Ref

4976.A.E27.SH.2M.ST.TX2

4976.A.E27.SH.44.ST.TX44

Price €

built-up

5188.B.E27.SH/.. - MOBY SH OLIVE GREEN

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH250

Cable 2000

Materials

Aluminium

RAL 1015 | RAL 7033

Ref

5188.B.E27.SH.RAL 1015.OGR.TX50

5188.B.E27.SH.RAL 7033.OGR.TX364



built-up

5189.A.E27.SH/.. - MOBY SH OLIVE GREEN

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH210

Cable 2000

Materials

Aluminium

RAL 1015 | RAL 7033

Ref

5189.A.E27.SH.RAL 1015.OGR.TX50

5189.A.E27.SH.RAL 7033.OGR.TX364




built-up



5170.C.E27.SH/.. - MOBY SH OPAL MAT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W 230V

Dimensions

Ø250xH270 Cable 2000

Materials

Aluminium 1M | 2M

Messing 16

Ref

Price €


- 5170.C.E27.SH.1M.OM.TX1
- 5170.C.E27.SH.2M.OM.TX2
- 5170.C.E27.SH.16.OM.TXM
- 5170.C.E27.SH.16.OM.TX42
- 5170.C.E27.SH.16.OM.TX2

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5171.B.E27.SH/.. - MOBY SH OPAL MAT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W 230V

1x G80 E27 max. 8W 230V

Dimensions

Ø180xH210 Cable 2000

Materials

Aluminium 1M | 2M

Messing 16

Ref

Price €


- 5171.B.E27.SH.1M.OM.TX1
- 5171.B.E27.SH.2M.OM.TX2
- 5171.B.E27.SH.16.OM.TXM
- 5171.B.E27.SH.16.OM.TX42
- 5171.B.E27.SH.16.OM.TX2

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5172.A.E27.SH/.. - MOBY SH OPAL MAT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø140xH170 Cable 2000

Materials

Aluminium 1M | 2M

Messing 16

Ref

Price €

- 5172.A.E27.SH.1M.OM.TX1
- 5172.A.E27.SH.2M.OM.TX2
- 5172.A.E27.SH.16.OM.TXM
- 5172.A.E27.SH.16.OM.TX42
- 5172.A.E27.SH.16.OM.TX2

built-up

Combination with built-in rosette possible from 81.10 with torsion springs



5173.C.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



2 m



1.4000

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

1M | 2M

Messing

16

Ref

Price €

5173.C.E27.SH.1M.OG.TX1



5173.C.E27.SH.2M.OG.TX2



5173.C.E27.SH.16.OG.TXM



5173.C.E27.SH.16.OG.TX42



5173.C.E27.SH.16.OG.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5174.B.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



2 m



0.8000

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

1M | 2M

Messing

16

Ref

Price €

5174.B.E27.SH.1M.OG.TX1



5174.B.E27.SH.2M.OG.TX2



5174.B.E27.SH.16.OG.TXM



5174.B.E27.SH.16.OG.TX42



5174.B.E27.SH.16.OG.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5175.A.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



2 m



0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

1M | 2M

Messing

16

Ref

Price €

5175.A.E27.SH.1M.OG.TX1



5175.A.E27.SH.2M.OG.TX2



5175.A.E27.SH.16.OG.TXM



5175.A.E27.SH.16.OG.TX42



5175.A.E27.SH.16.OG.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

4950.C.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M

Messing

4

Ref

4950.C.E27.SH.2M.GD.TX2



4950.C.E27.SH.2M.GD.TXM



4950.C.E27.SH.4.GD.TX2



4950.C.E27.SH.4.GD.TXM



Price €

*built-up
gold coated to transparent*

4951.B.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M

Messing

4

Ref

4951.B.E27.SH.2M.GD.TX2



4951.B.E27.SH.2M.GD.TXM



4951.B.E27.SH.4.GD.TXM



4951.B.E27.SH.4.GD.TX2



Price €

*built-up
gold coated to transparent*

4952.A.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170

2000

*built-up
Combination with built-in rosette possible from 81.10
with torsion springs*



4953.C.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



2 m



1.0000



0,5 m



5,6



CE



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M | 14

Ref

Price €

4953.C.E27.SH.2M.SGD.TX2



4953.C.E27.SH.14.SGD.TX2



4953.C.E27.SH.14.SGD.TXN



built-up
silver coated to transparent

4954.B.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



2 m



1.0000



0,5 m



5,6



CE



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M | 14

Ref

Price €

4954.B.E27.SH.2M.SGD.TX2



4954.B.E27.SH.14.SGD.TXN



4954.B.E27.SH.14.SGD.TX2



built-up
silver coated to transparent

4955.A.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



0 m



1.0000



0,5 m



5,6



CE



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170

2000

Materials

Aluminium

2M | 14

Ref

Price €

4955.A.E27.SH.2M.SGD.TX2



4955.A.E27.SH.14.SGD.TXN



4955.A.E27.SH.14.SGD.TX2



built-up
Combination with built-in rosette possible from 81.10
with torsion springs



4969.C.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



2 m



1.3000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M

Messing

13

Ref

4969.C.E27.SH.2M.BRC.TX2



4969.C.E27.SH.13.BRC.TX43



4969.C.E27.SH.13.BRC.TX33



*built-up
bronze coated glass*

4968.B.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



2 m



0.8600



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M

Messing

13

Ref

4968.B.E27.SH.2M.BRC.TX2



4968.B.E27.SH.13.BRC.TX43



4968.B.E27.SH.13.BRC.TX33



*built-up
bronze coated glass*

4967.A.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



2 m



1.0000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

2M

Messing

13

Ref

4967.A.E27.SH.2M.BRC.TX2



4967.A.E27.SH.13.BRC.TX43



4967.A.E27.SH.13.BRC.TX33



*built-up
bronze coated glass*



4993.C.E27.SH/.. - MOBY SH GOLD

~230V



IP20



2 m



1.3000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M

Messing

16

Ref

4993.C.E27.SH.2M.GC.TX2



4993.C.E27.SH.16.GC.TX2



4993.C.E27.SH.16.GC.TXM



built-up
gold coated glass

4989.B.E27.SH/.. - MOBY SH GOLD

~230V



IP20



2 m



0.5500



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M

Messing

4 | 16

Ref

4989.B.E27.SH.2M.GC.TX2



4989.B.E27.SH.4.GC.TX4



4989.B.E27.SH.16.GC.TXM



4989.B.E27.SH.16.GC.TX2



built-up
gold coated glass

4995.A.E27.SH/.. - MOBY SH GOLD

~230V



IP20



2 m



0.1700



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

2M

Messing

4 | 16

Ref

4995.A.E27.SH.2M.GC.TX2



4995.A.E27.SH.4.GC.TX4



4995.A.E27.SH.16.GC.TXM



built-up
gold coated glass

4979.C.E27.SH/.. - MOBY SH RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M

Rood koper

28

Ref

4979.C.E27.SH.2M.RKC.TX2



4979.C.E27.SH.28.RKC.TXG28



4979.C.E27.SH.28.RKC.TXRK



built-up
red copper coated glass

4978.B.E27.SH/.. - MOBY SH RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M

Rood koper

28

Ref

4978.B.E27.SH.2M.RKC.TX2



4978.B.E27.SH.28.RKC.TXG28



4978.B.E27.SH.28.RKC.TXRK



4978.B.E27.SH.28.RKC.TX14



built-up
red copper coated glass

4996.A.E27.SH/.. - MOBY SH RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170

2000

Materials

Aluminium

2M

Rood koper

28

Ref

4996.A.E27.SH.2M.RKC.TX2



4996.A.E27.SH.28.RKC.TXG28



4996.A.E27.SH.28.RKC.TXRK



4996.A.E27.SH.28.RKC.TX14



built-up
red copper coated glass

4997.A.E27.SH/.. - MOBY SH PINKY

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

2M | 46

Ref

4997.A.E27.SH.2M.PKY.TX2



4997.A.E27.SH.46.PKY.TXG30



4997.A.E27.SH.46.PKY.TX31



*built-up
pink coated glass*



CEILING UP

PENDANTS

4068.C.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

Ref

4068.C.E27.SH.2M.GL.TX2



4068.C.E27.SH.2M.RCL.TX2



4068.C.E27.SH.2M.SL.TX2



4068.C.E27.SH.2M.GLP.TX2



4068.C.E27.SH.14.SL.TXN



4068.C.E27.SH.14.SL.TX11



4068.C.E27.SH.16.GL.TXM



4068.C.E27.SH.16.GL.TX42



4068.C.E27.SH.28.RCL.TXRK



4068.C.E27.SH.28.RCL.TX14



built-up
transparent glass hand covered with metal leaf

4069.B.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

Ref

4069.B.E27.SH.2M.GL.TX2



4069.B.E27.SH.2M.RCL.TX2



4069.B.E27.SH.2M.SL.TX2



4069.B.E27.SH.2M.GLP.TX2



4069.B.E27.SH.14.SL.TXN



4069.B.E27.SH.14.SL.TX11



4069.B.E27.SH.16.GL.TXM



4069.B.E27.SH.16.GL.TX42



4069.B.E27.SH.28.RCL.TXRK



4069.B.E27.SH.28.RCL.TX14



built-up
transparent glass hand covered with metal leaf

4070.A.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 5W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

Ref

4070.A.E27.SH.2M.GL.TX2



4070.A.E27.SH.2M.RCL.TX2



4070.A.E27.SH.2M.SL.TX2



4070.A.E27.SH.2M.GLP.TX2



4070.A.E27.SH.14.SL.TXN



4070.A.E27.SH.14.SL.TX11



4070.A.E27.SH.16.GL.TXM



4070.A.E27.SH.16.GL.TX42



4070.A.E27.SH.28.RCL.TXRK



4070.A.E27.SH.28.RCL.TX14



built-up
transparent glass hand covered with metal leaf



CEILING UP

PENDANTS

5183.C.E27.SH/.. - MOBY SH COPPER BRONZ

~230V



IP20



2 m



1.3000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270

Cable 2000

Materials

Aluminium

2M | 71

Messing

13

Ref

5183.C.E27.SH.2M.CB.TX2



5183.C.E27.SH.13.CB.TX43



5183.C.E27.SH.13.CB.TX33



5183.C.E27.SH.71.CB.TX21



*built-up
copper-bronze coated glass*

5184.B.E27.SH/.. - MOBY SH COPPER BRONZ

~230V



IP20



2 m



0.8600



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH210

Cable 2000

Materials

Aluminium

2M | 71

Messing

13

Ref

5184.B.E27.SH.2M.CB.TX2



5184.B.E27.SH.13.CB.TX43



5184.B.E27.SH.13.CB.TX33



5184.B.E27.SH.71.CB.TX21



*built-up
copper-bronze coated glass*

5185.A.E27.SH/.. - MOBY SH COPPER BRONZ

~230V



IP20



2 m



0.8000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170

Cable 2000

Materials

Aluminium

2M | 71

Messing

13

Ref

5185.A.E27.SH.2M.CB.TX2



5185.A.E27.SH.13.CB.TX43



5185.A.E27.SH.13.CB.TX33



5185.A.E27.SH.71.CB.TX21



*built-up
copper-bronze coated glass*





CEILING UP

PENDANTS

5151.3C.SH/.. - MOBY SH 3 GLASS

~230V



built-up

pendant - with 3x Moby Ø250 - 1,5m textile cable

Lamptype

3x G80 E27 max. 12w 230V

Dimensions

L1200xB250xH1810 Cable 1500

Base L1200xB50xH40 Glass Ø250

Materials

Aluminium 2M | 53

Aluminium / Messing 216

Messing 16


Ref

5151.3C.SH.2M.TR.TX2	
5151.3C.SH.2M.BZ.TX2	
5151.3C.SH.2M.SG.TX2	
5151.3C.SH.16.TR.TXM	
5151.3C.SH.53.BZ.TXJ	
5151.3C.SH.216.TR.TX2	
5151.3C.SH.216.TR.TXM	

Price €

5151.5C.SH/.. - MOBY SH 5 GLASS

~230V



built-up

pendant - with 5x Moby Ø250 - 1,5m textile cable

Lamptype

5x G80 E27 max. 12w 230V

Dimensions

L1400xB250xH1810 Cable 1500

Base L1400xB50xH40 Glass Ø250

Materials

Aluminium 2M | 53

Aluminium / Messing 216

Messing 16


Ref

5151.5C.SH.2M.TR.TX2	
5151.5C.SH.2M.BZ.TX2	
5151.5C.SH.2M.SG.TX2	
5151.5C.SH.16.TR.TXM	
5151.5C.SH.53.BZ.TXJ	
5151.5C.SH.216.TR.TX2	
5151.5C.SH.216.TR.TXM	

Price €

5156.3B.E27/.. - MOBY GLASS

~230V



built-up

pendant with swivel - rod can be shortened - 3x Moby Ø180

Lamptype

3x A60 E27 max. 15W 230V

Dimensions

L900xB180xH1100 Tige 800

Base L900 Glass Ø180

L450xB60xH30

Materials

Aluminium 1M | 2M | 53


Ref

5156.3B.E27.1M.TR	
5156.3B.E27.1M.BZ	
5156.3B.E27.1M.SG	
5156.3B.E27.2M.TR	
5156.3B.E27.2M.BZ	
5156.3B.E27.2M.SG	
5156.3B.E27.53.BZ	

Price €

5156.5B.E27/.. - MOBY GLASS

~230V



built-up

pendant with swivel - rod can be shortened - 5x Moby Ø180

Lamptype

5x A60 E27 max. 15W 230V

Dimensions

L1600xB180xH1100 Tige 800

Base L1600 Glass Ø180

L450xB60xH30

Materials

Aluminium 1M | 2M | 53

Ref

5156.5B.E27.1M.TR	
5156.5B.E27.1M.BZ	
5156.5B.E27.1M.SG	
5156.5B.E27.2M.TR	
5156.5B.E27.2M.BZ	
5156.5B.E27.2M.SG	
5156.5B.E27.53.BZ	

Price €



CEILING UP

PENDANTS

5153.SH.3/.. - MOBY SH 3 GLASS

~230V



IP20



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

3x A60 E27 max. 8W

230V

Dimensions

Ø390xH1798

Cable 1500

Base Ø250xH28

Glass Ø180

Glass Ø250

Ø220

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

5153.SH.3.2M.TR.TX2



5153.SH.3.2M.BZ.TX2



5153.SH.3.2M.SG.TX2



5153.SH.3.53.BZ.TXJ



5153.SH.3.216.TR.TX2



5153.SH.3.216.TR.TXM



Price €

built-up

5153.SH.5/.. - MOBY SH 5 GLASS

~230V



IP20



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

Ø530xH1798

Cable 1500

Base Ø400xH28

Glass Ø140

Glass Ø180

Glass Ø250

Ø370

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

5153.SH.5.2M.TR.TX2



5153.SH.5.2M.BZ.TX2



5153.SH.5.2M.SG.TX2



5153.SH.5.53.BZ.TXJ



5153.SH.5.216.TR.TX2



5153.SH.5.216.TR.TXM



Price €

built-up

5163.7.E27/.. - MOBY NOELLA GLASS MIX

~230V



IP20



pendant - combination Moby, Moby metal leaf and Noella - with 4m textile cable

Lamptype

5x A60 E27 max. 15W

230V

2x D45 E27 max. 15W

230V

Dimensions

Ø500

Cable 4000

Base Ø500xH28

Glass Ø140

Glass Ø180

Glass Ø250

Ø470

Materials

Aluminium / Messing

116

Ref

5163.7.E27.116.GRMIX.TXM



built-up

Ceiling plate in satin gold - base in black

5186.7.E27.SH../.. - MOBY GLASS BRONZE MIX

~230V



IP20



pendant - combination 7x Moby - bronz + copper bronz - 2m textile cable

Lamptype

6x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

Ø650xH1741

Cable 2000

Base Ø500xH28

Glass Ø140

Glass Ø180

Glass Ø250

Ø470

Materials

Aluminium

Ref

5186.7.E27.SH.71.BZMIX.TX21



built-up
Other base colours on request
Ceiling base white - socket light rust - cable rust

71




CEILING UP

PENDANTS

5179.3C.SH/.. - MOBY SH 3 OPAL GLASS

~230V



built-up

pendant - with 3x Moby Ø250 - 1,5m textile cable

Lamptype

3x G80 E27 max. 12w

230V

Dimensions

L1200xB250xH1765

Cable 1500

Base L1200xB50xH40

Glass Ø250

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Messing

16


Ref

Price €

5179.3C.SH.1M.OG.TX1	
5179.3C.SH.1M.OM.TX1	
5179.3C.SH.2M.OM.TX2	
5179.3C.SH.2M.OG.TX2	
5179.3C.SH.16.OM.TXM	
5179.3C.SH.16.OG.TXM	
5179.3C.SH.216.OM.TX2	
5179.3C.SH.216.OG.TX2	

5179.5C.SH/.. - MOBY SH 5 OPAL GLASS

~230V



built-up

pendant - with 5x Moby Ø250 - 1,5m textile cable

Lamptype

5x G80 E27 max. 12w

230V

Dimensions

L1400xB250xH1765

Cable 1500

Base L1200xB50xH40

Glass Ø250

L560xB60

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Messing

16

Ref

Price €

5179.5C.SH.1M.OG.TX1	
5179.5C.SH.1M.OM.TX1	
5179.5C.SH.2M.OM.TX2	
5179.5C.SH.2M.OG.TX2	
5179.5C.SH.16.OG.TXM	
5179.5C.SH.16.OM.TXM	
5179.5C.SH.216.OG.TX2	
5179.5C.SH.216.OM.TX2	



5181.3B.E27/.. - MOBY SH OPAL GLASS

~230V



IP20




0.8 m



0.5 m



4.6



pendant with swivel - rod can be shortened - 3x Moby Ø180

Lamptype

3x A60 E27 max. 15W

230V

Dimensions

L900xB180xH1100

Tige 800

Base L900

Glass Ø180

L450xB60xH30

Materials

Aluminium

1M | 2M

Ref

5181.3B.E27.1M.OM

5181.3B.E27.1M.OG

5181.3B.E27.2M.OM

5181.3B.E27.2M.OG



Price €

built-up

5181.5B.E27/.. - MOBY SH OPAL GLASS

~230V



IP20




0.8 m



0.5 m



4.6



pendant with swivel - rod can be shortened - 5x Moby Ø180

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

L1600xB180xH1100

Tige 800

Base L1600

Glass Ø180

L450xB60xH30

Materials

Aluminium

1M | 2M

Ref

5181.5B.E27.1M.OM

5181.5B.E27.1M.OG

5181.5B.E27.2M.OM

5181.5B.E27.2M.OG



Price €

built-up



5180.SH.3/.. - MOBY SH 3 OPAL GLASS

~230V



IP20



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

3x A60 E27 max. 8W

230V

Dimensions

Ø390xH1798

Cable 1500

Base Ø250xH28

Glass Ø180

Glass Ø250

Ø220

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

Price €

5180.SH.3.1M.OM.TX1



5180.SH.3.1M.OG.TX1



5180.SH.3.2M.OG.TX2



5180.SH.3.2M.OM.TX2



5180.SH.3.216.OM.TXM



5180.SH.3.216.OG.TXM



5180.SH.3.216.OM.TX2



5180.SH.3.216.OG.TX2



built-up

5180.SH.5/.. - MOBY SH 5 OPAL GLASS

~230V



IP20



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

Ø530xH1798

Cable 1500

Base Ø400xH28

Glass Ø140

Glass Ø180

Glass Ø250

Ø370

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

Price €

5180.SH.5.1M.OG.TX1



5180.SH.5.1M.OM.TX1



5180.SH.5.2M.OM.TX2



5180.SH.5.2M.OG.TX2



5180.SH.5.216.OG.TXM



5180.SH.5.216.OM.TXM



5180.SH.5.216.OG.TX2



5180.SH.5.216.OM.TX2



built-up



5097.E.E27/.. - MOBY DECO TRANPARANT

~230V



IP20



2 m



1.6000

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø200xH210

Cable 2000

Materials

Aluminium

1M | 2M | 14

Messing

16 | 23

Rood koper

28

Ref

5097.E.E27.1M.TR.TX1



5097.E.E27.2M.TR.TX2



5097.E.E27.14.TR.TX11



5097.E.E27.16.TR.TXM



5097.E.E27.23.TR.TXG23



5097.E.E27.28.TR.TXRK



Price €

built-up

3992.E.ZXO/.. - MOBY DECO ZXO

~230V



IP20



LED C



2 m



2.8100

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø200xH210

2000

Materials

Aluminium

1M | 2M

Messing

16

Ref

3992.E.ZXO.1M.TR.TX1



3992.E.ZXO.2M.TR.TX2



3992.E.ZXO.16.TR.TX4



3992.E.ZXO.16.TR.TXM



Price €

built-up

3992.E.XTM/.. - MOBY DECO XTM

=350mA



IP20



LED C



2 m



2.5000

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø200xH210

Cable 2000

Materials

Aluminium

1M | 2M

Messing

16

Ref

3992.E.XTM.1M.TR.TX1



3992.E.XTM.2M.TR.TX2



3992.E.XTM.16.TR.TX4



3992.E.XTM.16.TR.TXM



Price €

built-up

5206.E.E27/.. - MOBY DECO BRONZ

~230V



IP20



0 m



0.9600

0.5 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø200xH210

2000

Materials

Aluminium

2M | 53

Ref

5206.E.E27.2M.BZ.TX2



5206.E.E27.53.BZ.TX2



5206.E.E27.53.BZ.TXG13



5206.E.E27.53.BZ.TXJ



Price €

built-up

5043.E.E27/.. - MOBY DECO STEEL

~230V



IP20



2 m



1.2300

0.5 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø200xH210

Cable 2000

Materials

Aluminium

1M | 2M | 14

Messing

16 | 23

Rood koper

28

Ref

5043.E.E27.1M.ST.TX1



5043.E.E27.2M.ST.TX2



5043.E.E27.14.ST.TX11



5043.E.E27.16.ST.TXM



5043.E.E27.23.ST.TXG23



5043.E.E27.28.ST.TXRK



Price €

built-up



5138.E.E27/.. - MOBY DECO GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W

230V

Dimensions

↔ Ø200xH210

Cable 2000

Materials

Aluminium

2M

Messing

4 | 16

Ref

5138.E.E27.2M.GC.TX2



5138.E.E27.4.GC.TX4



5138.E.E27.16.GC.TXM



built-up
gold coated glass

5129.E.E27/.. - MOBY DECO RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

↔ Ø200xH210

Cable 2000

Materials

Aluminium

2M

Rood koper

28

Ref

5129.E.E27.2M.RKC.TX2



5129.E.E27.2M.RKC.TXG28



5129.E.E27.28.RKC.TXRK



5129.E.E27.28.RKC.TX14



built-up
red copper coated glass

5139.E.E27/.. - MOBY DECO PINKY

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W

230V

Dimensions

↔ Ø200xH210

Cable 2000

Materials

Aluminium

2M

Ref

5139.E.E27.2M.PKY.TX2




5139.E.E27.2M.PKY.TXG30



built-up
pink coated glass

5162.3E/.. - MOBY DECO GLASS

~230V



built-up

pendant - with 3x Moby - 1,5m textile cable

Lamptype

3x ST64 E27 max. 8W 230V

Dimensions

L900xB200xH1755 Cable 1500

Base L900xB50xH40 Glass Ø200xH215

Materials


Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref

5162.3E.1M.TR.TX1	
5162.3E.1M.ST.TX1	
5162.3E.2M.TR.TX2	
5162.3E.2M.ST.TX2	
5162.3E.16.TR.TXM	
5162.3E.216.TR.TXM	
5162.3E.216.TR.TX2	

5157.2E.3M/.. - MOBY DECO GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 700lm CRI92 max. 9,5W 230V
2x ST64 E27 max. 10w 230V

Dimensions

L1400xB250xH1755 Cable 1500

36° Base L1400xB45xH45

Glass Ø200 Tube Ø60xH300

Materials

Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref

5157.2E.3M.1M.TR.TX1		NW WW
5157.2E.3M.1M.ST.TX1		NW WW
5157.2E.3M.2M.TR.TX2		NW WW
5157.2E.3M.2M.ST.TX2		NW WW
5157.2E.3M.16.TR.TXM		NW WW
5157.2E.3M.216.TR.TXM		NW WW
5157.2E.3M.216.TR.TX2		NW WW

BT.5157.2E.3M/.. - CASAMBI MOBY DECO GLASS

~230V



built-up

pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 700lm CRI92 max. 9,5W 230V
2x ST64 E27 max. 10w 230V

Dimensions

L1400xB250xH1755 Cable 1500

36° Base L1400xB50xH40

Glass Ø200 Tube Ø60xH300

Materials

Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref

BT.5157.2E.3M.1M.TR.TX1		NW WW
BT.5157.2E.3M.1M.ST.TX1		NW WW
BT.5157.2E.3M.2M.TR.TX2		NW WW
BT.5157.2E.3M.2M.ST.TX2		NW WW
BT.5157.2E.3M.16.TR.TXM		NW WW
BT.5157.2E.3M.216.TR.TXM		NW WW
BT.5157.2E.3M.216.TR.TX2		NW WW



CEILING UP

PENDANTS

5098.E27/.. - MOBY TULIP TRANSPARANT

~230V



IP20



2 m



1.4800



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W

230V

OR 1x G80 E27 max. 8W

230V

Dimensions

Ø200xH200

Cable 2000

Materials

Aluminium

1M | 2M | 14 | 53

Messing

16 | 23

Rood koper

28

Ref

5098.E27.1M.TR.TX1



5098.E27.2M.TR.TX2



5098.E27.14.TR.TX11



5098.E27.16.TR.TXM



5098.E27.23.TR.TXG23



5098.E27.53.TR.TXJ



5098.E27.28.TR.TXRK



Price €

built-up



5136.SH.A/.. - MOBY SH

~230V



built-up wall light - directional

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xD225

Base Ø60xD25

Glass Ø140

Materials

Aluminium

2M

Ref

5136.SH.A.2M.SG

5136.SH.A.2M.TR

5136.SH.A.2M.BZ

Price €



built-up

5137.SH.B/.. - MOBY SH

~230V



built-up wall light - directional

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xD265

Base Ø60xD25

Glass Ø180

Materials

Aluminium

2M

Ref

5137.SH.B.2M.SG

5137.SH.B.2M.TR

5137.SH.B.2M.BZ


Price €



built-up

5160.SH.A/.. - MOBY SH

~230V



built-up wall light - fixed - with E27 lampholder

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

B140xH250xD195

Glass Ø140

B60xH110xD25

Materials

Aluminium

1M | 2M

Ref

5160.SH.A.1M.TR

5160.SH.A.1M.BZ


5160.SH.A.1M.SG

5160.SH.A.2M.TR

5160.SH.A.2M.BZ

5160.SH.A.2M.SG

Price €



built-up

5160.SH.B/.. - MOBY SH

~230V



built-up wall light - fixed - with E27 lampholder

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

B180xH290xD215

Base B60xH110xD25

Glass Ø180

Materials

Aluminium

1M | 2M

Ref

5160.SH.B.1M.TR

5160.SH.B.1M.BZ

5160.SH.B.1M.SG

5160.SH.B.2M.TR

5160.SH.B.2M.BZ

5160.SH.B.2M.SG

Price €



built-up

5161.SH.A/.. - MOBY SH

~230V



IP20



built-up wall light - fixed - with E27 lampholder

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

B140xH210xD170

Base B50xH70xD120

Glass Ø140

Materials

Aluminium

1M | 2M

Ref

5161.SH.A.1M.TR

5161.SH.A.1M.BZ

5161.SH.A.1M.SG

5161.SH.A.2M.TR

5161.SH.A.2M.BZ

5161.SH.A.2M.SG

Price €



built-up



991.SH.C/.. - MOBY SH

~230V



IP20



table lamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH260

Base Ø145xH10

Glass Ø250

Materials

Aluminium

1M | 2M | 53

Ref

991.SH.C.1M.TR

991.SH.C.1M.BZ

991.SH.C.1M.SG

991.SH.C.2M.TR

991.SH.C.2M.BZ

991.SH.C.2M.SG

991.SH.C.53.BZ

**Price €**

built-up

991.SH.B/.. - MOBY SH

~230V



IP20



table lamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH200

Base Ø145xH10

Glass Ø180

Materials

Aluminium

1M | 2M | 53

Ref

991.SH.B.1M.TR

991.SH.B.1M.BZ

991.SH.B.1M.SG

991.SH.B.2M.BZ

991.SH.B.2M.SG

991.SH.B.2M.TR

991.SH.B.53.BZ

**Price €**

built-up

991.SH.A/.. - MOBY SH

~230V



IP20



table lamp - fixed - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø145xH160

Base Ø145xH10

Glass Ø140

Materials

Aluminium

1M | 2M | 53

Ref

991.SH.A.1M.TR

991.SH.A.1M.BZ

991.SH.A.1M.SG

991.SH.A.2M.TR

991.SH.A.2M.BZ

991.SH.A.2M.SG

991.SH.A.53.BZ

**Price €**

built-up

1467.SH.C.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH570

Tige 300

Base Ø160xH20

Glass Ø250

Materials

Aluminium

1M | 2M | 53

Ref

1467.SH.C.300.1M.TR

1467.SH.C.300.1M.BZ

1467.SH.C.300.1M.SG

1467.SH.C.300.2M.TR

1467.SH.C.300.2M.BZ

1467.SH.C.300.2M.SG

1467.SH.C.300.53.BZ

Price €

built-up

1618.SH.B.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH510

Tige 300

Base Ø170xH20

Glass Ø180

Materials

Aluminium

2M | 53

Ref

1618.SH.B.300.2M.BZ

1618.SH.B.300.2M.SG

1618.SH.B.300.2M.TR

1618.SH.B.300.53.BZ

Price €

built-up

1619.SH.A.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø170xH470

Tige 300

Base Ø170xH20

Glass Ø140

Materials

Aluminium

2M | 53

Ref

1619.SH.A.300.2M.RKC

1619.SH.A.300.2M.GC

1619.SH.A.300.2M.SC

1619.SH.A.300.2M.PKY

1619.SH.A.300.2M.ST

1619.SH.A.300.2M.SG

1619.SH.A.300.2M.TR

1619.SH.A.300.2M.BZ

1619.SH.A.300.53.BZ

Price €

built-up

1620.SH.B.300/.. - MOBY SH

~230V



IP20



table lamp - directional - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH560

Tige 300

Base Ø160xH20

Glass Ø180

Materials

Aluminium

2M | 53

Ref

1620.SH.B.300.2M.BZ



1620.SH.B.300.2M.TR



1620.SH.B.300.2M.SG



1620.SH.B.300.2M.ST



1620.SH.B.300.2M.GL



1620.SH.B.300.53.BZ

**Price €**

built-up

1621.SH.A.300/.. - MOBY SH

~230V



IP20



table lamp - directional - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø160xH520

Tige 300

Base Ø160xH20

Glass Ø140

Materials

Aluminium

2M | 53

Ref

1621.SH.A.300.2M.TR



1621.SH.A.300.2M.SG



1621.SH.A.300.2M.ST



1621.SH.A.300.2M.BZ



1621.SH.A.300.2M.GC



1621.SH.A.300.2M.SC



1621.SH.A.300.2M.PKY




1621.SH.A.300.2M.RKC



1621.SH.A.300.53.BZ

**Price €**

built-up



1536.SH.C/.. - MOBY SH

~230V



floorlamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

Ø260xH1480 Tige 1200
Base Ø260xH30 Glass Ø250

Materials

Aluminium 1M | 2M | 53

Options

S1640/.. DIMMER KABEL

Ref

1536.SH.C.1M.TR
1536.SH.C.1M.BZ
1536.SH.C.1M.SG
1536.SH.C.2M.TR
1536.SH.C.2M.BZ
1536.SH.C.2M.SG
1536.SH.C.53.BZ

Price €

built-up

1538.SH.B/.. - MOBY SH

~230V



floorlamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø260xH1420 Tige 1200
Base Ø260xH30 Glass Ø180

Materials

Aluminium 1M | 2M | 53

Options

S1640/.. DIMMER KABEL

Ref

1538.SH.B.1M.TR
1538.SH.B.1M.BZ
1538.SH.B.1M.SG
1538.SH.B.2M.TR
1538.SH.B.2M.BZ
1538.SH.B.2M.SG
1538.SH.B.53.BZ

Price €

built-up

1539.SH.A/.. - MOBY SH

~230V



floorlamp - fixed - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W 230V

Dimensions

Ø260xH1380 Tige 1200
Base Ø260xH30 Glass Ø140

Materials

Aluminium 1M | 2M | 53

Options

S1640/.. DIMMER KABEL

Ref

1539.SH.A.1M.TR
1539.SH.A.1M.BZ
1539.SH.A.1M.SG
1539.SH.A.2M.TR
1539.SH.A.2M.BZ
1539.SH.A.2M.SG
1539.SH.A.53.BZ

Price €

built-up



1555.SH.B/.. - MOBY SH

~230V



built-up



floorlamp - directional - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

↔ Ø260xH1305

Tige 1000

Base Ø260xH30

Glass Ø180

Materials

Aluminium

1M | 2M | 53

Options

S1640/..

DIMMER KABEL

Ref

1555.SH.B.1M.TR

1555.SH.B.1M.BZ

1555.SH.B.1M.SG

1555.SH.B.2M.TR

1555.SH.B.2M.BZ

1555.SH.B.2M.SG

1555.SH.B.2M.GL

1555.SH.B.2M.RCL


1555.SH.B.2M.SL

1555.SH.B.2M.GLP

1555.SH.B.2M.GC

1555.SH.B.2M.RKC

1555.SH.B.53.BZ

**Price €**

1556.SH.A/.. - MOBY SH

~230V



built-up



floorlamp - directional - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

↔ Ø260xH1265

Tige 1000

Base Ø260xH30

Glass Ø140

Materials

Aluminium

1M | 2M | 53

Options

S1640/..

DIMMER KABEL

Ref

1556.SH.A.1M.TR

1556.SH.A.1M.BZ

1556.SH.A.1M.SG

1556.SH.A.2M.TR

1556.SH.A.2M.BZ

1556.SH.A.2M.SG

1556.SH.A.2M.GL

1556.SH.A.2M.RCL

1556.SH.A.2M.SL

1556.SH.A.2M.PKY

1556.SH.A.2M.GC

1556.SH.A.2M.RKC

1556.SH.A.53.BZ

**Price €**

5204.SH.C/.. - MOBY SH

~230V



IP20



built-up

floorlamp - directional - with switch - cable and plug

Lamptype
1x G80 E27 max. 12w 230V

Dimensions
Ø320xH1120 Tige 1000

Glass Ø250

Materials
Aluminium 1M | 2M | 53 | 46
Messing 16

Ref		Price €
5204.SH.C.1M.90		1.
5204.SH.C.1M.TR		
5204.SH.C.2M.90		1.
5204.SH.C.2M.TR		
5204.SH.C.16.90		
5204.SH.C.16.TR		
5204.SH.C.46.90		1.
5204.SH.C.46.TR		
5204.SH.C.53.BZ		



1639.SH../.. - MOBY SH

~230V



IP20



floorlamp - fixed - with switch - cable and plug

Lamptype

2x A60 E27 max. 15W 230V

1x D45 E27 max. 15W 230V

Dimensions

L245xB245xH1782 Bar H1000

Bar H1250 Bar H1500

Base L245xB245xH32 Glass Ø140

Glass Ø180 Glass Ø250

Materials

Aluminium 2M | 53

Options

S1640/.. DIMMER KABEL

Ref

1639.SH.2M.TR

1639.SH.2M.BZ

1639.SH.2M.GL

1639.SH.53.BZ

**Price €**

1.

1.

1.

built-up

1740.SH.C../.. - MOBY SH

~230V



IP20



table lamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

Ø250xH230 Base Ø160xH20

Glass Ø250

Materials

Aluminium 1M | 2M | 53

Messing 16

Ref

1740.SH.C.1M.TR

1740.SH.C.1M.BZ

1740.SH.C.1M.SG

1740.SH.C.2M.TR

1740.SH.C.2M.BZ

1740.SH.C.2M.SG

1740.SH.C.16.TR

1740.SH.C.16.BZ

1740.SH.C.53.BZ

**Price €**

built-up

1740.SH.B../.. - MOBY SH

~230V



IP20



table lamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH170 Base Ø160xH20

Glass Ø180

Materials

Aluminium 1M | 2M | 53 | 46

Messing 16

Ref

1740.SH.B.1M.TR

1740.SH.B.1M.BZ

1740.SH.B.1M.SG

1740.SH.B.2M.BZ

1740.SH.B.2M.SG

1740.SH.B.2M.TR

1740.SH.B.16.TR

1740.SH.B.16.BZ










1740.SH.B.46.BZ

1740.SH.B.53.BZ




**Price €**

built-up

Glass Colours



Colours



Andere kleuren op aanvraag - Autres couleurs sur demande - Andere Farben auf Anfrage
Other colours on request



Textile Colours





psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.