




+30
YEARS

Moby

Class in a glass



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

4120.C/.. - MOBY

~230V



ceiling light - fixed

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

↔ Ø250xH233 mm

Glass Ø250xH213 mm

↕ Ø100xH20 mm

Materials

Aluminium

1M | 2M | 53 | 46

Ref

4120.C.1M.TR



4120.C.2M.TR



4120.C.2M.BZ



4120.C.53.BZ



4120.C.46.BZ



built-up

4121.B/.. - MOBY

~230V



ceiling light - fixed

Lamptype

1x A60 E27 max. 6W

230V

Dimensions

↔ Ø180xH174 mm

Glass Ø180xH154 mm

↕ Ø100xH20 mm

Materials

Aluminium

1M | 2M | 53 | 46

Ref

4121.B.1M.TR



4121.B.2M.BZ



4121.B.2M.TR



4121.B.53.BZ



4121.B.46.BZ



built-up

5087.C.E27/.. - MOBY TRANSPARANT

~230V



IP20



2 m



1.2219

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W 230V

Dimensions

Ø250xH210 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14 | 53

Messing 16 | 23

Rood koper 28

Ref

5087.C.E27.1M.TR.TX1

5087.C.E27.2M.TR.TX2

5087.C.E27.14.TR.TX11

5087.C.E27.16.TR.TXM

5087.C.E27.23.TR.TXG23

5087.C.E27.53.TR.TXJ

5087.C.E27.28.TR.TXRK

built-up

5088.B.E27/.. - MOBY TRANSPARANT

~230V



IP20



2 m



0.8424

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W 230V

Dimensions

Ø180xH140 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14 | 53

Messing 16 | 23

Rood koper 28

Ref

5088.B.E27.1M.TR.TX1

5088.B.E27.2M.TR.TX2

5088.B.E27.14.TR.TX11

5088.B.E27.16.TR.TXM

5088.B.E27.23.TR.TXG23

5088.B.E27.53.TR.TXJ

5088.B.E27.28.TR.TXRK

built-up

5089.A.E27/.. - MOBY TRANSPARANT

~230V



IP20



2 m



0.6300

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø140xH120 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14

Messing 16 | 23

Rood koper 28

Ref

5089.A.E27.1M.TR.TX1

5089.A.E27.2M.TR.TX2

5089.A.E27.14.TR.TX11

5089.A.E27.16.TR.TXM

5089.A.E27.23.TR.TXG23

5089.A.E27.28.TR.TXRK

built-up

5089.A.E14/.. - MOBY TRANSPARANT

~230V



IP20



2 m



0.7000

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W 230V

1x C35 E14 max. 4W 230V

Dimensions

Ø140xH120 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14

Messing 16 | 23

Rood koper 28

Ref

5089.A.E14.1M.TR.TX1

5089.A.E14.2M.TR.TX2

5089.A.E14.14.TR.TX11

5089.A.E14.16.TR.TXM

5089.A.E14.23.TR.TXG23

5089.A.E14.28.TR.TXRK

built-up



CEILING UP

PENDANTS

5093.C.E27/.. - MOBY BRONZ

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44 | 53

Ref

5093.C.E27.2M.BZ.TXJ



5093.C.E27.2M.BZ.TX2



5093.C.E27.44.BZ.TX7



5093.C.E27.53.BZ.TXJ



5093.C.E27.53.BZ.TXG4



5093.C.E27.53.BZ.TX12



5093.C.E27.53.BZ.TXG13



5093.C.E27.53.BZ.TX33



built-up

5094.B.E27/.. - MOBY BRONZ

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH140 mm

Cable 2000 mm

Materials

Aluminium

2M | 44 | 53

Ref

5094.B.E27.2M.BZ.TX2



5094.B.E27.2M.BZ.TX44



5094.B.E27.44.BZ.TX7



5094.B.E27.53.BZ.TXJ



5094.B.E27.53.BZ.TXG4



5094.B.E27.53.BZ.TX12



5094.B.E27.53.BZ.TXG13



5094.B.E27.53.BZ.TX33



built-up

5095.A.E27/.. - MOBY BRONZ

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 44 | 53 | 46

Ref

5095.A.E27.1M.BZ.TX1



5095.A.E27.2M.BZ.TX2



5095.A.E27.44.BZ.TX7



5095.A.E27.53.BZ.TXJ



5095.A.E27.53.BZ.TX12



5095.A.E27.46.BZ.TXG4



built-up

5095.A.E14/.. - MOBY BRONZ

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 44 | 53 | 46

Ref

5095.A.E14.1M.BZ.TX1



5095.A.E14.2M.BZ.TX2



5095.A.E14.44.BZ.TX7



5095.A.E14.53.BZ.TXJ



5095.A.E14.53.BZ.TX12



5095.A.E14.53.BZ.TXG4



5095.A.E14.46.BZ.TXG4



built-up



5084.C.E27/.. - MOBY SMOKEY GREY

~230V



IP20



2 m



1.1677



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5084.C.E27.2M.SG.TX2



5084.C.E27.2M.SG.TXG7



5084.C.E27.44.SG.TX44



built-up

5085.B.E27/.. - MOBY SMOKEY GREY

~230V



IP20



2 m



0.7383



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH140 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5085.B.E27.2M.SG.TX2



5085.B.E27.2M.SG.TXG7



5085.B.E27.44.SG.TX44



built-up

5086.A.E27/.. - MOBY SMOKEY GREY

~230V



IP20



2 m



0.7789



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5086.A.E27.2M.SG.TX2



5086.A.E27.2M.SG.TXG7



5086.A.E27.44.SG.TX44



built-up

5099.A.E14/.. - MOBY SMOKEY GREY

~230V



IP20



2 m



0.5467



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E14 max. 6W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5099.A.E14.2M.SG.TX2



5099.A.E14.2M.SG.TXG7



5099.A.E14.44.SG.TX44



built-up

5109.C.E27/.. - MOBY STEEL

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5109.C.E27.2M.ST.TX2



5109.C.E27.44.ST.TX44



built-up



CEILING UP

PENDANTS

5176.C.E27/.. - MOBY OPAL MAT

~230V



IP20



2 m



1.9000



0,5 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5176.C.E27.1M.OM.TX1



5176.C.E27.2M.OM.TX2



5176.C.E27.16.OM.TXM



5176.C.E27.16.OM.TX42



5176.C.E27.16.OM.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5177.B.E27/.. - MOBY OPAL MAT

~230V



IP20



2 m



0.8600



0,5 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5177.B.E27.1M.OM.TX1



5177.B.E27.2M.OM.TX2



5177.B.E27.16.OM.TXM



5177.B.E27.16.OM.TX42



5177.B.E27.16.OM.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5178.A.E27/.. - MOBY OPAL MAT

~230V



IP20



2 m



0,5 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5178.A.E27.1M.OM.TX1



5178.A.E27.2M.OM.TX2



5178.A.E27.16.OM.TXM



5178.A.E27.16.OM.TX42



5178.A.E27.16.OM.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs



3991.C.ZXO/.. - MOBY ZXO

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamp type

1x LED 350lm CRI90 4W

230V

Dimensions

Ø250xH235 mm

2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

3991.C.ZXO.1M.TR.TX1

NW | WW

3991.C.ZXO.2M.TR.TX2

NW | WW

3991.C.ZXO.16.TR.TX4

NW | WW


3991.C.ZXO.16.TR.TXM

NW | WW

built-up

3991.C.XTM/.. - MOBY XTM

=350mA



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI83 4,5W 12,86Vf

350mA

Dimensions

Ø250xH235 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

3991.C.XTM.1M.TR.TX1

NW | WW

3991.C.XTM.2M.TR.TX2

NW | WW

3991.C.XTM.16.TR.TX4

NW | WW


3991.C.XTM.16.TR.TXM

NW | WW

built-up

3993.B.XTM/.. - MOBY XTM

=350mA



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI83 4,5W 12,86Vf

350mA

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

3993.B.XTM.1M.TR.TX1

NW | WW

3993.B.XTM.2M.TR.TX2

NW | WW

3993.B.XTM.16.TR.TX4

NW | WW

3993.B.XTM.16.TR.TXM

NW | WW

built-up

3994.A.XTM/.. - MOBY XTM

=350mA



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 720lm CRI83 4,5W 12,86Vf

350mA

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

3994.A.XTM.1M.TR.TX1

NW | WW

3994.A.XTM.2M.TR.TX2

NW | WW

3994.A.XTM.16.TR.TX4

NW | WW


3994.A.XTM.16.TR.TXM

NW | WW

built-up

4973.C.E27/.. - MOBY GOLD

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Messing

4 | 16

Ref

4973.C.E27.4.GC.TX4


4973.C.E27.4.GC.TX2

4973.C.E27.16.GC.TXM

built-up
gold coated glass

4970.B.E27/.. - MOBY GOLD

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

4970.B.E27.2M.GC.TX2


4970.B.E27.4.GC.TX4

4970.B.E27.16.GC.TXM

built-up
gold coated glass

4998.A.E27/.. - MOBY GOLD

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

4998.A.E27.2M.GC.TX2

4998.A.E27.4.GC.TX4

4998.A.E27.16.GC.TXM

built-up
gold coated glass



4974.C.E27/.. - MOBY RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Rood koper

Ref

4974.C.E27.28.RKC.TX2



4974.C.E27.28.RKC.TXG28



4974.C.E27.28.RKC.TXRK



built-up
red copper coated glass

4971.B.E27/.. - MOBY RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28

Ref

4971.B.E27.2M.RKC.TX2



4971.B.E27.28.RKC.TXG28



4971.B.E27.28.RKC.TXRK



built-up
red copper coated glass

4999.A.E27/.. - MOBY RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28

Ref

4999.A.E27.2M.RKC.TX2



4999.A.E27.28.RKC.TXG28



4999.A.E27.28.RKC.TXRK



4999.A.E27.28.RKC.TX2



built-up
red copper coated glass



4975.C.E27/.. - MOBY SILVER

~230V



IP20



2 m



1.2050



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

Ref

4975.C.E27.14.SC.TX2



4975.C.E27.14.SC.TX7



4975.C.E27.14.SC.TXS



4975.C.E27.14.SC.TX11



built-up
silver coated glass

4972.B.E27/.. - MOBY SILVER

~230V



IP20



2 m



0.7900



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175 mm

Cable 2000 mm

Materials

Aluminium

Ref

4972.B.E27.2M.SC.TX2



4972.B.E27.14.SC.TXS



4972.B.E27.14.SC.TXS2



built-up
silver coated glass

4994.A.E27/.. - MOBY SILVER

~230V



IP20



2 m



0.6300



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH120 mm

Cable 2000 mm

Materials

Aluminium

Ref

4994.A.E27.2M.SC.TX2



4994.A.E27.14.SC.TXS



4994.A.E27.14.SC.TXS2



4994.A.E27.14.SC.TX11



built-up
silver coated glass

5127.C.E27/.. - MOBY PINKY

~230V



IP20



2 m



1.2800

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Ref

5127.C.E27.2M.PKY.TX2



5127.C.E27.2M.PKY.TXG30



*built-up
pink coated glass*



CEILING UP

PENDANTS

4101.C.E27/.. - MOBY METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH235 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

Ref

4101.C.E27.2M.GL.TX2



4101.C.E27.2M.RCL.TX2



4101.C.E27.2M.SL.TX2



4101.C.E27.2M.GLP.TX2



4101.C.E27.14.SL.TXN



4101.C.E27.14.SL.TX11



4101.C.E27.16.GL.TXM



4101.C.E27.16.GL.TX42



4101.C.E27.28.RCL.TXRK



4101.C.E27.28.RCL.TX14



built-up
transparent glass hand covered with metal leaf

4102.B.E27/.. - MOBY METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH175 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

Ref

4102.B.E27.2M.GL.TX2



4102.B.E27.2M.RCL.TX2



4102.B.E27.2M.SL.TX2



4102.B.E27.2M.GLP.TX2



4102.B.E27.14.SL.TXN



4102.B.E27.14.SL.TX11



4102.B.E27.16.GL.TXM



4102.B.E27.16.GL.TX42



4102.B.E27.28.RCL.TXRK



4102.B.E27.28.RCL.TX14



built-up
transparent glass hand covered with metal leaf

4103.A.E27/.. - MOBY METAL LEAF

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH135 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Messing

16

Rood koper

28

Ref

4103.A.E27.2M.GL.TX2



4103.A.E27.2M.RCL.TX2



4103.A.E27.2M.SL.TX2



4103.A.E27.2M.GLP.TX2



4103.A.E27.14.SL.TXN



4103.A.E27.14.SL.TX11



4103.A.E27.16.GL.TXM



4103.A.E27.16.GL.TX42



4103.A.E27.28.RCL.TXRK



4103.A.E27.28.RCL.TX14



built-up
transparent glass hand covered with metal leaf






CEILING UP

PENDANTS

5169.D.E27/.. - MOBY DOUBLE

~230V



pendant - fixed - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø350xH300 mm

Cable 2000 mm

Glass Ø180 mm

Glass Ø350 mm

Materials

Aluminium

1M | 2M

Ref



5169.D.E27.1M.TR.TX1

5169.D.E27.2M.TR.TX2

built-up
With Moby gold leaf Ø180mm inside

5164.D.E27/.. - MOBY TRANSPARANT

~230V



pendant - fixed - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G125 E27 max. 8W

230V

Dimensions

Ø350xH300 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

16

Ref

5164.D.E27.1M.TR.TX1

5164.D.E27.2M.TR.TX2

5164.D.E27.14.TR.TX11

5164.D.E27.16.TR.TXM

built-up



5096.C.E27/.. - MOBY METAL

~230V



IP20



2 m



1.6157



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø245xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 45 | 29

Ref

5096.C.E27.1M.TX1



5096.C.E27.1M.TXW1



5096.C.E27.2M.TX2



5096.C.E27.2M.TXW2



5096.C.E27.45.TX2



5096.C.E27.45.TXW2



5096.C.E27.45.TX4



5096.C.E27.29.TX2



5096.C.E27.29.TXW2



5096.C.E27.29.TX4



built-up
powder coated aluminium

5096.B.E27/.. - MOBY METAL

~230V



IP20



2 m



1.1250



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø200xH165 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 45 | 29

Ref

5096.B.E27.1M.TX1



5096.B.E27.2M.TX2



5096.B.E27.45.TX2



5096.B.E27.45.TX4



5096.B.E27.29.TX2



5096.B.E27.29.TX4



built-up
powder coated aluminium

5096.A.E27/.. - MOBY METAL

~230V



IP20



2 m



1.4500



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø152xH130 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 45 | 29

Ref

5096.A.E27.1M.TX1



5096.A.E27.2M.TX2



5096.A.E27.45.TX2



5096.A.E27.45.TX4



5096.A.E27.29.TX2



5096.A.E27.29.TX4



built-up
powder coated aluminium

5150.3C.E27/.. - MOBY 3 GLASS

~230V



IP20




1.5 m



4.7500



0,5 m



built-up

pendant - with 3x Moby Ø250 - 1,5m textile cable

Lamptype

3x G80 E27 max. 8W

230V

Dimensions

L1200xB250xH1755 mm Cable 1500 mm

Base L1200xB50xH40 mm

Glass Ø250 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Messing

16

Ref

5150.3C.E27.2M.TR.TX2



5150.3C.E27.2M.BZ.TX2



5150.3C.E27.2M.SG.TX2



5150.3C.E27.16.TR.TXM



5150.3C.E27.53.BZ.TXJ



5150.3C.E27.216.TR.TX2



5150.3C.E27.216.TR.TXM



5150.5C.E27/.. - MOBY 5 GLASS

~230V



IP20




1.5 m



5.6250



0,5 m



built-up

pendant - with 5x Moby Ø250 - 1,5m textile cable

Lamptype

5x G80 E27 max. 8W

230V

Dimensions

L1800xB250xH1750 mm Cable 1500 mm

Base L1800xB45xH45 mm

Glass Ø250 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Messing

16

Ref

5150.5C.E27.2M.TR.TX2



5150.5C.E27.2M.BZ.TX2



5150.5C.E27.2M.SG.TX2



5150.5C.E27.16.TR.TXM



5150.5C.E27.53.BZ.TXJ



5150.5C.E27.216.TR.TX2



5150.5C.E27.216.TR.TXM



5159.2B.3C/.. - MOBY 5 GLASS

~230V



IP20




1.5 m



0.7700



0,5 m



built-up

pendant - with 3x Moby Ø250 and 2x Moby Ø180 - 1,5m textile cable

Lamptype

2x A60 E27 max. 8W

230V

3x G80 E27 max. 8W

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm

Base L1400xB50xH40 mm

Glass Ø180 mm

Glass Ø250 mm

Materials

Aluminium

1M | 2M | 53

Aluminium / Messing

216

Messing

16

Ref

5159.2B.3C.1M.TR.TX1



5159.2B.3C.1M.BZ.TX1



5159.2B.3C.1M.SG.TX1



5159.2B.3C.2M.TR.TX2



5159.2B.3C.2M.BZ.TX2



5159.2B.3C.2M.SG.TX2



5159.2B.3C.16.TR.TXM



5159.2B.3C.53.BZ.TXJ



5159.2B.3C.216.TR.TXM



5159.2B.3C.216.TR.TX2





5152.3.E27/.. - MOBY 3 GLASS

~230V



IP20



1.5 m



2.9800



0,5 m



4,6



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

2x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø390xH1676 mm

Cable 1500 mm

Base Ø250xH28 mm

Glass Ø180 mm

Glass Ø250 mm

Ø220 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

5152.3.E27.2M.TR.TX2



5152.3.E27.2M.BZ.TX2



5152.3.E27.2M.SG.TX2



5152.3.E27.53.BZ.TXJ



5152.3.E27.216.TR.TX2



5152.3.E27.216.TR.TXM



built-up

5152.5.E27/.. - MOBY 5 GLASS

~230V



IP20



1.5 m



5.7790



0,5 m



4,6



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

4x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

Ø530xH1676 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø370 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Ref

5152.5.E27.2M.TR.TX2



5152.5.E27.2M.BZ.TX2



5152.5.E27.2M.SG.TX2



5152.5.E27.53.BZ.TXJ



5152.5.E27.216.TR.TX2



5152.5.E27.216.TR.TXM



built-up



5154.4.E27/.. - MOBY GLASS MIX

~230V



IP20



1.5 m



1.0000



0,5 m



4,6



pendant - combination 4x Moby - 1,5m textile cable

Lamptype

1x G80 E27 max. 8W

230V

3x ST64 E27 max. 8W

230V

Dimensions

Ø525xH1741 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø200 mm

Glass Ø250 mm

Ø370 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5154.4.E27.1M.TR.TX1



5154.4.E27.2M.TR.TX2



5154.4.E27.216.TR.TX2



5154.4.E27.216.TR.TXM



built-up

5155.7.E27/.. - MOBY GLASS MIX

~230V



IP20



1.5 m



5,6500



0,5 m



4,6



pendant - combination 7x Moby - 2m textile cable glitter

Lamptype

6x A60 E27 max. 8W

230V

1x D45 E27 max. 8W

230V

Dimensions

Ø650xH1741 mm

Cable 2000 mm

Base Ø500xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø470 mm

Materials

Aluminium

1M | 2M

Ref

5155.7.E27.1M.RBSMIX



5155.7.E27.2M.RBSMIX



built-up

TXG4 - TXG7 - TXG28



CEILING UP

PENDANTS

BT.5152.3.E27/.. - CASAMBI MOBY 3 GLASS ~230V IP20 1.5 m 0,5 m 4.6 CE

~230V IP20 1.5 m 0,5 m 4.6



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m
textile cable

Lamptype

2x A60 E27 max. 8W	230V
1x G80 E27 max. 8W	230V

Dimensions

 Ø390xH1676 mm Cable 1500 mm
 Base Ø250xH28 mm Glass Ø180 mm
 Glass Ø250 mm  Ø220 mm

Materials

Aluminium	2M 53
Aluminium / Messing	216

Ref

BT.5152.3.E27.2M.TR.TX2	
BT.5152.3.E27.2M.BZ.TX2	
BT.5152.3.E27.2M.SG.TX2	
BT.5152.3.E27.2M.SG.TX7	
BT.5152.3.E27.53.BZ.TXJ	
BT.5152.3.E27.216.TR.TX2	
BT.5152.3.E27.216.TR.TXM	

built-up

BT.5152.5.E27/.. - CASAMBI MOBY 5 GLASS ~230V IP20 1.5 m 1.3000 0.5 m 4.6

~230V  IP20    1.5 m   1.3000  0.5 m  4.6 



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

4x A60 E27 max. 8W	230V
1x D45 E27 max. 8W	230V

Dimensions

	Cable 1500 mm
Base Ø400xH28 mm	Glass Ø140 mm
Glass Ø180 mm	Glass Ø250 mm

 Ø370 mm

Materials

Aluminium	2M 53
Aluminium / Messing	216

Ref

BT.5152.5.E27.2M.TR.TX2			
BT.5152.5.E27.2M.BZ.TX2			
BT.5152.5.E27.2M.SG.TX2			
BT.5152.5.E27.53.BZ.TXJ			
BT.5152.5.E27.216.TR.TX2			
BT.5152.5.E27.216.TR.TXM			

built-up



CEILING UP

PENDANTS

3992.E.ZXO/.. - MOBY DECO ZXO

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

3992.E.ZXO.1M.TR.TX1

NW | WW

3992.E.ZXO.2M.TR.TX2

NW | WW

3992.E.ZXO.16.TR.TX4

NW | WW

3992.E.ZXO.16.TR.TXM

NW | WW

built-up

3992.E.XTM/.. - MOBY DECO XTM

=350mA



IP20



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 720lm CRI83 4,5W 12,86Vf

350mA

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

3992.E.XTM.1M.TR.TX1

NW | WW

3992.E.XTM.2M.TR.TX2

NW | WW

3992.E.XTM.16.TR.TX4

NW | WW

3992.E.XTM.16.TR.TXM

NW | WW

built-up



5206.E.E27/.. - MOBY DECO BRONZ

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 53

Ref

5206.E.E27.2M.BZ.TX2



5206.E.E27.53.BZ.TX2



5206.E.E27.53.BZ.TXG13



5206.E.E27.53.BZ.TXJ



built-up

5043.E.E27/.. - MOBY DECO STEEL

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

16 | 23

Rood koper

28

Ref

5043.E.E27.1M.ST.TX1



5043.E.E27.2M.ST.TX2



5043.E.E27.14.ST.TX11



5043.E.E27.16.ST.TXM



5043.E.E27.23.ST.TXG23



5043.E.E27.28.ST.TXRK



built-up

5097.E.E27/.. - MOBY DECO TRANPARANT

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 14

Messing

16 | 23

Rood koper

28

Ref

5097.E.E27.1M.TR.TX1



5097.E.E27.2M.TR.TX2



5097.E.E27.14.TR.TX11



5097.E.E27.16.TR.TXM



5097.E.E27.23.TR.TXG23



5097.E.E27.28.TR.TXRK



built-up



5199.E.E27/.. - MINI MOBY DECO

~230V



IP20



0 m



0.87/10



0.5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø130xH140 mm

2000 mm

Materials

Aluminium

2M | 119

Ref

5199.E.E27.2M.ST.TX2



5199.E.E27.2M.TR.TX2



5199.E.E27.119.BZ.TX33



built-up

5207.E.ZXO/.. - MINI MOBY DECO ZXO

~230V



IP20



0 m



0.87/10



0.5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø130xH140 mm

2000 mm

Materials

Aluminium

2M | 119

Ref

5207.E.ZXO.2M.ST.TX2



5207.E.ZXO.2M.TR.TX2



5207.E.ZXO.119.BZ.TX33



built-up

5138.E.E27/.. - MOBY DECO GOLD

~230V



IP20



2 m



1.1800



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

5138.E.E27.2M.GC.TX2



5138.E.E27.4.GC.TX4



5138.E.E27.16.GC.TXM



built-up
gold coated glass

5129.E.E27/.. - MOBY DECO RKC

~230V



IP20



2 m



0.6000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 10w

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28

Ref

5129.E.E27.2M.RKC.TX2



5129.E.E27.2M.RKC.TXG28



5129.E.E27.28.RKC.TXRK



5129.E.E27.28.RKC.TX14



built-up
red copper coated glass

5139.E.E27/.. - MOBY DECO PINKY

~230V



IP20



2 m



1.2350



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W

230V

Dimensions

Ø200xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Ref

5139.E.E27.2M.PKY.TX2



5139.E.E27.2M.PKY.TXG30



built-up
pink coated glass

5162.3E/.. - MOBY DECO GLASS

~230V



IP20



built-up

pendant - with 3x Moby - 1,5m textile cable

Lamptype

3x ST64 E27 max. 8W

230V

Dimensions

L900xB200xH1755 mm Cable 1500 mm

Base L900xB50xH40 mm

Glass Ø200xH215 mm

Materials

Aluminium

Aluminium / Messing

Messing

1M | 2M

216

16

Ref

5162.3E.1M.TR.TX1

5162.3E.1M.ST.TX1

5162.3E.2M.TR.TX2

5162.3E.2M.ST.TX2

5162.3E.16.TR.TXM

5162.3E.216.TR.TXM

5162.3E.216.TR.TX2



5157.2E.3M/.. - MOBY DECO GLASS

~230V



IP20



1.5 m



5.2760

0.5 m

4.6



built-up



pendant - round - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 800lm CRI92 9,4W

230V

2x ST64 E27 max. 10w

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm



36°

Base L1400xB45xH45 mm

Glass Ø200 mm

tube Ø60xH300 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216

Messing 16

Ref

5157.2E.3M.1M.TR.TX1 NW | WW

5157.2E.3M.1M.ST.TX1 NW | WW

5157.2E.3M.2M.TR.TX2 NW | WW

5157.2E.3M.2M.ST.TX2 NW | WW

5157.2E.3M.16.TR.TXM NW | WW

5157.2E.3M.216.TR.TXM NW | WW

5157.2E.3M.216.TR.TX2 NW | WW

BT.5157.2E.3M/.. - CASAMBI MOBY DECO GLASS

~230V



IP20



1.5 m



5.3000

0.5 m

4.6



built-up



pendant - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 800lm CRI92 9,4W

230V

2x ST64 E27 max. 10w

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm



36°

Base L1400xB50xH40 mm

Glass Ø200 mm

tube Ø60xH300 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216

Messing 16

Ref

BT.5157.2E.3M.1M.TR.TX1 NW | WW

BT.5157.2E.3M.1M.ST.TX1 NW | WW

BT.5157.2E.3M.2M.TR.TX2 NW | WW

BT.5157.2E.3M.2M.ST.TX2 NW | WW

BT.5157.2E.3M.16.TR.TXM NW | WW

BT.5157.2E.3M.216.TR.TXM NW | WW

BT.5157.2E.3M.216.TR.TX2 NW | WW

5158.2C.3M/.. - MOBY GLASS

~230V



IP20



1.5 m



9.8500

0.5 m

4.6



built-up



pendant - round - combination 2x Moby and 3x Mero - 1,5m textile cable

Lamptype

3x LED 800lm CRI92 9,4W

230V

2x G80 E27 max. 8W

230V

Dimensions

L1400xB250xH1755 mm Cable 1500 mm



36°

Base L1400xB50xH40 mm

Glass Ø250 mm

tube Ø60xH300 mm

Materials

Aluminium 1M | 2M

Aluminium / Messing 216

Messing 16

Ref

5158.2C.3M.1M.TR.TX1 NW | WW

5158.2C.3M.1M.ST.TX1 NW | WW

5158.2C.3M.2M.TR.TX2 NW | WW

5158.2C.3M.2M.ST.TX2 NW | WW

5158.2C.3M.16.TR.TXM NW | WW

5158.2C.3M.216.TR.TXM NW | WW

5158.2C.3M.216.TR.TX2 NW | WW

5098.E27/.. - MOBY TULIP TRANSPARANT

~230V



IP20



2 m



0.9329



0.5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x ST64 E27 max. 8W 230V
OR 1x G80 E27 max. 8W 230V

Dimensions

Ø200xH200 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14 | 53
Messing 16 | 23
Rood koper 28

Ref

5098.E27.1M.TR.TX1
5098.E27.2M.TR.TX2
5098.E27.14.TR.TX11
5098.E27.16.TR.TXM
5098.E27.23.TR.TXG23
5098.E27.53.TR.TXJ
5098.E27.28.TR.TXRK





built-up



5063.C.E27.SH/.. - MOBY SH TRANSPARANT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W 230V

Dimensions

Ø250xH270 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14

Messing 16 | 23

Rood koper 28


Ref

5063.C.E27.SH.1M.TR.TX1	
5063.C.E27.SH.2M.TR.TX2	
5063.C.E27.SH.14.TR.TX11	
5063.C.E27.SH.16.TR.TXM	
5063.C.E27.SH.23.TR.TXG23	
5063.C.E27.SH.28.TR.TXRK	

built-up

5064.B.E27.SH/.. - MOBY SH TRANSPARANT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W 230V

OR 1x G80 E27 max. 8W 230V

Dimensions

Ø180xH210 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14 | 53

Messing 16 | 23

Rood koper 28


Ref

5064.B.E27.SH.1M.TR.TX1	
5064.B.E27.SH.2M.TR.TX2	
5064.B.E27.SH.14.TR.TX11	
5064.B.E27.SH.16.TR.TXM	
5064.B.E27.SH.23.TR.TXG23	
5064.B.E27.SH.53.TR.TXJ	
5064.B.E27.SH.28.TR.TXRK	

built-up

5082.A.E27.SH/.. - MOBY SH TRANSPARANT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø140xH170 mm Cable 2000 mm

Materials

Aluminium 1M | 2M | 14

Messing 16 | 23

Rood koper 28

Ref

5082.A.E27.SH.1M.TR.TX1	
5082.A.E27.SH.2M.TR.TX2	
5082.A.E27.SH.14.TR.TX11	
5082.A.E27.SH.16.TR.TXM	
5082.A.E27.SH.23.TR.TXG23	
5082.A.E27.SH.28.TR.TXRK	

built-up



CEILING UP

PENDANTS

5078.C.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 44 | 53

Messing

13

Ref

5078.C.E27.SH.2M.BZ.TXJ



5078.C.E27.SH.2M.BZ.TX2



5078.C.E27.SH.44.BZ.TX7



5078.C.E27.SH.13.BZ.TX2



5078.C.E27.SH.53.BZ.TXJ



5078.C.E27.SH.53.BZ.TXG4



5078.C.E27.SH.53.BZ.TX12



5078.C.E27.SH.53.BZ.TXG13



built-up

5079.B.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44 | 53

Messing

13

Ref

5079.B.E27.SH.2M.BZ.TX2



5079.B.E27.SH.44.BZ.TX7



5079.B.E27.SH.44.BZ.TX44



5079.B.E27.SH.13.BZ.TXJ



5079.B.E27.SH.13.BZ.TX2



5079.B.E27.SH.53.BZ.TXJ



5079.B.E27.SH.53.BZ.TXG4



5079.B.E27.SH.53.BZ.TX12



5079.B.E27.SH.53.BZ.TXG13



built-up

5126.A.E27.SH/.. - MOBY SH BRONZ

~230V



IP20



suspension with textile cable - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 44 | 53 | 46

Messing

13

Ref

5126.A.E27.SH.1M.BZ.TX1



5126.A.E27.SH.2M.BZ.TX2



5126.A.E27.SH.44.BZ.TX7



5126.A.E27.SH.13.BZ.TX2



5126.A.E27.SH.53.BZ.TXJ



5126.A.E27.SH.53.BZ.TX12



5126.A.E27.SH.46.BZ.TXG4



built-up



CEILING UP

PENDANTS

5068.C.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5068.C.E27.SH.2M.SG.TX2



5068.C.E27.SH.44.SG.TX44



built-up

5069.B.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5069.B.E27.SH.2M.SG.TX2



5069.B.E27.SH.44.SG.TX44



built-up

5083.A.E27.SH/.. - MOBY SH SMOKEY GREY

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5083.A.E27.SH.2M.SG.TX2



5083.A.E27.SH.44.SG.TX44



built-up



CEILING UP

PENDANTS

5128.C.E27.SH/.. - MOBY SH STEEL

~230V



IP20



2 m



3.0767



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

5128.C.E27.SH.2M.ST.TX2

5128.C.E27.SH.44.ST.TX44

built-up

4988.B.E27.SH/.. - MOBY SH STEEL

~230V



IP20



2 m



0.7280



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

4988.B.E27.SH.2M.ST.TX2

4988.B.E27.SH.44.ST.TX44

built-up

4976.A.E27.SH/.. - MOBY SH STEEL

~230V



IP20



2 m



0.8000



0,5 m



5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M | 44

Ref

4976.A.E27.SH.2M.ST.TX2

4976.A.E27.SH.44.ST.TX44

built-up

5188.B.E27.SH/.. - MOBY SH OLIVE GREEN

~230V



IP20



2 m



0.8600



0.5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH250 mm

Cable 2000 mm

Materials

Aluminium

RAL 1015 | RAL 7033

Ref

5188.B.E27.SH.RAL 1015.OGR.TX50

5188.B.E27.SH.RAL 7033.OGR.TX364



built-up

5189.A.E27.SH/.. - MOBY SH OLIVE GREEN

~230V



IP20



2 m



0.8000



0.5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH210 mm

Cable 2000 mm

Materials

Aluminium

RAL 1015 | RAL 7033

Ref

5189.A.E27.SH.RAL 1015.OGR.TX50

5189.A.E27.SH.RAL 7033.OGR.TX364



built-up


CEILING UP

PENDANTS



5170.C.E27.SH/.. - MOBY SH OPAL MAT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W 230V

Dimensions

Ø250xH270 mm Cable 2000 mm

Materials

Aluminium 1M | 2M

Messing 16

Ref

5170.C.E27.SH.1M.OM.TX1

5170.C.E27.SH.2M.OM.TX2

5170.C.E27.SH.16.OM.TXM

5170.C.E27.SH.16.OM.TX42


5170.C.E27.SH.16.OM.TX2

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5171.B.E27.SH/.. - MOBY SH OPAL MAT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W 230V

1x G80 E27 max. 8W 230V

Dimensions

Ø180xH210 mm Cable 2000 mm

Materials

Aluminium 1M | 2M

Messing 16

Ref

5171.B.E27.SH.1M.OM.TX1

5171.B.E27.SH.2M.OM.TX2

5171.B.E27.SH.16.OM.TXM

5171.B.E27.SH.16.OM.TX42


5171.B.E27.SH.16.OM.TX2

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5172.A.E27.SH/.. - MOBY SH OPAL MAT

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø140xH170 mm Cable 2000 mm

Materials

Aluminium 1M | 2M

Messing 16

Ref

5172.A.E27.SH.1M.OM.TX1

5172.A.E27.SH.2M.OM.TX2

5172.A.E27.SH.16.OM.TXM

5172.A.E27.SH.16.OM.TX42

5172.A.E27.SH.16.OM.TX2

built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5173.C.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5173.C.E27.SH.1M.OG.TX1



5173.C.E27.SH.2M.OG.TX2



5173.C.E27.SH.16.OG.TXM



5173.C.E27.SH.16.OG.TX42



5173.C.E27.SH.16.OG.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5174.B.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

1x G80 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5174.B.E27.SH.1M.OG.TX1



5174.B.E27.SH.2M.OG.TX2



5174.B.E27.SH.16.OG.TXM



5174.B.E27.SH.16.OG.TX42



5174.B.E27.SH.16.OG.TX2



built-up

Combination with built-in rosette possible from 81.10 with torsion springs

5175.A.E27.SH/.. - MOBY SH OPAL GLOSS

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M

Messing

16

Ref

5175.A.E27.SH.1M.OG.TX1



5175.A.E27.SH.2M.OG.TX2



5175.A.E27.SH.16.OG.TXM



5175.A.E27.SH.16.OG.TX42



5175.A.E27.SH.16.OG.TX2




built-up

Combination with built-in rosette possible from 81.10 with torsion springs

4950.C.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

Ø250xH270 mm Cable 2000 mm

Materials

Aluminium 2M

Messing 4

Ref

4950.C.E27.SH.2M.GD.TX2

4950.C.E27.SH.2M.GD.TXM


4950.C.E27.SH.4.GD.TX2

4950.C.E27.SH.4.GD.TXM

*built-up
gold coated to transparent*

4951.B.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH210 mm Cable 2000 mm

Materials

Aluminium 2M

Messing 4

Ref

4951.B.E27.SH.2M.GD.TX2

4951.B.E27.SH.2M.GD.TXM


4951.B.E27.SH.4.GD.TXM

4951.B.E27.SH.4.GD.TX2

*built-up
gold coated to transparent*

4952.A.E27.SH/.. - MOBY SH DEGRADE GOLD

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W 230V

Dimensions

Ø140xH170 mm Cable 2000 mm

Materials

Aluminium 2M

Messing 16

Ref

4952.A.E27.SH.2M.GD.TX2

4952.A.E27.SH.16.GD.TXG4

*built-up
Combination with built-in rosette possible from 81.10
with torsion springs*

4953.C.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

↔ Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Ref

4953.C.E27.SH.2M.SGD.TX2



4953.C.E27.SH.14.SGD.TX2



4953.C.E27.SH.14.SGD.TXN



*built-up
silver coated to transparent*

4954.B.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

↔ Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Ref

4954.B.E27.SH.2M.SGD.TX2



4954.B.E27.SH.14.SGD.TXN



4954.B.E27.SH.14.SGD.TX2



*built-up
silver coated to transparent*

4955.A.E27.SH/.. - MOBY SH DEGRADE SMOKEY GREY

~230V



IP20



2 m



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

↔ Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M | 14

Ref

4955.A.E27.SH.2M.SGD.TX2



4955.A.E27.SH.14.SGD.TXN



4955.A.E27.SH.14.SGD.TX2



*built-up
Combination with built-in rosette possible from 81.10
with torsion springs*

4969.C.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 8W

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

13

Ref

4969.C.E27.SH.2M.BRC.TX2

4969.C.E27.SH.13.BRC.TX43

4969.C.E27.SH.13.BRC.TX33

*built-up
bronze coated glass*

4968.B.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 8W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

13

Ref

4968.B.E27.SH.2M.BRC.TX2

4968.B.E27.SH.13.BRC.TX43

4968.B.E27.SH.13.BRC.TX33

*built-up
bronze coated glass*

4967.A.E27.SH/.. - MOBY SH BRONZ COATED

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 8W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

13

Ref

4967.A.E27.SH.2M.BRC.TX2

4967.A.E27.SH.13.BRC.TX43

4967.A.E27.SH.13.BRC.TX33

*built-up
bronze coated glass*



4993.C.E27.SH/.. - MOBY SH GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

16

Ref

4993.C.E27.SH.2M.GC.TX2



4993.C.E27.SH.16.GC.TX2



4993.C.E27.SH.16.GC.TXM



built-up
gold coated glass

4989.B.E27.SH/.. - MOBY SH GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

4989.B.E27.SH.2M.GC.TX2



4989.B.E27.SH.4.GC.TX4



4989.B.E27.SH.16.GC.TXM



4989.B.E27.SH.16.GC.TX2



built-up
gold coated glass

4995.A.E27.SH/.. - MOBY SH GOLD

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M

Messing

4 | 16

Ref

4995.A.E27.SH.2M.GC.TX2



4995.A.E27.SH.4.GC.TX4



4995.A.E27.SH.16.GC.TXM



built-up
gold coated glass

4979.C.E27.SH/.. - MOBY SH RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø250xH270 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28

Ref

4979.C.E27.SH.2M.RKC.TX2

4979.C.E27.SH.28.RKC.TXG28

4979.C.E27.SH.28.RKC.TXRK



built-up
red copper coated glass

4978.B.E27.SH/.. - MOBY SH RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH210 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28


Ref

4978.B.E27.SH.2M.RKC.TX2

4978.B.E27.SH.28.RKC.TXG28

4978.B.E27.SH.28.RKC.TXRK

4978.B.E27.SH.28.RKC.TX14



built-up
red copper coated glass

4996.A.E27.SH/.. - MOBY SH RKC

~230V



IP20



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

2M

Rood koper

28


Ref

4996.A.E27.SH.2M.RKC.TX2

4996.A.E27.SH.28.RKC.TXG28

4996.A.E27.SH.28.RKC.TXRK

4996.A.E27.SH.28.RKC.TX14



built-up
red copper coated glass

4997.A.E27.SH/.. - MOBY SH PINKY

~230V



IP20



2 m



0.6833



0.5 m



5.6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

Ø140xH170 mm

Cable 2000 mm

Materials

Aluminium

Ref

4997.A.E27.SH.2M.PKY.TX2



4997.A.E27.SH.46.PKY.TXG30



4997.A.E27.SH.46.PKY.TX31



*built-up
pink coated glass*



CEILING UP

PENDANTS

4068.C.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



2 m



1.1889

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

Ø250xH270 mm Cable 2000 mm

Materials

Aluminium 2M | 14
Messing 16
Rood koper 28

Ref

4068.C.E27.SH.2M.GL.TX2
4068.C.E27.SH.2M.RCL.TX2
4068.C.E27.SH.2M.SL.TX2
4068.C.E27.SH.2M.GLPTX2
4068.C.E27.SH.14.SL.TXN
4068.C.E27.SH.14.SL.TX11
4068.C.E27.SH.16.GL.TXM
4068.C.E27.SH.16.GL.TX42
4068.C.E27.SH.28.RCL.TXRK
4068.C.E27.SH.28.RCL.TX14

built-up
transparent glass hand covered with metal leaf

4069.B.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



2 m



0.7411

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH210 mm Cable 2000 mm

Materials

Aluminium 2M | 14
Messing 16
Rood koper 28

Ref

4069.B.E27.SH.2M.GL.TX2
4069.B.E27.SH.2M.RCL.TX2
4069.B.E27.SH.2M.SL.TX2
4069.B.E27.SH.2M.GLPTX2
4069.B.E27.SH.14.SL.TXN
4069.B.E27.SH.14.SL.TX11
4069.B.E27.SH.16.GL.TXM
4069.B.E27.SH.16.GL.TX42
4069.B.E27.SH.28.RCL.TXRK
4069.B.E27.SH.28.RCL.TX14

built-up
transparent glass hand covered with metal leaf

4070.A.E27.SH/.. - MOBY SH METAL LEAF

~230V



IP20



2 m



0.6938

0,5 m

5,6



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x D45 E27 max. 5W 230V

Dimensions

Ø140xH170 mm Cable 2000 mm


Materials

Aluminium 2M | 14
Messing 16
Rood koper 28

Ref

4070.A.E27.SH.2M.GL.TX2
4070.A.E27.SH.2M.RCL.TX2
4070.A.E27.SH.2M.SL.TX2
4070.A.E27.SH.2M.GLPTX2
4070.A.E27.SH.14.SL.TXN
4070.A.E27.SH.14.SL.TX11
4070.A.E27.SH.16.GL.TXM
4070.A.E27.SH.16.GL.TX42
4070.A.E27.SH.28.RCL.TXRK
4070.A.E27.SH.28.RCL.TX14

built-up
transparent glass hand covered with metal leaf






CEILING UP

PENDANTS

4124.A.E27.SH/.. - MOBY ALBAST 140

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø140xH175 mm

2000 mm

dome Ø140 mm

Materials

Aluminium

1M | 2M

Messing

16 | 13M

Ref

4124.A.E27.SH.1M.ALG.TX1



4124.A.E27.SH.2M.ALG.TX2



4124.A.E27.SH.16.ALG.TXM




4124.A.E27.SH.13M.ALG.TX43



built-up

4125.B.E27.SH/.. - MOBY ALBAST 180

~230V



pendant - with 2m textile cable and strain relief on lampholder's side

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH215 mm

2000 mm

dome Ø180 mm

Materials

Aluminium

1M | 2M

Messing

16 | 13M

Ref

4125.B.E27.SH.1M.ALG.TX1



4125.B.E27.SH.2M.ALG.TX2



4125.B.E27.SH.16.ALG.TXM




4125.B.E27.SH.13M.ALG.TX43



built-up

4128/.. - MOBY SH ALBAST Ø140

~230V



spare glass - spherical alabaster lamp element

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø140xH175 mm

2000 mm

dome Ø140 mm

Materials

Albast

ALG

Ref



4128.ALG



built-up

4129/.. - MOBY SH ALBAST Ø180

~230V



spare glass - spherical alabaster lamp element

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø180xH215 mm

2000 mm

dome Ø180 mm

Materials

Albast

ALG

Ref

4129.ALG



built-up

5151.3C.SH/.. - MOBY SH 3 GLASS

~230V



IP20



pendant - with 3x Moby Ø250 - 1,5m textile cable

Lamptype

3x G80 E27 max. 12w

230V

Dimensions

L1200xB250xH1810 mm Cable 1500 mm

Base L1200xB50xH40 mm Glass Ø250 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Messing

16

Ref

5151.3C.SH.2M.TR.TX2



5151.3C.SH.2M.BZ.TX2



5151.3C.SH.2M.SG.TX2



5151.3C.SH.16.TR.TXM



5151.3C.SH.53.BZ.TXJ



5151.3C.SH.216.TR.TX2



5151.3C.SH.216.TR.TXM



built-up

5151.5C.SH/.. - MOBY SH 5 GLASS

~230V



IP20



pendant - with 5x Moby Ø250 - 1,5m textile cable

Lamptype

5x G80 E27 max. 12w

230V

Dimensions

L1400xB250xH1810 mm Cable 1500 mm

Base L1400xB50xH40 mm Glass Ø250 mm

Materials

Aluminium

2M | 53

Aluminium / Messing

216

Messing

16

Ref

5151.5C.SH.2M.TR.TX2



5151.5C.SH.2M.BZ.TX2



5151.5C.SH.2M.SG.TX2



5151.5C.SH.16.TR.TXM



5151.5C.SH.53.BZ.TXJ



5151.5C.SH.216.TR.TX2



5151.5C.SH.216.TR.TXM




built-up

5156.3B.E27/.. - MOBY GLASS

~230V



IP20



pendant + swivel, rod shorten. - 3x Moby Ø180

Lamptype

3x A60 E27 max. 15W

230V

Dimensions

L900xB180xH1100 mm Rod 800 mm

Base L900 mm Glass Ø180 mm

L450xB60xH30 mm

Materials

Aluminium

1M | 2M | 53

Ref

5156.3B.E27.1M.TR



5156.3B.E27.1M.BZ



5156.3B.E27.1M.SG



5156.3B.E27.2M.TR



5156.3B.E27.2M.BZ



5156.3B.E27.2M.SG



5156.3B.E27.53.BZ



built-up

5156.5B.E27/.. - MOBY GLASS

~230V



IP20



pendant + swivel, rod shorten. - 5x Moby Ø180

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

L1600xB180xH1100 mm Rod 800 mm

Base L1600 mm Glass Ø180 mm

L450xB60xH30 mm

Materials

Aluminium

1M | 2M | 53

Ref

5156.5B.E27.1M.TR



5156.5B.E27.1M.BZ



5156.5B.E27.1M.SG



5156.5B.E27.2M.TR



5156.5B.E27.2M.BZ



5156.5B.E27.2M.SG




5156.5B.E27.53.BZ



built-up

5153.SH.3/.. - MOBY SH 3 GLASS

~230V



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

3x A60 E27 max. 8W 230V

Dimensions

→ Ø390xH1798 mm Cable 1500 mm

Base Ø250xH28 mm Glass Ø180 mm

Glass Ø250 mm → Ø220 mm

Materials

Aluminium 2M | 53

Aluminium / Messing 216


Ref

5153.SH.3.2M.TR.TX2	
5153.SH.3.2M.BZ.TX2	
5153.SH.3.2M.SG.TX2	
5153.SH.3.53.BZ.TXJ	
5153.SH.3.216.TR.TX2	
5153.SH.3.216.TR.TXM	

built-up

5153.SH.5/.. - MOBY SH 5 GLASS

~230V



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

5x A60 E27 max. 15W 230V

Dimensions

→ Ø530xH1798 mm Cable 1500 mm

Base Ø400xH28 mm Glass Ø140 mm

Glass Ø180 mm Glass Ø250 mm

→ Ø370 mm

Materials

Aluminium 2M | 53

Aluminium / Messing 216


Ref

5153.SH.5.2M.TR.TX2	
5153.SH.5.2M.BZ.TX2	
5153.SH.5.2M.SG.TX2	
5153.SH.5.53.BZ.TXJ	
5153.SH.5.216.TR.TX2	
5153.SH.5.216.TR.TXM	

built-up

5163.7.E27/.. - MOBY NOELLA GLASS MIX

~230V



pendant - combination Moby, Moby metal leaf and Noella - with 4m textile cable

Lamptype

5x A60 E27 max. 15W 230V

2x D45 E27 max. 15W 230V

Dimensions

→ Ø500 mm Cable 4000 mm

Base Ø500xH28 mm Glass Ø140 mm

Glass Ø180 mm Glass Ø250 mm

→ Ø470 mm

Materials

Aluminium / Messing 116


Ref

5163.7.E27.116.GRMIX.TXM	
--------------------------	--

built-up
Ceiling plate in satin gold - base in black

5186.7.E27.SH/.. - MOBY GLASS BRONZE MIX

~230V



pendant - combination 7x Moby - bronz + copper bronz - 2m textile cable

Lamptype

6x A60 E27 max. 8W 230V

1x D45 E27 max. 8W 230V

Dimensions

→ Ø650xH1741 mm Cable 2000 mm

Base Ø500xH28 mm Glass Ø140 mm

Glass Ø180 mm Glass Ø250 mm

→ Ø470 mm

Materials

Aluminium 71

Ref

5186.7.E27.SH.71.BZMIX.TX21	
-----------------------------	--

built-up
Other base colours on request
Ceiling base white - socket light rust - cable rust



5179.3C.SH/.. - MOBY SH 3 OPAL GLASS ~230V IP20 1.5 m 0.5 m 4.6 CE

~230V  IP20    1.5 m   0,5 m  4.6 



built-up

pendant - with 3x Moby Ø250 - 1,5m textile cable	Ref
--	-----

Lamptype 5179.3C.SH.1M.OG.TX1

3x G80 E27 max. 12w 230V 5179.3C.SH.1M.OM.TX1

Dimensions 5179.3C.SH.2M.OM.TX2

↔ L1200xB250xH1765 mm Cable 1500 mm 5179.3C.SH.2M.OG.TX2

Base L1200xB50xH40 mm Glass Ø250 mm 5179.3C.SH.16.OM.TXM

Materials 5179.3C.SH.16.OG.TXM

Aluminium	1M 2M	5179.3C.SH.216.OM.TX2	  
-----------	---------	-----------------------	---

Aluminium / Messing 216 5179.3C.SH.216.OG.TX2 

Messing 16

5179.5C.SH/.. - MOBY SH 5 OPAL GLASS ~230V IP20 1.5 m 0,5 m 4.6 CE

~230V  IP20     1.5 m  0,5 m  4.6 



built-up

pendant - with 5x Moby Ø250 - 1,5m textile cable	Ref
--	-----

Lamptype	5179.5C.SH.1M.OG.TX1			
----------	----------------------	---	---	---

5x G80 E27 max. 12w	230V	5179.5C.SH.1M.OM.TX1
---------------------	------	----------------------

Dimensions 5179.5C.SH.2M.OM.TX2

↔ L1400xB250xH1765 mm Cable 1500 mm

Base L1200xB50xH40 mm Glass Ø250 mm 5179.5C.SH.16.OG.TXM

 L560xB60 mm

 5179.5C.SH.16.OM.TXM
 



Materials	5179.5C.SU.216.0G.1X2	5179.5C.SU.216.0M.1X2	5179.5C.SU.216.0M.TX2

Aluminium 1M | 2M 5179.5C.SH.216.OM.TX2 

Aluminium / Messing 216

Messing 16

Ref

5179.5C.SH.1M.OG.TX1 5179.5C.SH.1M.OM.TX1 5179.5C.SH.2M.OM.TX2 

5179.5C.SH.2M.OG.TX2 

5179.5C.SH.16.OG.TXM 5179.5C.SH.16.OM.TXM 5179.5C.SH.216.OG.TX2 5179.5C.SH.216.OM.TX2 

5181.3B.E27/.. - MOBY SH OPAL GLASS

~230V



IP20




0.8 m



0.5 m



4.6



pendant + swivel, rod shorten. - 3x Moby Ø180

Lamptype

3x A60 E27 max. 15W

230V

Dimensions

L900xB180xH1100 mm Rod 800 mm

Base L900 mm

Glass Ø180 mm

L450xB60xH30 mm

Materials

Aluminium

1M | 2M

Ref

5181.3B.E27.1M.OM



5181.3B.E27.1M.OG



5181.3B.E27.2M.OM



5181.3B.E27.2M.OG



built-up

5181.5B.E27/.. - MOBY SH OPAL GLASS

~230V



IP20





0.8 m



0.5 m



4.6



pendant + swivel, rod shorten. - 5x Moby Ø180

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

L1600xB180xH1100 mm Rod 800 mm

Base L1600 mm

Glass Ø180 mm

L450xB60xH30 mm

Materials

Aluminium

1M | 2M

Ref

5181.5B.E27.1M.OM



5181.5B.E27.1M.OG



5181.5B.E27.2M.OM



5181.5B.E27.2M.OG



built-up

5180.SH.3/.. - MOBY SH 3 OPAL GLASS

~230V



IP20



pendant - with 2x Moby Ø180 and 1x Moby Ø250 - 1,5m textile cable

Lamptype

3x A60 E27 max. 8W

230V

Dimensions

Ø390xH1798 mm

Cable 1500 mm

Base Ø250xH28 mm

Glass Ø180 mm

Glass Ø250 mm

Ø220 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5180.SH.3.1M.OM.TX1



5180.SH.3.1M.OG.TX1



5180.SH.3.2M.OG.TX2



5180.SH.3.2M.OM.TX2



5180.SH.3.216.OM.TXM



5180.SH.3.216.OG.TXM



5180.SH.3.216.OM.TX2



5180.SH.3.216.OG.TX2



built-up

5180.SH.5/.. - MOBY SH 5 OPAL GLASS

~230V



IP20



pendant - with 3x Moby Ø250, 1x Moby Ø180 and 1x Moby Ø140 - 1,5m textile cable

Lamptype

5x A60 E27 max. 15W

230V

Dimensions

Ø530xH1798 mm

Cable 1500 mm

Base Ø400xH28 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Ø370 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

5180.SH.5.1M.OG.TX1



5180.SH.5.1M.OM.TX1



5180.SH.5.2M.OM.TX2



5180.SH.5.2M.OG.TX2



5180.SH.5.216.OG.TXM



5180.SH.5.216.OM.TXM



5180.SH.5.216.OG.TX2



5180.SH.5.216.OM.TX2



built-up



5161.SH.A/.. - MOBY SH

~230V

IP20 0.6500 0.5 m 5.6 CE



built-up wall light - fixed - with E27 lampholder

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

B140xH210xD170 mm Base B50xH70xD120 mm

Glass Ø140 mm

Materials

Aluminium

1M | 2M

Ref

5161.SH.A.1M.TR

5161.SH.A.1M.BZ

5161.SH.A.1M.SG

5161.SH.A.2M.TR

5161.SH.A.2M.BZ

5161.SH.A.2M.SG



built-up



WALL UP

1740.SH.C/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

→ Ø250xH230 mm

Base Ø160xH20 mm

Glass Ø250 mm

Materials

Aluminium

1M | 2M | 53

Messing

16

Ref

1740.SH.C.1M.TR



1740.SH.C.1M.BZ



1740.SH.C.1M.SG



1740.SH.C.2M.TR



1740.SH.C.2M.BZ



1740.SH.C.2M.SG



1740.SH.C.16.TR



1740.SH.C.16.BZ



1740.SH.C.53.BZ



built-up

1740.SH.B/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

→ Ø180xH170 mm

Base Ø160xH20 mm

Glass Ø180 mm

Materials

Aluminium

1M | 2M | 53 | 46

Messing

16

Ref

1740.SH.B.1M.TR



1740.SH.B.1M.BZ



1740.SH.B.1M.SG



1740.SH.B.2M.BZ



1740.SH.B.2M.SG



1740.SH.B.2M.TR



1740.SH.B.16.TR



1740.SH.B.16.BZ



1740.SH.B.53.BZ



1740.SH.B.46.BZ



built-up



991.SH.C/.. - MOBY SH

~230V



IP20



table lamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

↔ Ø250xH260 mm

Base Ø145xH10 mm

Glass Ø250 mm

Materials

Aluminium

1M | 2M | 53

Ref

991.SH.C.1M.TR

991.SH.C.1M.BZ

991.SH.C.1M.SG

991.SH.C.2M.TR

991.SH.C.2M.BZ

991.SH.C.2M.SG

991.SH.C.53.BZ



built-up

991.SH.B/.. - MOBY SH

~230V



IP20



table lamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

↔ Ø180xH200 mm

Base Ø145xH10 mm

Glass Ø180 mm

Materials

Aluminium

1M | 2M | 53

Ref

991.SH.B.1M.TR

991.SH.B.1M.BZ


991.SH.B.1M.SG

991.SH.B.2M.BZ

991.SH.B.2M.SG

991.SH.B.2M.TR

991.SH.B.53.BZ



built-up

991.SH.A/.. - MOBY SH

~230V



IP20



table lamp - fixed - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W

230V

Dimensions

↔ Ø145xH160 mm

Base Ø145xH10 mm

Glass Ø140 mm

Materials

Aluminium

1M | 2M | 53

Ref

991.SH.A.1M.TR

991.SH.A.1M.BZ

991.SH.A.1M.SG

991.SH.A.2M.TR

991.SH.A.2M.BZ

991.SH.A.2M.SG

991.SH.A.53.BZ



built-up

1467.SH.C.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w 230V

Dimensions

Ø250xH570 mm Rod 300 mm

Base Ø160xH20 mm Glass Ø250 mm

Materials

Aluminium 1M | 2M | 53

Ref

1467.SH.C.300.1M.TR	
1467.SH.C.300.1M.BZ	
1467.SH.C.300.1M.SG	
1467.SH.C.300.2M.TR	
1467.SH.C.300.2M.BZ	
1467.SH.C.300.2M.SG	
1467.SH.C.300.53.BZ	

built-up

1618.SH.B.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH510 mm Rod 300 mm

Base Ø170xH20 mm Glass Ø180 mm

Materials

Aluminium 2M | 53

Ref

1618.SH.B.300.2M.BZ	
1618.SH.B.300.2M.SG	
1618.SH.B.300.2M.TR	
1618.SH.B.300.53.BZ	

built-up

1619.SH.A.300/.. - MOBY SH

~230V



table lamp - fixed - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W 230V

Dimensions

Ø170xH470 mm Rod 300 mm

Base Ø170xH20 mm Glass Ø140 mm

Materials

Aluminium 2M | 53

Ref

1619.SH.A.300.2M.RKC	
1619.SH.A.300.2M.GC	
1619.SH.A.300.2M.SC	
1619.SH.A.300.2M.PKY	
1619.SH.A.300.2M.ST	
1619.SH.A.300.2M.SG	
1619.SH.A.300.2M.TR	
1619.SH.A.300.2M.BZ	
1619.SH.A.300.53.BZ	

built-up



1620.SH.B.300/.. - MOBY SH

~230V



built-up

table lamp - directional - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W 230V

Dimensions

Ø180xH560 mm Rod 300 mm

Base Ø160xH20 mm Glass Ø180 mm

Materials

Aluminium 2M | 53

Ref

1620.SH.B.300.2M.BZ	
1620.SH.B.300.2M.TR	
1620.SH.B.300.2M.SG	
1620.SH.B.300.2M.ST	
1620.SH.B.300.2M.GL	
1620.SH.B.300.53.BZ	

1621.SH.A.300/.. - MOBY SH

~230V



built-up

table lamp - directional - with switch - cable and plug

Lamptype

1x D45 E27 max. 15W 230V

Dimensions

Ø160xH520 mm Rod 300 mm

Base Ø160xH20 mm Glass Ø140 mm

Materials

Aluminium 2M | 53

Ref

1621.SH.A.300.2M.TR	
1621.SH.A.300.2M.SG	
1621.SH.A.300.2M.ST	
1621.SH.A.300.2M.BZ	
1621.SH.A.300.2M.GC	
1621.SH.A.300.2M.SC	
1621.SH.A.300.2M.PKY	
1621.SH.A.300.2M.RKC	
1621.SH.A.300.53.BZ	



5204.SH.C/.. - MOBY SH

~230V



IP20



11.3000

0,5 m

4,6



floorlamp - directional - with switch - cable and plug

Lamptype

1x G80 E27 max. 12w

230V

Dimensions

Ø320xH1120 mm

Rod 1000 mm

Glass Ø250 mm

Materials

Aluminium

1M | 2M | 53 | 46

Messing

16

Ref

5204.SH.C.1M.90



5204.SH.C.1M.TR



5204.SH.C.2M.90



5204.SH.C.2M.TR



5204.SH.C.16.90



5204.SH.C.16.TR



5204.SH.C.46.90



5204.SH.C.46.TR



5204.SH.C.53.BZ



1639.SH/.. - MOBY SH

~230V



IP20



floorlamp - fixed - with switch - cable and plug

Lamptype

2x A60 E27 max. 15W

230V

1x D45 E27 max. 15W

230V

Dimensions

L245xB245xH1782 mm Bar H1000 mm

Bar H1250 mm

Bar H1500 mm

Base L245xB245xH32 mm

Glass Ø140 mm

Glass Ø180 mm

Glass Ø250 mm

Materials

Aluminium

2M | 53

Options

S1640/..

DIMMER KABEL

Ref

1639.SH.2M.TR



1639.SH.2M.BZ



1639.SH.2M.GL













1639.SH.53.BZ





built-up



Glass colours



Colours





Textile cable colours





psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.