



Obelix Kastar

timeless classic lighting







psmighting

Delighted to help you

INDOOR | Ceiling IN | Ledmodules | OBELIX

LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request



Andere kleuren op aanvraag. -Autres couleurs sur demande. - Andere Farben auf Anfrage. - Other colours on request.

All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

INDOOR | Ceiling IN | Ledmodules | OBELIX

LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

3190/.. - OBELIX

=24V-DC



downlight for veranda profiles - round - down - with cable
0,75m + AMP plug - without transformer

Lamp type

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

Ø44xH38 mm

Ø40 mm

50 mm

43°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
3190.1M	CW NW WW	95,61
3190.2M	CW NW WW	95,61
3190.14	CW NW WW	100,64

built-in

3191/.. - OBELIX

=24V-DC



downlight for veranda profiles - square - down - with cable
0,75m + AMP plug - without transformer

Lamp type

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

L44xB44xH38 mm

Ø40 mm

50 mm

43°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
3191.1M	CW NW WW	103,16
3191.2M	CW NW WW	103,16
3191.14	CW NW WW	108,19

built-in

S3183/.. - KASTAR-OBELIX

IP20



accessory for downlight - extension lead 1M

Dimensions

Cable 1000 mm

Ref	Price €
S3183	9,51

S3184/.. - KASTAR-OBELIX

IP20



accessory for downlight - extension lead 2M

Dimensions

Cable 2000 mm

Ref	Price €
S3184	11,62

longer dimensions on request


LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request



LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

S3186/.. - KASTAR-OBELIX

=24V-DC



accessory for downlight - LED 3,4W + cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions


Ø30xL500 mm

Ref		Price €
S3186.WW	S3186.WW	47,81
S3186.NW	S3186.NW	47,81
S3186.CW	S3186.CW	47,81

24V-DC parallel connection

S3187/.. - KASTAR-OBELIX

=24V-DC



accessory for downlight - LED 3,4W with lens 43° + cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

Ø30xL500 mm



43°

Ref		Price €
S3187.WW	S3187.WW	52,84
S3187.NW	S3187.NW	52,84
S3187.CW	S3187.CW	52,84

24V-DC parallel connection

W3190/.. - OBELIX

=24V-DC



downlight for veranda profiles - round - down - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

Ø44xH38 mm

Ø40 mm

50 mm

43°

Materials

Alu Anodisé

31MA | 32A

Ref		Price €
W3190.31MA	CW NW WW	108,19
W3190.32A	CW NW WW	108,19

built-in

W3191/.. - OBELIX

=24V-DC



downlight for veranda profiles - square - down - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

L44xB44xH38 mm

Ø40 mm

50 mm

43°

Materials

Alu Anodisé

31MA | 32A

Ref		Price €
W3191.31MA	CW NW WW	115,74
W3191.32A	CW NW WW	115,74

built-in

INDOOR | Ceiling IN | Ledmodules | OBELIX


LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request



LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request



LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request



LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

3180.S1/.. - KASTAR

=24V-DC



built-in ceiling and wall light - round - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

Ø70xH17 mm

Ø60 mm

30 mm

Materials

Aluminium

1M | 2M | 14 | 24

Ref		Price €
3180.S1.1M	CW NW WW	95,61
3180.S1.2M	CW NW WW	95,61
3180.S1.14	CW NW WW	100,64
3180.S1.24	CW NW WW	100,64

built-in
especially for kitchen & bathroom cabinets
parallel connection - without lens - not dimmable

3180.S2/.. - KASTAR

=24V-DC



built-in ceiling and wall light - round - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

Ø70xH17 mm

Ø60 mm

18 mm

Materials

Aluminium


1M | 2M | 14 | 24

Ref		Price €
3180.S2.1M	CW NW WW	90,58
3180.S2.2M	CW NW WW	90,58
3180.S2.14	CW NW WW	95,61
3180.S2.24	CW NW WW	95,61

built-in
especially for kitchen & bathroom cabinets
parallel connection - without lens - not dimmable

3181.S1/.. - KASTAR

=24V-DC



built-in ceiling and wall light - square - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

L70xB70xH17 mm

Ø60 mm

30 mm

Materials

Aluminium

1M | 2M | 14 | 24

Ref		Price €
3181.S1.1M	CW NW WW	105,68
3181.S1.2M	CW NW WW	105,68
3181.S1.14	CW NW WW	110,71
3181.S1.24	CW NW WW	110,71

built-in
especially for kitchen & bathroom cabinets
parallel connection - without lens - not dimmable

3181.S2/.. - KASTAR

=24V-DC



built-in ceiling and wall light - square - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

L70xB70xH17 mm

Ø60 mm

18 mm

Materials

Aluminium

1M | 2M | 14 | 24

Ref		Price €
3181.S2.1M	CW NW WW	100,64
3181.S2.2M	CW NW WW	100,64
3181.S2.14	CW NW WW	105,68
3181.S2.24	CW NW WW	105,68

built-in
especially for kitchen & bathroom cabinets
parallel connection - without lens - not dimmable

INDOOR | Ceiling IN | Ledmodules | KASTAR

LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

3182.S1/.. - KASTAR

=24V-DC



built-in ceiling and wall light - square - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

↔ B70xH70xD17 mm

Ø60 mm

⌈⌋ 30 mm

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
3182.S1.1M	122,03
3182.S1.2M	122,03
3182.S1.14	127,06
3182.S1.24	127,06

built-in
especially for kitchen & bathroom cabinets
parallel connection - without lens - not dimmable

3182.S2/.. - KASTAR

=24V-DC



built-in ceiling and wall light - square - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

↔ L70xB70xH17 mm

Ø60 mm

⌈⌋ 18 mm

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
3182.S2.1M	117,00
3182.S2.2M	117,00
3182.S2.14	122,03
3182.S2.24	122,03

built-in
especially for kitchen & bathroom cabinets
parallel connection - without lens - not dimmable

W3180.S1/.. - KASTAR

=24V-DC



built-in ceiling and wall light - round - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

↔ Ø70xH17 mm

Ø60 mm

⌈⌋ 30 mm

Materials

Alu Anodisé

37A

Ref	Price €
W3180.S1.37A	110,71

built-in
for cooker hoods - bathrooms - showers - elevators
parallel connection - without lens - not dimmable

W3180.S2/.. - KASTAR

=24V-DC



built-in ceiling and wall light - round - with cable 0,75m + AMP plug - without transformer

Lamptype

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

↔ Ø70xH17 mm

Ø60 mm

⌈⌋ 18 mm

Materials

Alu Anodisé

37A

Ref	Price €
W3180.S2.37A	105,68

built-in
for cooker hoods - bathrooms - showers - elevators
parallel connection - without lens - not dimmable

LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

W3181.S1/.. - KASTAR

=24V-DC



built-in ceiling and wall light - square - with cable 0,75m + AMP plug - without transformer

Lamp type

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

L70xB70xH17 mm

Ø60 mm

30 mm

Materials

Alu Anodisé

37A

Ref

W3181.S1.37A

Price €

CW | NW | WW 120,77

built-in
for cooker hoods - bathrooms - showers - elevators
parallel connection - without lens - not dimmable

W3181.S2/.. - KASTAR

=24V-DC



built-in ceiling and wall light - square - with cable 0,75m + AMP plug - without transformer

Lamp type

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

L70xB70xH17 mm

Ø60 mm

18 mm

Materials

Alu Anodisé

37A

Ref

W3181.S2.37A

Price €

CW | NW | WW 115,74

built-in
for cooker hoods - bathrooms - showers - elevators
parallel connection - without lens - not dimmable

W3182.S1/.. - KASTAR

=24V-DC



built-in ceiling and wall light - square - with cable 0,75m + AMP plug - without transformer

Lamp type

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

L70xB70xH17 mm

Ø60 mm

30 mm

Materials

Alu Anodisé

37A

Ref

W3182.S1.37A

Price €

CW | NW | WW 137,13

built-in
for cooker hoods - bathrooms - showers - elevators
parallel connection - without lens - not dimmable

W3182.S2/.. - KASTAR

=24V-DC



built-in ceiling and wall light - square - with cable 0,75m + AMP plug - without transformer

Lamp type

1x LED 150lm CRI80 max. 3,4W

24V-DC

Dimensions

L70xB70xH17 mm

Ø60 mm

18 mm

Materials

Alu Anodisé

37A

Ref

W3182.S2.37A

Price €

CW | NW | WW 132,10

built-in
for cooker hoods - bathrooms - showers - elevators
parallel connection - without lens - not dimmable



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.