

+30
YEARS



Ruby

Irresistible inox design



psmlighting


Delighted to help you



All information in this catalogue is without engagement.
Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmlighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

W1709/.. - RUBY ES50

~230V



built-up wall light - fixed - with waterproof socket

Lamptype

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB76xH246 mm

Materials

Inox 32X | 37X | 64X | 46X

Ref

- W1709.32X ●
- W1709.37X ●
- W1709.46X ●
- W1709.64X ●

built-up

W1708/.. - RUBY LED

~230V



built-up wall light - fixed - with led

Lamptype

1x LED 350lm CRI90 4W 230V

Dimensions

↔ L80xB76xH246 mm ∠ 30°


Materials

Inox 32X | 37X | 64X | 46X

Ref

- W1708.32X ● NW | WW
- W1708.37X ● NW | WW
- W1708.46X ● NW | WW
- W1708.64X ● NW | WW

built-up



T1710.400/.. - RUBY LED

~230V



bollard - square - with led

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L70xB70xH400 mm 30°

Materials

Inox 32X | 37X | 64X | 46X

Ref


- T1710.400.32X ● NW | WW
- T1710.400.37X ● NW | WW
- T1710.400.64X ● NW | WW
- T1710.400.46X ● NW | WW



built-up

T1710.500/.. - RUBY LED

~230V



bollard - square - with led

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L70xB70xH500 mm 30°

Materials

Inox 32X | 37X | 64X | 46X

Ref


- T1710.500.32X ● NW | WW
- T1710.500.37X ● NW | WW
- T1710.500.64X ● NW | WW
- T1710.500.46X ● NW | WW



built-up

T1710.600/.. - RUBY LED

~230V



bollard - square - with led

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L70xB70xH600 mm 30°

Materials

Inox 32X | 37X | 64X | 46X

Ref


- T1710.600.32X ● NW | WW
- T1710.600.37X ● NW | WW
- T1710.600.64X ● NW | WW
- T1710.600.46X ● NW | WW



built-up

T1710.700/.. - RUBY LED

~230V



bollard - square - with led

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L70xB70xH700 mm 30°

Materials

Inox 32X | 37X | 64X | 46X



Ref


- T1710.700.32X ● NW | WW
- T1710.700.37X ● NW | WW
- T1710.700.46X ● NW | WW
- T1710.700.64X ● NW | WW



built-up

T1728/.. - RUBY SPIKE

IP   CE



spike - for type Ruby T1710

Dimensions

←→ L100xB100xH250 mm

Materials


Aluminium

Ref

T1728

T1704.350/.. - RUBY ES50

~230V



bollard - square - fixed - with waterproof socket

Ref

Lamptype

T1704.350.32X

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH350 mm

Materials


Inox 32X



built-up

T1704.450/.. - RUBY ES50

~230V



bollard - square - fixed - with waterproof socket

Ref

Lamptype

T1704.450.32X

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH450 mm

Materials


Inox 32X



built-up

T1704.600/.. - RUBY ES50

~230V



bollard - square - fixed - with waterproof socket

Ref

Lamptype

T1704.600.32X

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH600 mm

Materials

Inox 32X



built-up

T1704.700/.. - RUBY ES50

~230V



bollard - square - fixed - with waterproof socket

Ref

Lamptype

T1704.700.32X

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH700 mm

Materials

Inox 32X



built-up



T1708.350/.. - RUBY LED

~230V



bollard - square - fixed - down - with led

Ref

Lamptype

T1708.350.32X

1x LED 350lm CRI90 4W

230V

● NW | WW

Dimensions

↔ L80xB80xH350 mm 30°

Materials


Inox 32X



built-up

T1708.450/.. - RUBY LED

~230V



bollard - square - fixed - down - with led

Ref

Lamptype

T1708.450.32X

1x LED 350lm CRI90 4W

230V

● NW | WW

Dimensions

↔ L80xB80xH450 mm 30°

Materials


Inox 32X



built-up

T1708.600/.. - RUBY LED

~230V



bollard - square - fixed - down - with led

Ref

Lamptype

T1708.600.32X

1x LED 350lm CRI90 4W

230V

● NW | WW

Dimensions

↔ L80xB80xH600 mm 30°

Materials

Inox 32X



built-up

T1708.700/.. - RUBY LED

~230V



bollard - square - fixed - down - with led

Ref

Lamptype

T1708.700.32X

1x LED 350lm CRI90 4W

230V

● NW | WW

Dimensions

↔ L80xB80xH700 mm 30°

Materials

Inox 32X



built-up




T1727.600/.. - RUBY ES50

~230V



IP44



bollard - square - fixed - with switch and power point

Ref

Lamptype

T1727.600.32X

1x QPAR 51 GU10 max. 11W

230V

Dimensions

↔ L80xB80xH600 mm

Materials

Inox

32X


built-up
1 powerpoint 16A/230VAC

T1727.650/.. - RUBY ES50

~230V



IP44



bollard - square - fixed - with switch and 2 power points

Ref

Lamptype

T1727.650.32X

1x QPAR 51 GU10 max. 11W

230V

Dimensions

↔ L80xB80xH650 mm

Materials

Inox

32X


built-up
2 powerpoints 16A/230VAC

T1727.800/.. - RUBY ES50

~230V



IP44



bollard - square - fixed - with switch and power point

Ref

Lamptype

T1727.800.32X

1x QPAR 51 GU10 max. 11W

230V

Dimensions

↔ L80xB80xH800 mm

Materials

Inox

32X


built-up
1 powerpoint 16A/230VAC

T1727.850/.. - RUBY ES50

~230V



IP44



bollard - square - fixed - with switch and 2 power points

Ref

Lamptype

T1727.850.32X

1x QPAR 51 GU10 max. 11W

230V

Dimensions

↔ L80xB80xH850 mm

Materials


Inox

32X

built-up
2 powerpoints 16A/230VAC

T1729.600/.. - RUBY LED

~230V



bollard - square - fixed - down - with switch and power point

Ref

Lamptype

T1729.600.32X

● NW | WW

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L80xB80xH600 mm

∧ 30°

Materials

Inox

32X

built-up
1 powerpoint 16A/230VAC

T1729.650/.. - RUBY LED

~230V



bollard - square - fixed - down - with switch and 2 power points

Ref

Lamptype

T1729.650.32X

● NW | WW

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L80xB80xH650 mm

∧ 30°

Materials


Inox

32X

built-up
2 powerpoints 16A/230VAC

T1729.800/.. - RUBY LED

~230V



bollard - square - fixed - down - with switch and power point

Ref

Lamptype

T1729.800.32X

● NW | WW

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L80xB80xH800 mm

∧ 30°

Materials


Inox

32X

built-up
1 powerpoint 16A/230VAC

T1729.850/.. - RUBY LED

~230V



bollard - square - fixed - down - with switch and 2 power points

Ref

Lamptype

T1729.850.32X

● NW | WW

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L80xB80xH850 mm

∧ 30°

Materials

Inox

32X

built-up
2 powerpoints 16A/230VAC

T1720.350/.. - RUBY ES50

~230V



bollard with spike - square - fixed - with waterproof socket

Ref

Lamptype

T1720.350.32X

1x QPAR 51 GU10 max. 11W

230V

Dimensions

↔ L80xB80xH350 mm

Materials

Inox

32X



built-up

T1720.450/.. - RUBY ES50

~230V



bollard with spike - square - fixed - with waterproof socket

Ref

Lamptype

T1720.450.32X

1x QPAR 51 GU10 max. 11W

230V

Dimensions

↔ L80xB80xH450 mm $\triangle 30^\circ$

Materials

Inox


32X



built-up

T1720.600/.. - RUBY ES50

~230V



bollard with spike - square - fixed - with waterproof socket

Ref

Lamptype

T1720.600.32X

1x QPAR 51 GU10 max. 11W

230V

Dimensions

↔ L80xB80xH600 mm

Materials

Inox


32X



built-up

T1720.700/.. - RUBY ES50

~230V



bollard with spike - square - fixed - with waterproof socket

Ref

Lamptype

T1720.700.32X

1x QPAR 51 GU10 max. 11W

230V


Dimensions

↔ L80xB80xH700 mm

Materials

Inox

32X



built-up

T1726.350/.. - RUBY LED

~230V



bollard with spike - square - fixed - down - with led

Ref

Lamptype

T1726.350.32X

● NW | WW

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L80xB80xH350 mm

∧ 30°

Materials

Inox


32X



built-up

T1726.450/.. - RUBY LED

~230V



bollard with spike - square - fixed - down - with led

Ref

Lamptype

T1726.450.32X

● NW | WW

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L80xB80xH450 mm

∧ 30°

Materials

Inox


32X



built-up

T1726.600/.. - RUBY LED

~230V



bollard with spike - square - fixed - down - with led

Ref

Lamptype

T1726.600.32X

● NW | WW

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L80xB80xH600 mm

∧ 30°

Materials

Inox

32X



built-up

T1726.700/.. - RUBY LED

~230V



bollard with spike - square - fixed - down - with led

Ref

Lamptype

T1726.700.32X

● NW | WW

1x LED 350lm CRI90 4W

230V

Dimensions

↔ L80xB80xH700 mm

∧ 30°

Materials

Inox

32X




built-up



T1730.600/.. - RUBY ES50

~230V



bollard with spike - square - fixed - with switch and power point

Ref

T1730.600.32X

Lamptype

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH600 mm



Materials

Inox 32X

built-up
1 powerpoint 16A/230VAC

T1730.650/.. - RUBY ES50

~230V



bollard with spike - square - fixed - with switch and 2 power points

Ref

T1730.650.32X

Lamptype

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH650 mm


Materials

Inox 32X

built-up
2 powerpoints 16A/230VAC

T1730.800/.. - RUBY ES50

~230V



bollard with spike - square - fixed - with switch and power point

Ref

T1730.800.32X

Lamptype

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH800 mm


Materials

Inox 32X

built-up
1 powerpoint 16A/230VAC

T1730.850/.. - RUBY ES50

~230V



bollard with spike - square - fixed - with switch and 2 power points

Ref

T1730.850.32X

Lamptype

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH850 mm

Materials

Inox 32X

built-up
2 powerpoints 16A/230VAC

T1739.600/.. - RUBY LED

~230V



bollard with spike - square - fixed - down - with switch and power point

Ref

T1739.600.32X

● NW | WW

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

←→ L80xB80xH600 mm

∧ 30°

Materials

Inox

32X

built-up
1 powerpoint 16A/230VAC

T1739.650/.. - RUBY LED

~230V



bollard with spike - square - fixed - down - with switch and 2 power points

Ref

T1739.650.32X

● NW | WW

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

←→ L80xB80xH650 mm

∧ 30°

Materials

Inox

32X

built-up
2 powerpoints 16A/230VAC

T1739.800/.. - RUBY LED

~230V



bollard with spike - square - fixed - down - with switch and power point

Ref

T1739.800.32X

● NW | WW

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

←→ L80xB80xH800 mm

∧ 30°

Materials


Inox

32X

built-up
1 powerpoint 16A/230VAC

T1739.850/.. - RUBY LED

~230V



bollard with spike - square - fixed - down - with switch and 2 power points

Ref

T1739.850.32X

● NW | WW

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

←→ L80xB80xH850 mm

∧ 30°


Materials

Inox

32X

built-up
2 powerpoints 16A/230VAC

T1738/.. - RUBY SPIKE



spike - for types Ruby T1704 - T1708 - T1720 - T1726 - T1727 - T1729 - T1730 - T1739


Ref

T1738

Dimensions

↔ L100xB80xH250 mm

built-in





Colours



Other colours on request



FLOOR UP



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.