



Stella

powerful lights




psmighting
Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

8314/.. - STELLA

IP20   



built-up
spots to be ordered separately

built-up base - rectangular base for built-up spot or pendant

Dimensions

 L123xB48xH47 mm

Materials

Aluminium 1M | 2M


Options

P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
TR127040/.. DRIVER 350mA
TR127042/.. DRIVER 500mA
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
8314.1M	
8314.2M	

8320/.. - STELLA

IP20    



built-up
spots to be ordered separately

built-up base - rectangular base for built-up spot or pendant

Dimensions

 L183xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 162
Messing 42


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
8320.1M	
8320.2M	
8320.42	
8320.14	
8320.45	
8320.162	

8324/.. - STELLA

IP20    



built-up
spots to be ordered separately

built-up base - rectangular base for built-up spot or pendant

Dimensions

 L243xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
8324.1M	
8324.2M	
8324.42	
8324.14	
8324.45	
8324.162	

8325/.. - STELLA

IP20    



built-up
spots to be ordered separately

built-up base - rectangular base for built-up spot or pendant

Dimensions

 L243xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
8325.1M	
8325.2M	
8325.14	
8325.45	
8325.42	
8325.162	

8312/.. - STELLA

IP20    0.5867 



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L303xB48xH47 mm

Materials

Aluminium 1M | 2M

Options


TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref	Price €
8312.1M	
8312.2M	

*built-up
spots to be ordered separately*

8313/.. - STELLA

IP20   



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L363xB48xH47 mm

Materials

Aluminium 1M | 2M

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref	Price €
8313.1M	
8313.2M	

*built-up
spots to be ordered separately*

III S1 IP20 0.1200 0.5 m 5.6



E 350mA

 40x40 mm $\angle 35^\circ$

1M | 2M | 14 | 45 | 29 | 49

4 | 16

Ref		Price €
8350.1M	 NW WW	
8350.2M	 NW WW	
8350.4	 NW WW	
8350.14	 NW WW	
8350.16	 NW WW	
8350.29	 NW WW	
8350.45	 NW WW	
8350.49	 NW WW	

E 350mA

 64x36 mm $\angle 48^\circ$

1M | 2M | 14 | 45 | 29 | 49

4 | 16

Ref		Price €
8351.1M	 NW WW	
8351.2M	 NW WW	
8351.4	 NW WW	
8351.14	 NW WW	
8351.16	 NW WW	
8351.29	 NW WW	
8351.45	 NW WW	
8351.49	 NW WW	

E 350mA

 54x54 mm $\angle 48^\circ$

1M | 2M | 14 | 45 | 29 | 49

4 | 16

Ref		Price €
8352.1M	 NW WW	
8352.2M	 NW WW	
8352.4	 NW WW	
8352.14	 NW WW	
8352.16	 NW WW	
8352.29	 NW WW	
8352.45	 NW WW	
8352.49	 NW WW	

5

8355/.. - STELLA IN

=350mA



semi built-in/up
with limited built-in depth



semi built-in and built-up spot - square - fixed - with square
Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L48xB48xH36 mm

40x40 mm

40 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref

Price €

8355.1M

NW | WW

8355.2M

NW | WW

8355.4

NW | WW

8355.14

NW | WW

8355.16

NW | WW

8355.29

NW | WW

8355.45


NW | WW

8355.49

NW | WW

8356/.. - STELLA IN

=350mA



semi built-in/up
with limited built-in depth



semi built-in and built-up spot - square - fixed - with square
Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L73xB48xH36 mm

64x36 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref

Price €

8356.1M

NW | WW

8356.2M

NW | WW

8356.4

NW | WW

8356.14

NW | WW

8356.16

NW | WW

8356.29

NW | WW

8356.45

NW | WW

8356.49

NW | WW

8357/.. - STELLA IN

=350mA



semi built-in/up
with limited built-in depth



semi built-in and built-up spot - square - fixed - with square
Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L63xB63xH36 mm

54x54 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref

Price €

8357.1M

NW | WW

8357.2M

NW | WW

8357.4

NW | WW

8357.14

NW | WW

8357.16

NW | WW

8357.29

NW | WW

8357.45

NW | WW

8357.49

NW | WW



CEILING IN

LEDMODULES

8360/.. - STELLA IN

=350mA



*built-in
with limited built-in depth*



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L48xB48xH45 mm

Ø40 mm

50 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16


Ref

Price €

8360.1M	NW WW
8360.2M	NW WW
8360.14	NW WW
8360.4	NW WW
8360.16	NW WW
8360.45	NW WW
8360.29	NW WW
8360.49	NW WW

8361/.. - STELLA IN

=350mA



*built-in
with limited built-in depth*



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L73xB48xH45 mm

64x36 mm

50 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref

Price €

8361.1M	NW WW
8361.2M	NW WW
8361.4	NW WW
8361.14	NW WW
8361.16	NW WW
8361.29	NW WW
8361.45	NW WW
8361.49	NW WW

8362/.. - STELLA IN

=350mA



*built-in
with limited built-in depth*



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L63xB63xH45 mm

54x54 mm

50 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref

Price €

8362.1M	NW WW
8362.2M	NW WW
8362.4	NW WW
8362.14	NW WW
8362.16	NW WW
8362.29	NW WW
8362.45	NW WW
8362.49	NW WW

8364/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with round Zia Led - without LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L183xB48xH36 mm

175x41,5 mm

└─┬─┘ 40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

Price €

8364.1M

NW | WW

8364.2M

NW | WW

8364.14

NW | WW

8364.29

NW | WW

8364.45

NW | WW

8364.49

NW | WW

semi built-in/up
with limited built-in depth

8365/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with square Zia Led - without LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L183xB48xH36 mm

175x41,5 mm

└─┬─┘ 40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

Price €

8365.1M

NW | WW

8365.2M

NW | WW

8365.14

NW | WW

8365.29

NW | WW

8365.45

NW | WW


8365.49

NW | WW

semi built-in/up
with limited built-in depth

8366/.. - STELLA IN

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L183xB48xH36 mm

174x41,5 mm

└─┬─┘ 40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

Price €

8366.1M

NW | WW

8366.2M

NW | WW

8366.14

NW | WW

8366.45

NW | WW

8366.29

NW | WW

8366.49

NW | WW

built-in
with limited built-in depth

8376/.. - STELLA IN

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L233xB48xH45 mm

222X41,5 mm

50 mm

48°

Materials

Aluminium

1M | 2M | 14

Ref

8376.1M

8376.2M

8376.14

Price €

NW | WW

NW | WW

NW | WW

*built-in
with limited built-in depth*

8377/.. - STELLA IN

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L233xB48xH36 mm

222X41,5 mm

55 mm

48°

Materials

Aluminium

1M | 2M | 14

Ref

8377.1M

8377.2M

8377.14

Price €

NW | WW

NW | WW

NW | WW

*built-in
with limited built-in depth*





8370/.. - STELLA IN

=350mA



semi built-in/up
with limited built-in depth



semi built-in and built-up spot - square - fixed - with round Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L233xB48xH36 mm

222X41,5 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49


Ref

Price €

8370.1M	NW WW
8370.2M	NW WW
8370.14	NW WW
8370.29	NW WW
8370.45	NW WW
8370.49	NW WW

8371/.. - STELLA IN

=350mA



semi built-in/up
with limited built-in depth



semi built-in and built-up spot - square - fixed - with square Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L233xB48xH36 mm

222X41,5 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

Price €

8371.1M	NW WW
8371.2M	NW WW
8371.14	NW WW
8371.29	NW WW
8371.45	NW WW
8371.49	NW WW

8372/.. - STELLA IN

=350mA



built-in
with limited built-in depth



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L233xB48xH45 mm

222X41,5 mm

50 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49


Ref

Price €

8372.1M	NW WW
8372.2M	NW WW
8372.14	NW WW
8372.29	NW WW
8372.45	NW WW
8372.49	NW WW

8373/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with round Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L120xB120xH45 mm

105x105 mm

55 mm

48°

Materials

Aluminium

1M | 2M | 14

Ref

8373.1M

8373.2M

8373.14

Price €

NW | WW


NW | WW

NW | WW

semi built-in/up

8374/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with square Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L120xB120xH45 mm

105x105 mm

55 mm

48°

Materials

Aluminium

1M | 2M | 14

Ref

8374.1M

8374.2M

8374.14

Price €

NW | WW

NW | WW

NW | WW

semi built-in/up

8375/.. - STELLA IN

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L120xB120xH50 mm

105x105 mm

60 mm

48°

Materials

Aluminium

1M | 2M | 14

Ref

8375.1M

8375.2M

8375.14

Price €

NW | WW

NW | WW

NW | WW

semi built-in/up

8380/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - directional - with 4 round recessed spotlights - without LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L120xB120xH55 mm

105x105 mm

65 mm

48°

Materials

Aluminium

1M | 14 | 29 | 49

Ref

8380.1M

8380.14

8380.29

8380.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

semi built-in/up

Built-up spot with rod colour 14 => joint colour 11

8315/.. - STELLA

~230V



built-up ceiling light - directional - with Capa spotlight

Lamptype

1x QPAR 51 GU10 max. 20W 230V
OR 1x QPAR70 GU10 max. 8W 230V

Dimensions

↔ L123xB48xH142 mm Bar L55 mm

↗ L123xB48xH47 mm

Materials

Aluminium 1M | 2M | 45 | 142
Aluminium / Messing 162
Messing 4

Ref

8315.1M
8315.2M
8315.4
8315.45
8315.142
8315.162


Price €



built-up
lightbulb not included

8316/.. - STELLA

~230V



built-up ceiling light - directional - With Capa X

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L123xB48xH227 mm Bar L55 mm

↗ L123xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45
Messing 4 | 16

Ref

8316.1M
8316.2M
8316.4
8316.14
8316.16
8316.45

Price €



built-up

8317/.. - STELLA

~230V



built-up ceiling light - directional - With Jacob - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W Vf 350mA

Dimensions

↔ L123xB48xH187 mm 35°

Bar L55 mm ↗ L123xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45 | 29
Aluminium / Messing 42 | 162

Ref

8317.1M
8317.2M
8317.42
8317.14
8317.29
8317.45
8317.162

Price €

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

built-up
CRI 90 on request

INDOOR | Ceiling UP | Luminaires | STELLA

Built-up spot with rod colour 14 => joint colour 11

8318/.. - STELLA

~230V



built-up ceiling light - fixed - with round Zia Led - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L183xB48xH65 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45

Aluminium / Messing

42 | 162

Ref	Price €
8318.1M	NW WW
8318.2M	NW WW
8318.42	NW WW
8318.14	NW WW
8318.45	NW WW
8318.162	NW WW

built-up

8319/.. - STELLA

~230V



built-up ceiling light - fixed - with round Zia Led - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L183xB48xH65 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45

Aluminium / Messing

42 | 162

Ref	Price €
8319.1M	NW WW
8319.2M	NW WW
8319.42	NW WW
8319.14	NW WW
8319.45	NW WW
8319.162	NW WW

built-up

8343/.. - STELLA

~230V



built-up ceiling light - fixed - with square Zia Led - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L183xB48xH47 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45

Aluminium / Messing


42 | 162

Ref	Price €
8343.1M	NW WW
8343.2M	NW WW
8343.42	NW WW
8343.14	NW WW
8343.45	NW WW
8343.162	NW WW

built-up

8344/.. - STELLA

~230V



built-up ceiling light - fixed - with square Zia Led - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L183xB48xH47 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45

Aluminium / Messing

42 | 162

Ref	Price €
8344.1M	NW WW
8344.2M	NW WW
8344.42	NW WW
8344.14	NW WW
8344.45	NW WW
8344.162	NW WW

built-up

Built-up spot with rod colour 14 => joint colour 11

8321/.. - STELLA

~230V



built-up

built-up ceiling light - directional - with Capa spotlight

Lamptype

2x QPAR 51 GU10 max. 20W 230V
OR 2x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L183xB48xH142 mm Bar L55 mm

↘ L183xB48xH47 mm


Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref	Price €
8321.1M	
8321.2M	
8321.42	
8321.14	
8321.45	
8321.162	

8322/.. - STELLA

~230V



built-up

built-up ceiling light - directional - With Capa X

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L183xB48xH227 mm Bar L55 mm

↘ L183xB48xH47 mm


Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref	Price €
8322.1M	
8322.2M	
8322.42	
8322.14	
8322.45	
8322.162	

8323/.. - STELLA

~230V



built-up
CRI 90 on request

built-up ceiling light - directional - With Jacob - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf 350mA

Dimensions

↔ L183xB48xH187 mm 35°

Bar L55 mm ↘ L183xB48xH47 mm


Materials

Aluminium 1M | 2M | 14 | 45 | 29
Aluminium / Messing 42 | 162

Ref	Price €
8323.1M	NW WW
8323.2M	NW WW
8323.42	NW WW
8323.14	NW WW
8323.29	NW WW
8323.45	NW WW
8323.162	NW WW

8346/.. - STELLA

~230V



built-up
spots to be ordered separately

ceiling light - with round recessed spotlight - with LED driver

Lamptype

2x LED 555lm CRI90 5,8W Vf 500mA

Dimensions

↔ L183xB48xH47 mm

Materials

Aluminium 1M | 2M | 29

Ref	Price €
8346.1M	NW WW
8346.2M	NW WW
8346.29	NW WW

Built-up spot with rod colour 14 => joint colour 11



Built-up spot with rod colour 14 => joint colour 11

8326/.. - STELLA

~230V



built-up

built-up ceiling light - directional - with Capa spotlight

Lamptype

2x QPAR 51 GU10 max. 20W 230V
OR 2x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L243xB48xH142 mm Bar L55 mm
↙ L243xB48xH47 mm


Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref	Price €
8326.1M	
8326.2M	
8326.42	
8326.14	
8326.45	
8326.162	

8327/.. - STELLA

~230V



built-up

built-up ceiling light - directional - With Capa X

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L243xB48xH227 mm Bar L55 mm
↙ L243xB48xH47 mm


Materials

Aluminium 1M | 2M | 14 | 45
Messing 16

Ref	Price €
8327.1M	
8327.2M	
8327.14	
8327.16	
8327.45	

BT.8327/.. - CASAMBI STELLA

~230V



built-up

built-up ceiling light - directional - With Capa X

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L243xB100xH227 mm Bar L55 mm
↙ L243xB48xH47 mm


Materials

Aluminium 1M | 2M | 14 | 45
Messing 16

Ref	Price €
BT.8327.1M	
BT.8327.2M	
BT.8327.14	
BT.8327.16	
BT.8327.45	

8328/.. - STELLA

~230V



built-up

built-up ceiling light - directional - with Capa spotlight

Lamptype

3x QPAR 51 GU10 max. 20W 230V
OR 3x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L243xB48xH142 mm Bar L55 mm
↙ L243xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref	Price €
8328.1M	
8328.2M	
8328.42	
8328.14	
8328.45	
8328.162	

INDOOR | Ceiling UP | Luminaires | STELLA

Built-up spot with rod colour 14 => joint colour 11

8329/.. - STELLA

~230V



built-up

built-up ceiling light - directional - With Capa X

Lamptype

3x QPAR 51 GU10 max. 20W 230V

Dimensions

L243xB48xH227 mm Bar L55 mm

L243xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45

Messing 4 | 16

Ref	Price €
8329.1M	
8329.2M	
8329.4	
8329.14	
8329.16	
8329.45	

8330/.. - STELLA

~230V



built-up
CRI 90 on request

built-up ceiling light - directional - With Jacob - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf 350mA

Dimensions

L243xB48xH187 mm 35°

Bar L55 mm L243xB48xH47 mm

Materials


Aluminium 1M | 2M | 14 | 45 | 29

Aluminium / Messing 42 | 162

Ref	Price €
8330.1M	NW WW
8330.2M	NW WW
8330.42	NW WW
8330.14	NW WW
8330.29	NW WW
8330.45	NW WW
8330.162	NW WW

BT.8330/.. - CASAMBI STELLA

~230V



built-up
CRI 90 on request

built-up ceiling light - directional - With Jacob - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf 350mA

Dimensions

L243xB100xH187 mm 48°

Bar L55 mm L243xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45 | 29

Aluminium / Messing 162

Ref	Price €
BT.8330.1M	NW WW
BT.8330.2M	NW WW
BT.8330.14	NW WW
BT.8330.29	NW WW
BT.8330.45	NW WW
BT.8330.162	NW WW

8331/.. - STELLA

~230V



built-up
CRI 90 on request

built-up ceiling light - directional - With Jacob - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf 350mA

Dimensions

L243xB48xH187 mm 35°

Bar L55 mm L243xB48xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45 | 29

Aluminium / Messing 42 | 162

Ref	Price €
8331.1M	NW WW
8331.2M	NW WW
8331.42	NW WW
8331.14	NW WW
8331.29	NW WW
8331.45	NW WW
8331.162	NW WW

Built-up spot with rod colour 14 => joint colour 11

8332/.. - STELLA

~230V



built-up

built-up ceiling light - directional - with Capa spotlight

Lamptype

4x QPAR 51 GU10 max. 20W 230V
OR 4x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L303x848xH142 mm Bar L55 mm

↘ L303x848xH47 mm


Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref	Price €
8332.1M	
8332.2M	
8332.42	
8332.14	
8332.45	
8332.162	

8333/.. - STELLA

~230V



built-up

built-up ceiling light - directional - With Capa X

Lamptype

4x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L303x848xH227 mm Bar L55 mm

↘ L303x848xH47 mm


Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref	Price €
8333.1M	
8333.2M	
8333.42	
8333.14	
8333.45	
8333.162	

8347/.. - STELLA

~230V



built-up
spots to be ordered separately

ceiling light - with 2 round recessed spotlights - with LED driver

Lamptype

2x LED 555lm CRI90 5,8W Vf 500mA

Dimensions

↔ L303x848xH47 mm


Materials

Aluminium 1M | 2M | 29

Ref	Price €
8347.1M	NW WW
8347.2M	NW WW
8347.29	NW WW

8334/.. - STELLA

~230V



built-up

built-up ceiling light - directional - with Capa spotlight

Lamptype

3x QPAR 51 GU10 max. 20W 230V
OR 3x QPAR70 GU10 max. 7W 230V

Dimensions

↔ L363x848xH142 mm Bar L55 mm

↘ L363x848xH47 mm

Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref	Price €
8334.1M	
8334.2M	
8334.42	
8334.14	
8334.45	
8334.162	

INDOOR | Ceiling UP | Luminaires | STELLA

Built-up spot with rod colour 14 => joint colour 11

8335/.. - STELLA

~230V



built-up

built-up ceiling light - directional - With Capa X

Lamptype

3x QPAR 51 GU10 max. 20W 230V

Dimensions

L363xB48xH227 mm Bar L55 mm

L363xB48xH47 mm

Materials


Aluminium 1M | 2M | 14 | 45

Aluminium / Messing 42 | 162

Ref	Price €
8335.1M	
8335.2M	
8335.42	
8335.14	
8335.45	
8335.162	

8336/.. - STELLA

~230V



built-up
CRI 90 on request

built-up ceiling light - directional - With Jacob - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf 350mA

Dimensions

L363xB48xH187 mm 48°

Bar L55 mm

Materials

Aluminium 1M | 2M | 14 | 45 | 29

Aluminium / Messing 42 | 162


Ref	Price €
8336.1M	NW WW
8336.2M	NW WW
8336.42	NW WW
8336.14	NW WW
8336.29	NW WW
8336.45	NW WW
8336.162	NW WW



Built-up spot with rod colour 14 => joint colour 11

8337/.. - STELLA

~230V



built-up ceiling light - fixed - with round Zia Led - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L363xB48xH65 mm

35°

Materials

Aluminium


1M | 2M | 14 | 45

Ref	Price €
8337.1M	NW WW
8337.2M	NW WW
8337.14	NW WW
8337.45	NW WW

built-up

8338/.. - STELLA

~230V



built-up ceiling light - fixed - with square Zia Led - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L363xB48xH65 mm

35°

Materials

Aluminium


1M | 2M | 14 | 45

Ref	Price €
8338.1M	NW WW
8338.2M	NW WW
8338.14	NW WW
8338.45	NW WW

built-up

8339/.. - STELLA

~230V



built-up ceiling light - fixed - with 3 round recessed spotlights - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L363xB48xH45 mm

35°

Materials

Aluminium


1M | 2M | 14 | 45

Ref	Price €
8339.1M	NW WW
8339.2M	NW WW
8339.14	NW WW
8339.45	NW WW

built-up

8348/.. - STELLA

~230V



ceiling light - with 3 round recessed spotlights - with LED driver

Lamptype

3x LED 555lm CRI90 5,8W Vf

500mA

Dimensions

L363xB48xH47 mm

Materials

Aluminium

1M | 2M | 29

Ref	Price €
8348.1M	NW WW
8348.2M	NW WW
8348.29	NW WW

built-up
spots to be ordered separately

Built-up spot with rod colour 14 => joint colour 11



Built-up spot with rod colour 14 => joint colour 11

8340/.. - STELLA

~230V



built-up ceiling light - fixed - with round Zia Led - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L200xB200xH65 mm

35°

L170xB170xH45 mm

Materials

Aluminium

1M | 2M

Ref

8340.1M

NW | WW

8340.2M

NW | WW

Price €

built-up

8341/.. - STELLA

~230V



built-up ceiling light - fixed - with square Zia Led - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L200xB200xH65 mm

48°

L170xB170xH45 mm

Materials

Aluminium

1M | 2M

Ref

8341.1M

NW | WW

8341.2M


NW | WW

Price €

built-up

8342/.. - STELLA

~230V



built-up ceiling light - fixed - with 4 round recessed spotlights - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L200xB200xH47 mm

48°

L170xB170xH45 mm

Materials

Aluminium

1M | 2M

Ref

8342.1M

NW | WW

8342.2M


NW | WW

Price €

built-up

8345/.. - STELLA

~230V



built-up ceiling light - directional - with 4 round recessed spotlights - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L200xB200xH65 mm

35°

L170xB170xH45 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8345.1M

NW | WW

8345.2M

NW | WW

8345.29

NW | WW

8345.49

NW | WW

Price €

built-up

INDOOR | Ceiling UP | Luminaires | STELLA

Built-up spot with rod colour 14 => joint colour 11

8349/.. - STELLA

~230V



built-up ceiling light - square - fixed - with 3 round recessed spotlights - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L200xB45xH70 mm

Materials

Aluminium

2M | 29 | 49 | 47 | 77

Ref

8349.2M

8349.29

8349.47

8349.77

8349.49

Price €

● NW | WW

● NW | WW

● NW | WW


● NW | WW

● NW | WW

built-up

8353/.. - STELLA UP

~230V



built-up ceiling light - square - fixed - with 3 round recessed spotlights - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L200xB45xH70 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47 | 77

Ref

8353.1M

8353.2M

8353.29

8353.47

8353.77

8353.49

Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

built-up

8363/.. - STELLA IN DOUBLE

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

2x LED 467lm CRI80 3,8W Vf

350mA

Dimensions

L183xB48xH36 mm

174x41,5 mm

40 mm

48°

Materials

Aluminium

1M | 2M

Ref

8363.1M

8363.2M



Price €

● white texture

● black tex

built-in
with limited built-in depth

Built-up spot with rod colour 14 => joint colour 11



CEILING UP

SYSTEM

CODE	KLEUR BINNEN	COULEUR INTÉRIEUR	COLOR INDOOR	FARBEN INNEN	TYPE	MATERIAL
2M	ZWART TEXTUUR	NOIR TEXTURE	BLACK TEX	SCHWARZ TEXTUR	INT	ALUMINIUM
1M	WIT TEXTUUR	BLANC MAT TEXTURE	WHITE TEX	MATT WEISS TEXTUR	INT	ALUMINIUM
4	BLINKEND GOUD	LAITON POLI	GOLD	GOLD	INT	MESSING
14	ALU SATIJN	ALU SATINÉ	ALU SATIN	ALU SATINIERT	INT	ALUMINIUM
16	MAT GOUD	LAITON BROSSÉ	MATT GOLD	MATT GOLD (GEBÜRSTET)	INT	MESSING
29	ZWART - GOUD INSIDE		BLACK - GOLD INSIDE	SCHWARZ - GOLD INNEN	INT	ALUMINIUM
45	ZONNEGOUD	OR DORÉE	SUN GOLD	SONNENGOLD	INT	ALUMINIUM
49	WIT - GOUD INSIDE		WHITE - GOLD INSIDE	WEISS - GOLD INNEN	INT	ALUMINIUM
LED COLOR						
NW	LED NATUREL WIT	LED BLANC NATUREL	LED NATURAL WHITE	LED NATURELL WEISS	INT/EXT	
WW	LED WARM WIT	LED BLANC CHAUD	LED WARM WHITE	LED WARM WEISS	INT/EXT	



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.