



Texo

Hang up in style!



psmighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

651/.. - TEXO

IP20    0.1983 

built-up base - square - no room for driver

Dimensions L85xB85xH28 mm L60xB60xH26 mm**Materials**

Aluminium 1M | 2M | 14 | 11 | 119 | 33M

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

651.1M

651.2M

651.14

651.11

651.4

651.16

651.13

651.119

651.33M

Price €

62,86

59,87

77,87

57,02

101,92

101,92

179,60

68,85

68,85

*built-up
spot to be ordered separately - 1 hole*

650/.. - TEXO

IP20    0.3529 

built-up base - square - no room for driver

Dimensions L130xB130xH28 mm L100xB100xH26 mm**Materials**

Aluminium 1M | 2M | 14 | 11 | 119 | 46

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

TR127040/.. DRIVER 350mA

TR127042/.. DRIVER 500mA

TR127046/.. DRIVER 700mA

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

650.1M

650.2M

650.14

650.11

650.4

650.16

650.13

650.23

650.119

650.46

Price €

73,54

70,04

89,69

66,85

113,81

113,81

192,92

192,92

80,54

80,54

*built-up
spot to be ordered separately*

652/.. - TEXO

IP20    0.4798 

built-up base - no room for driver

Dimensions L200xB85xH28 mm L175xB60xH26 mm**Materials**

Aluminium 1M | 2M | 14 | 11 | 119

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

652.1M

652.2M

652.14

652.11

652.4

652.16

652.13

652.23

652.119

Price €

82,50

78,57

98,35

74,83

138,60

138,60

211,02

211,02

90,35

*built-up
spots to be ordered separately - 2 holes*

653/.. - TEXO

IP20    0.6949 

built-up base - no room for driver

Dimensions L300xB85xH28 mm L275xB60xH26 mm**Materials**

Aluminium 1M | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

653.1M

653.2M

653.14

653.11

653.4

653.16

653.13

653.119

Price €

90,37

86,06

110,64

81,96

173,25

173,25


273,88

98,97

*built-up
spots to be ordered separately - 3 holes*

654/.. - TEXO

IP20    CE



*built-up
spots to be ordered separately - 4 holes*

built-up base - no room for driver

Dimensions

↔ L400xB85xH28 mm ⚙ L375xB60xH26 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 119 | 46

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref		Price €
654.1M		108,02
654.2M		102,88
654.14		135,23
654.11		97,99
654.4		220,13
654.16		220,13
654.13		323,27
654.119		118,32
654.46		118,32



655/.. - TEXO

IP20    0.8517 

built-up base - square

Dimensions L215xB215xH32 mm  L185xB185xH30 mm**Materials**Aluminium 1M | 2M | 14 | 11 | 119
Messing 4 | 16 | 13**Options**TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
655.1M	108,03
655.2M	102,88
655.14	155,53
655.11	97,99
655.4	233,00
655.16	233,00
655.13	307,89
655.119	121,76

*built-up
spots to be ordered separately - 4 holes*

656/.. - TEXO

IP20   2.0537 

built-up base - square base 300x300mm

Dimensions L300xB300xH28 mm  L270xB270xH25 mm**Materials**

Aluminium 1M | 2M | 119 | 142 | 104

OptionsTR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
656.1M	235,25
656.2M	224,05
656.119	257,66
656.142	293,57
656.104	293,57

*built-up
spots to be ordered separately - without holes*

657/.. - TEXO

IP20   2.8233 

built-up base - square base 350x350mm

Dimensions L350xB350xH28 mm  L320xB320xH25 mm**Materials**

Aluminium 1M | 2M | 119 | 142 | 104

OptionsTR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
657.1M	252,55
657.2M	240,53
657.119	276,60
657.142	315,32
657.104	315,32

*built-up
spots to be ordered separately - without holes*

658/.. - TEXO

IP20   3.8533 

built-up base - square base 400x400mm

Dimensions L400xB400xH28 mm  L370xB370xH25 mm**Materials**

Aluminium 1M | 2M | 119 | 142 | 104

OptionsTR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10


Ref	Price €
658.1M	283,67
658.2M	270,18
658.119	310,71
658.142	355,19
658.104	355,19

*built-up
spots to be ordered separately - without holes*



659/.. - TEXO

IP20    



*built-up
spots to be ordered separately - without holes*

built-up base - square base 500x500mm

Dimensions

↔ L500xB500xH28 mm  L470xB470xH25 mm

Materials

Aluminium 1M | 2M | 119 | 142 | 104


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref		Price €
659.1M		342,50
659.2M		326,19
659.119		375,12
659.142		434,92
659.104		434,92

700/.. - TEXO

IP20    



*built-up
spots to be ordered separately - without holes*

built-up base - square base 600x600mm

Dimensions

↔ L600xB600xH28 mm  L570xB570xH25 mm

Materials

Aluminium 1M | 2M | 119 | 142 | 104

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref		Price €
700.1M		418,61
700.2M		398,68
700.119		458,48
700.142		521,91
700.104		521,91




5021/.. - TEXO

IP20    

 built-up		built-up base - 30 cm	Ref		Price €
		Dimensions			
		 L300xB80xH33 mm	 L260xB60xH30 mm	5021.1M	141,85
				5021.2M	135,09
		Materials		5021.14	190,28
		Aluminium	1M 2M 14 119	5021.119	155,35
		Aluminium / Messing	42 162 232 132	5021.42	199,33
		Options		5021.162	199,33
		TR89800255/.. DRIVER 350mA		5021.232	204,28
		TR89800256/.. DRIVER 500mA		5021.132	204,28
		000C/.. supplement HOLE + STAIN RELIEF			
		000CR/.. supplement HOLE + STAIN RELIEF			
		000G/.. supplement HOLE M10			


5022/.. - TEXO

IP20    

 built-up		built-up base - 60 cm	Ref		Price €
		Dimensions			
		 L600xB80xH33 mm	 L560xB60xH30 mm	5022.1M	199,34
				5022.2M	181,22
		Materials		5022.14	250,00
		Aluminium	1M 2M 14 119 46 21	5022.119	208,40
		Aluminium / Messing	42 162 232 132	5022.46	208,40
		Options		5022.21	208,40
		TR89800255/.. DRIVER 350mA		5022.42	268,20
		TR89800256/.. DRIVER 500mA		5022.162	268,20
		000C/.. supplement HOLE + STAIN RELIEF		5022.232	293,25
		000CR/.. supplement HOLE + STAIN RELIEF		5022.132	293,25
		000G/.. supplement HOLE M10			


5023/.. - TEXO

IP20    


 built-up		built-up base - 90 cm	Ref		Price €
		Dimensions			
		 L900xB80xH33 mm	 L860xB60xH30 mm	5023.1M	242,17
				5023.2M	230,64
		Materials		5023.14	289,95
		Aluminium	1M 2M 14 119	5023.119	265,24
		Aluminium / Messing	42 162 232 132	5023.42	335,25
		Options		5023.162	335,25
		TR89800255/.. DRIVER 350mA		5023.232	370,68
		TR89800256/.. DRIVER 500mA		5023.132	370,68
		000C/.. supplement HOLE + STAIN RELIEF			
		000CR/.. supplement HOLE + STAIN RELIEF			
		000G/.. supplement HOLE M10			

5024/.. - TEXO

IP20    

 built-up		built-up base - 120 cm	Ref		Price €
		Dimensions			
		 L1200xB80xH33 mm	 L1160xB60xH30 mm	5024.1M	276,77
				5024.2M	263,59
		Materials		5024.14	329,49
		Aluminium	1M 2M 14 119	5024.119	303,13
		Aluminium / Messing	42 162 232 132	5024.42	395,00
		Options		5024.162	395,00
		TR89800255/.. DRIVER 350mA		5024.232	474,46
		TR89800256/.. DRIVER 500mA		5024.132	474,46
		000C/.. supplement HOLE + STAIN RELIEF			
		000CR/.. supplement HOLE + STAIN RELIEF			
		000G/.. supplement HOLE M10			

5025/.. - TEXO

IP20    3.0229 

built-up

built-up base - 140 cm

Dimensions
 L1400xB80xH33 mm
  L1360xB60xH30 mm
Materials

Aluminium 1M | 2M | 14 | 119

Aluminium / Messing 42 | 162 | 232 | 132

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref		Price €
5025.1M		344,31
5025.2M		313,01
5025.14		395,05
5025.119		356,83
5025.42		485,66
5025.162		485,66
5025.232		556,84
5025.132		556,84



701.900/.. - TEXO

IP20    2.7833 

 <i>built-up without holes</i>	built-up base - rectangular base for built-up spot or pendant		Ref	Price €	
	Dimensions				
	 L900xB120xH44 mm	 L860xB100xH40 mm	701.900.1M		397,85
			701.900.2M		378,91
	Materials		701.900.117		435,75
	Aluminium	1M 2M 117 118 119	701.900.118		435,75
	Options		701.900.119		435,75
	TR89800255/..	DRIVER 350mA			
	TR89800256/..	DRIVER 500mA			
	000C/..	supplement HOLE + STAIN RELIEF			
000CR/..	supplement HOLE + STAIN RELIEF				
000G/..	supplement HOLE M10				

701.1200/.. - TEXO

IP20    4.1700 

 <i>built-up without holes</i>	built-up base - rectangular base for built-up spot or pendant		Ref		Price €
	Dimensions				
	 L1200xB120xH44 mm	 L1160xB100xH40 mm	701.1200.1M		456,58
			701.1200.2M		434,84
	Materials		701.1200.117		500,00
	Aluminium	1M 2M 117 118 119	701.1200.118		500,00
	Options		701.1200.119		500,00
	TR89800255/..	DRIVER 350mA			
	TR89800256/..	DRIVER 500mA			
	000C/..	supplement HOLE + STAIN RELIEF			
000CR/..	supplement HOLE + STAIN RELIEF				
000G/..	supplement HOLE M10				

701.1400/.. - TEXO

IP20    4.6900 

 <
--

701.1600/.. - TEXO

IP20    5.5440 

 <i>built-up</i> <i>without holes</i>	built-up base - rectangular base for built-up spot or pendant		Ref	Price €	
	Dimensions				
	 L1600xB120xH44 mm	 L1560xB100xH40 mm	701.1600.1M		486,07
			701.1600.2M		462,93
	Materials		701.1600.117		532,00
	Aluminium	1M 2M 117 118 119	701.1600.118		532,00
	Options		701.1600.119		532,00
TR89800255/.. DRIVER 350mA					
TR89800256/.. DRIVER 500mA					
000C/.. supplement HOLE + STAIN RELIEF					
000CR/.. supplement HOLE + STAIN RELIEF					
000G/.. supplement HOLE M10					

701.1800/.. - TEXO

IP20    CE

built-up base - rectangular base for built-up spot or pendant

Dimensions L1800xB120xH44 mm  L1760xB100xH40 mm**Materials**

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref		Price €
701.1800.1M		515,48
701.1800.2M		490,94
701.1800.117		564,00
701.1800.118		564,00
701.1800.119		564,00

built-up
without holes

702.1200x160/.. - TEXO

IP20    



built-up
without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB160xH33 mm  L1160xB140xH30 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref		Price €
702.1200x160.1M		475,51
702.1200x160.2M		452,86
702.1200x160.117		520,79
702.1200x160.118		520,79
702.1200x160.119		520,79

703.1200x250/.. - TEXO

IP20   



built-up
without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB250xH33 mm  L1160xB246xH30 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref		Price €
703.1200x250.1M		530,76
703.1200x250.2M		505,49
703.1200x250.117		581,31
703.1200x250.118		581,31
703.1200x250.119		581,31



704.800X300/.. - TEXO

IP20    CE

built-up base - rectangular base for built-up spot or pendant

DimensionsL800xB300xH33 mm **Materials**


Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref		Price €
704.800X300.1M		486,83
704.800X300.2M		463,66
704.800X300.117		533,00
704.800X300.118		533,00
704.800X300.119		533,00

704.1200X300/.. - TEXO

IP 20    CE

built-up base - rectangular base for built-up spot or pendant

DimensionsL1200xB300xH33 mm **Materials**


Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref		Price €
704.1200X300.1M		559,33
704.1200X300.2M		532,71
704.1200X300.117		612,60
704.1200X300.118		612,60
704.1200X300.119		612,60

704.1400X300/.. - TEXO

IP    CE

built-up base - rectangular base for built-up spot or pendant

DimensionsL1400xB300xH33 mm **Materials**


Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref		Price €
704.1400X300.1M		634,32
704.1400X300.2M		604,11
704.1400X300.117		694,00
704.1400X300.118		694,00
704.1400X300.119		694,00

705.1200X500/.. - TEXO

IP20    CE

built-up base - rectangular base for built-up spot or pendant

DimensionsL1200xB500xH33 mm **Materials**

Aluminium 1M | 2M | 117 | 118 | 119


Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref		Price €
705.1200X500.1M		633,63
705.1200X500.2M		603,46
705.1200X500.117		693,00
705.1200X500.118		693,00
705.1200X500.119		693,00

2089.1200X300/.. - TEXO ROUNDED

IP20   



*built-up
spots or pendants to be ordered separately*

built-up base

Dimensions

↔ L1200xB300xH30 mm  L1000xB260 mm

Materials

Aluminium 1M | 2M


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref		Price €
2089.1200X300.1M		772,00
2089.1200X300.2M		772,00

2089.1400X400/.. - TEXO ROUNDED

IP20   



*built-up
spots or pendants to be ordered separately*

built-up base

Dimensions

↔ L1400xB400xH30 mm  L1200xB340 mm

Materials



Aluminium 1M | 2M

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref		Price €
2089.1400X400.1M		936,00
2089.1400X400.2M		936,00

Colours



Other colours on request





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.