



Texo

Hang up in style!



psmighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

651/.. - TEXO

IP20    0.1983 

built-up base - square - no room for driver

Dimensions

 L85xB85xH28 mm L60xB60xH26 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 119 | 33M

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

651.1M

651.2M

651.14

651.11

651.4

651.16

651.13

651.119

651.33M

*built-up
spot to be ordered separately - 1 hole*

650/.. - TEXO

IP20    0.3529 

built-up base - square - no room for driver

Dimensions

 L130xB130xH28 mm L100xB100xH26 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 119 | 46

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

TR127040/.. DRIVER 350mA

TR127042/.. DRIVER 500mA

TR127046/.. DRIVER 700mA

P038/.. STRAIN RELIEF - TREKONTLASTING

650.1M

650.2M

650.14

650.11

650.4


650.16

650.13

650.23

650.119

650.46

*built-up
spot to be ordered separately*

652/.. - TEXO

IP20    0.4798 

built-up base - no room for driver

Dimensions

 L200xB85xH28 mm L175xB60xH26 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 119

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

652.1M

652.2M

652.14

652.11


652.4

652.16

652.13

652.23

652.119

*built-up
spots to be ordered separately - 2 holes*

653/.. - TEXO

IP20    0.6949 

built-up base - no room for driver

Dimensions

 L300xB85xH28 mm L275xB60xH26 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

653.1M

653.2M

653.14


653.11

653.4

653.16


653.13

653.119

*built-up
spots to be ordered separately - 3 holes*

654/.. - TEXO

IP20    



*built-up
spots to be ordered separately - 4 holes*

built-up base - no room for driver

Dimensions

↔ L400xB85xH28 mm  L375xB60xH26 mm

Materials

Aluminium 1M | 2M | 14 | 11 | 119 | 46

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

654.1M

654.2M

654.14

654.11

654.4

654.16

654.13

654.119

654.46

Price €



655/.. - TEXO

IP20    0.8517 

built-up base - square

DimensionsL215xB215xH32 mm  L185xB185xH30 mm**Materials**

Aluminium 1M | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

655.1M

655.2M

655.14

655.11

655.4

655.16

655.13

655.119

Price €*built-up
spots to be ordered separately - 4 holes*

656/.. - TEXO

IP20    2.0537 

built-up base - square base 300x300mm

DimensionsL300xB300xH28 mm  L270xB270xH25 mm**Materials**

Aluminium 1M | 2M | 119 | 142 | 104

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

656.1M

656.2M

656.119

656.142

656.104

Price €*built-up
spots to be ordered separately - without holes*

657/.. - TEXO

IP20    2.8233 

built-up base - square base 350x350mm

DimensionsL350xB350xH28 mm  L320xB320xH25 mm**Materials**

Aluminium 1M | 2M | 119 | 142 | 104

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

657.1M

657.2M

657.119

657.142

657.104

Price €*built-up
spots to be ordered separately - without holes*

658/.. - TEXO

IP20    3.8533 

built-up base - square base 400x400mm

DimensionsL400xB400xH28 mm  L370xB370xH25 mm**Materials**

Aluminium 1M | 2M | 119 | 142 | 104

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

658.1M

658.2M

658.119


658.142

658.104

Price €*built-up
spots to be ordered separately - without holes*



659/.. - TEXO

IP20    5.8733 

*built-up
spots to be ordered separately - without holes*

built-up base - square base 500x500mm

Dimensions
 L500xB500xH28 mm  L470xB470xH25 mm
Materials

Aluminium 1M | 2M | 119 | 142 | 104

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref Price €

659.1M

659.2M


659.119

659.142

659.104



700/.. - TEXO

IP20    9.0060 

*built-up
spots to be ordered separately - without holes*

built-up base - square base 600x600mm

Dimensions
 L600xB600xH28 mm  L570xB570xH25 mm
Materials

Aluminium 1M | 2M | 119 | 142 | 104

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref Price €

700.1M

700.2M

700.119


700.142

700.104




5021/.. - TEXO

IP20    0.6000 

 built-up	built-up base - 30 cm	Ref	Price €
	Dimensions		
	 L300xB80xH33 mm	 L260xB60xH30 mm	
	Materials		
	Aluminium	1M 2M 14 119	
	Aluminium / Messing	42 162 232 132	
	Options		
	TR89800255/.. DRIVER 350mA		
	TR89800256/.. DRIVER 500mA		
	000C/.. supplement HOLE + STAIN RELIEF		
	000CR/.. supplement HOLE + STAIN RELIEF		
	000G/.. supplement HOLE M10		


5022/.. - TEXO

IP20    1.5075 

 built-up	built-up base - 60 cm	Ref	Price €
	Dimensions		
	 L600xB80xH33 mm	 L560xB60xH30 mm	
	Materials		
	Aluminium	1M 2M 14 119 46 21	
	Aluminium / Messing	42 162 232 132	
	Options		
	TR89800255/.. DRIVER 350mA		
	TR89800256/.. DRIVER 500mA		
	000C/.. supplement HOLE + STAIN RELIEF		
	000CR/.. supplement HOLE + STAIN RELIEF		
	000G/.. supplement HOLE M10		


5023/.. - TEXO

IP20    1.8960 


 built-up	built-up base - 90 cm	Ref	Price €
	Dimensions		
	 L900xB80xH33 mm	 L860xB60xH30 mm	
	Materials		
	Aluminium	1M 2M 14 119	
	Aluminium / Messing	42 162 232 132	
	Options		
	TR89800255/.. DRIVER 350mA		
	TR89800256/.. DRIVER 500mA		
	000C/.. supplement HOLE + STAIN RELIEF		
	000CR/.. supplement HOLE + STAIN RELIEF		
	000G/.. supplement HOLE M10		

5024/.. - TEXO

IP20    2.6520 

 built-up	built-up base - 120 cm	Ref	Price €
	Dimensions		
	 L1200xB80xH33 mm	 L1160xB60xH30 mm	
	Materials		
	Aluminium	1M 2M 14 119	
	Aluminium / Messing	42 162 232 132	
	Options		
	TR89800255/.. DRIVER 350mA		
	TR89800256/.. DRIVER 500mA		
	000C/.. supplement HOLE + STAIN RELIEF		
	000CR/.. supplement HOLE + STAIN RELIEF		
	000G/.. supplement HOLE M10		

5025/.. - TEXO

IP20    CE

built-up

built-up base - 140 cm

Dimensions
 L1400xB80xH33 mm
  L1360xB60xH30 mm
Materials

Aluminium 1M | 2M | 14 | 119

Aluminium / Messing 42 | 162 | 232 | 132

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

5025.1M

5025.2M

5025.14

5025.119

5025.42

5025.162


5025.232

5025.132

Price €

701.900/.. - TEXO

IP20    2.7833 



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L900xB120xH44 mm  L860xB100xH40 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
701.900.1M	
701.900.2M	
701.900.117	
701.900.118	
701.900.119	

701.1200/.. - TEXO

IP20    4.1700 



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB120xH44 mm  L1160xB100xH40 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
701.1200.1M	
701.1200.2M	
701.1200.117	
701.1200.118	
701.1200.119	

701.1400/.. - TEXO

IP20    4.6900 



built-up base - square - rectangular base for built-up spot or pendant

Dimensions

↔ L1400xB120xH44 mm  L1360xB100xH40 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
701.1400.1M	
701.1400.2M	
701.1400.117	
701.1400.118	
701.1400.119	

701.1600/.. - TEXO

IP20    5.5440 



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1600xB120xH44 mm  L1560xB100xH40 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
701.1600.1M	
701.1600.2M	
701.1600.117	
701.1600.118	
701.1600.119	

701.1800/.. - TEXO

IP20    5.8900 

built-up base - rectangular base for built-up spot or pendant

Dimensions L1800xB120xH44 mm  L1760xB100xH40 mm**Materials**

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref

701.1800.1M

701.1800.2M

701.1800.117


701.1800.118

701.1800.119

Price €*built-up
without holes*

702.1200x160/.. - TEXO

IP20    



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB160xH33 mm  L1160xB140xH30 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119


Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
702.1200x160.1M	
702.1200x160.2M	
702.1200x160.117	
702.1200x160.118	
702.1200x160.119	

703.1200x250/.. - TEXO

IP20    



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB250xH33 mm  L1160xB246xH30 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options


TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
703.1200x250.1M	
703.1200x250.2M	
703.1200x250.117	
703.1200x250.118	
703.1200x250.119	



704.800X300/.. - TEXO

IP20    CE



built-up
without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L800xB300xH33 mm  L760xB280xH30 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref Price €

704.800X300.1M 
704.800X300.2M 
704.800X300.117 
704.800X300.118 
704.800X300.119 

704.1200X300/.. - TEXO

IP 20    CE



built-up
without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB300xH33 mm  L1160xB280 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref Price €

704.1200X300.1M 
704.1200X300.2M 
704.1200X300.117 
704.1200X300.118 
704.1200X300.119 

704.1400X300/.. - TEXO

IP    CE



built-up
without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1400xB300xH33 mm  L1360xB280xH30 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref Price €

704.1400X300.1M 
704.1400X300.2M 
704.1400X300.117 
704.1400X300.118 
704.1400X300.119 

705.1200X500/.. - TEXO

IP20    CE



built-up
without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB500xH33 mm  L1170xB470xH30 mm

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options


TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref Price €

705.1200X500.1M 
705.1200X500.2M 
705.1200X500.117 
705.1200X500.118 
705.1200X500.119 

2089.1200X300/.. - TEXO ROUNDED

IP20   



*built-up
spots or pendants to be ordered separately*

built-up base

Dimensions

↔ L1200xB300xH30 mm  L1000xB260 mm

Materials

Aluminium 1M | 2M

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref

2089.1200X300.1M


2089.1200X300.2M

Price €



2089.1400X400/.. - TEXO ROUNDED

IP20   



*built-up
spots or pendants to be ordered separately*

built-up base

Dimensions

↔ L1400xB400xH30 mm  L1200xB340 mm

Materials

Aluminium 1M | 2M

Options

TR89800255/.. DRIVER 350mA
TR89800256/.. DRIVER 500mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref



2089.1400X400.1M

2089.1400X400.2M

Price €



Colours



Other colours on request





psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.