



Thindr & Tally

Take a look on the **bright** side




psmighting

Delighted to help you



1743.AS.3/.. - THINDR

~230V



built-up ceiling light - fixed - feeding asymmetric - with LED driver

Lamp type

3x LED 467lm CRI80 max. 3,8W 350mA

Dimensions

L500xB45xH380 mm Frame L500xB300 mm

Materials


Aluminium 1M | 2M | 29 | 49 | 47
Aluminium / Messing 116 | 216

Ref	Price €
1743.AS.3.1M	NW WW
1743.AS.3.2M	NW WW
1743.AS.3.29	NW WW
1743.AS.3.47	NW WW
1743.AS.3.49	NW WW
1743.AS.3.116	NW WW
1743.AS.3.216	NW WW

built-up

1743.CEN.3/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamp type

3x LED 467lm CRI80 max. 3,8W 350mA

Dimensions

L500xB45xH380 mm Frame L500xB300 mm

Materials



Aluminium 1M | 2M | 29 | 49 | 47
Aluminium / Messing 116 | 216

Ref	Price €
1743.CEN.3.1M	NW WW
1743.CEN.3.2M	NW WW
1743.CEN.3.29	NW WW
1743.CEN.3.47	NW WW
1743.CEN.3.49	NW WW
1743.CEN.3.116	NW WW
1743.CEN.3.216	NW WW

built-up

1744.CEN.3/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamp type

3x LED 467lm CRI80 max. 3,8W 350mA

Dimensions

L300xB45xH580 mm Frame B300xH500 mm

Materials


Aluminium 1M | 2M | 29 | 49 | 47
Aluminium / Messing 116 | 216

Ref	Price €
1744.CEN.3.1M	NW WW
1744.CEN.3.2M	NW WW
1744.CEN.3.29	NW WW
1744.CEN.3.47	NW WW
1744.CEN.3.49	NW WW
1744.CEN.3.116	NW WW
1744.CEN.3.216	NW WW

built-up

1746.CEN.5/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamp type

5x LED 467lm CRI80 max. 3,8W 350mA

Dimensions

L700xB45xH380 mm Frame L700xB300 mm

Materials



Aluminium 1M | 2M | 29 | 49 | 47
Aluminium / Messing 116 | 216

Ref	Price €
1746.CEN.5.1M	NW WW
1746.CEN.5.2M	NW WW
1746.CEN.5.29	NW WW
1746.CEN.5.47	NW WW
1746.CEN.5.49	NW WW
1746.CEN.5.116	NW WW
1746.CEN.5.216	NW WW

built-up

1745.AS.5/.. - THINDR

~230V



built-up ceiling light - fixed - feeding asymmetric - with LED driver

Lamptype

5x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L700xB45xH380 mm Frame L700xB300 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref Price €

1745.AS.5.1M NW | WW

1745.AS.5.2M NW | WW

1745.AS.5.29 NW | WW

1745.AS.5.47 NW | WW

1745.AS.5.49 NW | WW


1745.AS.5.116 NW | WW

1745.AS.5.216 NW | WW

built-up

1745.CEN.5/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamptype

5x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L700xB45xH380 mm Frame L700xB300 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref Price €

1745.CEN.5.1M NW | WW

1745.CEN.5.2M NW | WW

1745.CEN.5.29 NW | WW

1745.CEN.5.47 NW | WW

1745.CEN.5.49 NW | WW


1745.CEN.5.116 NW | WW

1745.CEN.5.216 NW | WW

built-up

1747.AS.7/.. - THINDR

~230V



built-up ceiling light - fixed - feeding asymmetric - with LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L900xB45xH380 mm Frame L900xB300 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref Price €

1747.AS.7.1M NW | WW

1747.AS.7.2M NW | WW

1747.AS.7.29 NW | WW

1747.AS.7.47 NW | WW

1747.AS.7.49 NW | WW


1747.AS.7.116 NW | WW

1747.AS.7.216 NW | WW

built-up

1747.CEN.7/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L900xB45xH380 mm Frame L900xB300 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref Price €

1747.CEN.7.1M NW | WW

1747.CEN.7.2M NW | WW

1747.CEN.7.29 NW | WW

1747.CEN.7.47 NW | WW

1747.CEN.7.49 NW | WW


1747.CEN.7.116 NW | WW

1747.CEN.7.216 NW | WW

built-up

1749.AS.9/.. - THINDR

~230V



built-up ceiling light - fixed - feeding asymmetric - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1200xB45xH380 mm Frame L1200xB300 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref


Price €

1749.AS.9.1M	NW WW
1749.AS.9.2M	NW WW
1749.AS.9.29	NW WW
1749.AS.9.47	NW WW
1749.AS.9.49	NW WW
1749.AS.9.116	NW WW
1749.AS.9.216	NW WW

built-up

1749.CEN.9/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1200xB45xH380 mm Frame L1200xB300 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref


Price €

1749.CEN.9.1M	NW WW
1749.CEN.9.2M	NW WW
1749.CEN.9.29	NW WW
1749.CEN.9.47	NW WW
1749.CEN.9.49	NW WW
1749.CEN.9.116	NW WW
1749.CEN.9.216	NW WW

built-up

1757.CEN.7/.. - THINDR CROSS

=350mA



built-up ceiling light - fixed - central feeding - without LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L700xB45xH380 mm Frame L700xB300 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref

Price €

1757.CEN.7.1M	NW WW
1757.CEN.7.2M	NW WW
1757.CEN.7.29	NW WW
1757.CEN.7.47	NW WW
1757.CEN.7.49	NW WW
1757.CEN.7.116	NW WW
1757.CEN.7.216	NW WW

built-up



1733.CEN.3/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamptype

3x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L300xB45xH380 mm Frame L300xB300 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref


Price €

1733.CEN.3.1M	NW WW
1733.CEN.3.2M	NW WW
1733.CEN.3.29	NW WW
1733.CEN.3.47	NW WW
1733.CEN.3.49	NW WW
1733.CEN.3.116	NW WW
1733.CEN.3.216	NW WW

built-up

1735.CEN.5/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamptype

5x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L500xB45xH500 mm Frame L500xB500 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref


Price €

1735.CEN.5.1M	NW WW
1735.CEN.5.2M	NW WW
1735.CEN.5.29	NW WW
1735.CEN.5.47	NW WW
1735.CEN.5.49	NW WW
1735.CEN.5.116	NW WW
1735.CEN.5.216	NW WW

built-up

1737.CEN.7/.. - THINDR

~230V



built-up ceiling light - fixed - central feeding - with LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L700xB45xH700 mm Frame L700xB700 mm

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Aluminium / Messing

116 | 216

Ref

Price €


1737.CEN.7.1M	NW WW
1737.CEN.7.2M	NW WW
1737.CEN.7.29	NW WW
1737.CEN.7.47	NW WW
1737.CEN.7.49	NW WW
1737.CEN.7.116	NW WW
1737.CEN.7.216	NW WW

built-up



1423/.. - TALLY

~230V



pendant with swivel - rod can be shortened - fixed - down - with LED driver

Lamptype

3x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L450xB45xH910 mm

Tige 800 mm

48°

L400xB40xH40 mm

Materials

Aluminium

2M | 29 | 47

Aluminium / Messing

116 | 216

Ref

Price €

1423.2M

● NW | WW

1423.29

● NW | WW

1423.47

● NW | WW

1423.116

● NW | WW

1423.216

● NW | WW

built-up

1425/.. - TALLY

~230V



pendant with swivel - rod can be shortened - fixed - down - with LED driver

Lamptype

5x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L790xB45xH910 mm

Tige 800 mm

48°

L400xB40xH40 mm

Materials

Aluminium

2M | 29 | 47

Aluminium / Messing

116 | 216

Ref

Price €

1425.2M

● NW | WW

1425.29

● NW

1425.47

● NW | WW

1425.116

● NW | WW


1425.216

● NW | WW

built-up

1427/.. - TALLY

~230V



pendant with swivel - rod can be shortened - fixed - down - with LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1130xB45xH910 mm

Tige 800 mm

35°

L400xB40xH40 mm

Materials

Aluminium

2M | 29 | 47

Aluminium / Messing

116 | 216

Ref

Price €

1427.2M

● NW | WW

1427.29

● NW | WW

1427.47

● NW | WW

1427.116

● NW | WW

1427.216



● NW | WW

built-up



1350/.. - TALLY

~230V



pendant with swivel - rod can be shortened - fixed - down/up - with LED driver

Lamptype

6x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1130xB45xH910 mm Tige 800 mm

35°

L400xB40xH40 mm

Materials

Aluminium 2M | 29 | 47

Aluminium / Messing 116 | 216

Ref

1350.2M

● NW | WW

1350.116

● NW | WW

1350.216

● NW | WW

1350.29

● NW | WW

1350.47



● NW | WW

Price €

built-up

1353/.. - TALLY

=350mA



suspension with textile cable - fixed - down/up - without LED driver

Lamptype

5x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L790xB60xH150 mm Cable 1000 mm

35°

Base Ø60xH25 mm

Materials

Aluminium 2M | 29 | 47

Aluminium / Messing 116 | 216

Ref

1353.2M.TX2

● NW | WW

1353.29.TX2

● NW | WW

1353.47.TX2

● NW | WW

1353.116.TX2

● NW | WW

1353.216.TX2




● NW | WW

Price €

built-up



Colours



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.





psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.