




Ufo

light up your space



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

W7000/.. - UFO LED

~230V



built-up ceiling or wall light - spotlight on round base Ø60 - with glass

Lamp type

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø60xD167

30°

Base Ø60xH30

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

W7000.5

NW | WW

W7000.5B

NW | WW

W7000.5BB

NW | WW

W7000.32AX

NW | WW

W7000.37AX

NW | WW

W7000.46AX

NW | WW

W7000.64AX


NW | WW

Price €

built-up
LED module included

W7001/.. - UFO LED

~230V



built-up ceiling or wall light - spotlight on square base 70x70 - with glass

Lamp type

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xH207

30°

Base B70xH70xD70

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

W7001.5

NW | WW

W7001.5B

NW | WW

W7001.5BB

NW | WW

W7001.32AX

NW | WW

W7001.37AX

NW | WW

W7001.46AX

NW | WW

W7001.64AX

NW | WW

Price €

built-up
LED module included

W7002/.. - UFO LED

~230V



built-up ceiling or wall light - double spotlight on bar - with glass

Lamp type

2x LED 350lm CRI90 max. 4W

230V

Dimensions

L200xB55xH287

30°

Base B200xH55xD50

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

W7002.5

NW | WW

W7002.5B

NW | WW

W7002.5BB

NW | WW

W7002.32AX

NW | WW

W7002.37AX

NW | WW

W7002.46AX

NW | WW

W7002.64AX

NW | WW

Price €

built-up
LED module included

OUTDOOR | Ceiling UP | UFO

W1070/.. - UFO

~12V



built-up ceiling or wall light - with glass - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Base Ø60xH30 Head Ø60

Materials

Alu Anodisé 32A | 37A | 46A

Inox 316 5 | 5B | 5BB

Ref

W1070.5
W1070.5B
W1070.5BB
W1070.32A
W1070.37A
W1070.46A

Price €

built-up
use coolfit lamp

W1071/.. - UFO

~230V



built-up ceiling or wall light - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Base B70xH70xD70 Head Ø63

Materials

Alu Anodisé 32A | 37A | 46A

Inox 316 5 | 5B | 5BB

Ref

W1071.5
W1071.5B
W1071.5BB
W1071.32A
W1071.37A
W1071.46A

Price €

built-up
60VA - use coolfit lamp

W1072/.. - UFO

~230V



built-up ceiling or wall light - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Base L55xB200xD50 Head Ø60

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

W1072.5
W1072.5B
W1072.5BB
W1072.32AX
W1072.37AX
W1072.46AX

Price €

built-up
105VA - use coolfit lamp

W7060/.. - UFO MINI

~230V



built-up ceiling or wall light - spotlight on round base Ø60

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø63xD195 Base Ø60xH30

Head Ø63

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

W7060.32AX

W7060.37AX

W7060.5

W7060.5B

W7060.5BB

W7060.46AX

Price €

built-up

W7061/.. - UFO MINI

~230V



built-up ceiling or wall light - spotlight on square base 60x60

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Base B60xH60xD34 Head Ø63

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

W7061.32AX

W7061.37AX

W7061.5

W7061.5B

W7061.5BB

W7061.46AX

Price €

built-up

W7062/.. - UFO MINI

~230V



built-up ceiling or wall light

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

Base L55xB200xD50 Head Ø63

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

W7062.5

W7062.5B

W7062.5BB

W7062.32AX

W7062.37AX

W7062.46AX

Price €

built-up

T7004/.. - UFO LED

~230V



bollard with spike - directional

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

Ø60xH530 mm

Rod 400 mm

30°

Cable L1500 mm

Head Ø60 mm

SPIKE Ø12xH400 mm

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5BB

Ref
Price €

T7004.32AX	● NW WW
T7004.37AX	● NW WW
T7004.64AX	● NW WW
T7004.5	● NW WW
T7004.5BB	● NW WW
T7004.46AX	● NW WW

semi built-in/up
with a painted colour, the spike is also painted - LED
module included

T7004.5M/.. - UFO LED

~230V



bollard with spike - directional

Lamptype

1x LED 350lm CRI90 4W

230V

Dimensions

Ø60xH530 mm

Rod 400 mm

30°

Cable L5000 mm

Head Ø60 mm

SPIKE Ø12xH400 mm

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5BB

Ref
Price €

T7004.5M.5	● NW WW
T7004.5M.5BB	● NW WW
T7004.5M.32AX	● NW WW
T7004.5M.37AX	● NW WW
T7004.5M.46AX	● NW WW
T7004.5M.64AX	● NW WW

semi built-in/up
with a painted colour, the spike is also painted - LED
module included

T7007/.. - UFO LED

~230V


bollard with spike - directional - with glass and connection
box

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xH540

Tige 400

30°

Base L70xB70xH70

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5BB

Ref
Price €

T7007.5	● NW WW
T7007.5BB	● NW WW
T7007.32AX	● NW WW
T7007.37AX	● NW WW
T7007.46AX	● NW WW
T7007.64AX	● NW WW

semi built-in/up
LED module included

T7008.450/.. - UFO LED

~230V



semi built-in/up
cable gland at 22cm - LED module included

bollard with spike - with glass - H spike 450mm - with 1,5m cable and plug

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø60xH580

Tige 450

30°

Cable L1500

Head Ø60

Spike L40xB30xH450

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5BB

Ref	Price €
T7008.450.5	NW WW
T7008.450.5BB	NW WW
T7008.450.32AX	NW WW
T7008.450.37AX	NW WW
T7008.450.46AX	NW WW
T7008.450.64AX	NW WW

T7008.650/.. - UFO LED

~230V



semi built-in/up
cable gland at 22cm - LED module included

bollard with spike - with glass - H spike 650mm - with 1,5m cable and plug

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø60xH780

Tige 650

30°

Cable L1500

Head Ø60

Spike L40xB30xH650

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5BB

Ref	Price €
T7008.650.5	NW WW
T7008.650.5BB	NW WW
T7008.650.32AX	NW WW
T7008.650.37AX	NW WW
T7008.650.46AX	NW WW
T7008.650.64AX	NW WW

T7009.650/.. - UFO LED

~230V



semi built-in/up
cable gland at 38cm - LED module included

bollard with spike - with glass - H spike 650mm - with 1,5m cable and plug

Lamptype

2x LED 350lm CRI90 max. 4W

230V

Dimensions

L310xB40xH650

Tige 650

30°

Cable L1500

Head Ø60

Spike L40xB30xH650

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5BB

Ref	Price €
T7009.650.5	NW WW
T7009.650.5BB	NW WW
T7009.650.32AX	NW WW
T7009.650.37AX	NW WW
T7009.650.46AX	NW WW
T7009.650.64AX	NW WW

T7011.650/.. - UFO LED

~230V



*built-up
LED module included*



bollard with fixation plate

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L30xB40xH780

Tige 650

30°

Base L40xB30xH450

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5BB

Ref

T7011.650.5

T7011.650.5BB

T7011.650.32AX

T7011.650.37AX

T7011.650.46AX

T7011.650.64AX

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

NW | WW

Price €
T7012.650/.. - UFO LED

~230V



*built-up
LED module included*



bollard with fixation plate

Lamptype

2x LED 350lm CRI90 max. 4W

230V

Dimensions

L310xB40xH650

Tige 650

30°

Base L40xB30xH650

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5BB

Ref

T7012.650.5

T7012.650.5BB

T7012.650.32AX

T7012.650.37AX

T7012.650.46AX

T7012.650.64AX

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €


T7050/.. - UFO MINI

~230V



bollard with spike - directional

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø63xH490 Tige 400

Head Ø63xH90 Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX | 64AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

T7050.32AX

T7050.37AX

T7050.64AX

T7050.5

T7050.5B

T7050.5BB

T7050.46AX

Price €

semi built-in/up
for lacquered colours, the spike is lacquered in the
same colour

T7050.5M/.. - UFO MINI

~230V



bollard with spike - directional

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 Cable L5000

Head Ø63 Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

T7050.5M.5

T7050.5M.5B

T7050.5M.5BB

T7050.5M.32AX

T7050.5M.37AX

T7050.5M.46AX

Price €

semi built-in/up
for lacquered colours, the spike is lacquered in the
same colour

T7049/.. - UFO MINI

~230V



bollard with spike - directional

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø63xH1090 Tige 1000

Head Ø63 Spike Ø12xH1000

Materials

Aluminium 119
Inox / Alu 32AX | 37AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

T7049.5

T7049.5B

T7049.5BB

T7049.32AX

T7049.37AX

T7049.46AX

T7049.119

Price €

semi built-in/up
for lacquered colours, the spike is lacquered in the
same colour

T7040/.. - UFO MINI

~230V


bollard with spike - directional - head with U-support - rod 1
meter with cable 3m in rod - cable out of the rod at 60 cm

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Head Ø63 Spike Ø12xH1000

Materials

Inox / Alu 32AX | 37AX | 46AX | 34AX
Inox 316 5 | 5B | 5BB

Ref

T7040.5

T7040.5B

T7040.5BB

T7040.32AX

T7040.34AX

T7040.37AX

T7040.46AX

Price €

semi built-in/up
for lacquered colours, the spike is lacquered in the
same colour

T7051/.. - UFO MINI

~230V



IP54



bollard with spike - directional - with glass and connection box

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 400

Base L70xB70xH70

Head Ø63

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7051.5

T7051.5B

T7051.5BB

T7051.32AX

T7051.37AX

T7051.46AX

Price €

semi built-in/up

T7052/.. - UFO MINI

~230V



IP54



bollard with spike - directional - with glass and connection box

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 400

Base B200xH55xD50

Head Ø63

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7052.5

T7052.5B

T7052.5BB

T7052.32AX

T7052.37AX

T7052.46AX

Price €

semi built-in/up



T7045/.. - UFO MINI

IP20    5.7200 


accessories for garden lighting - 100 cm rod

Dimensions


 Ø12xH1000 Tige 1000

Materials

Inox 304 5

Ref	Price €
T7045.5	

T7048/.. - UFO MINI

IP20    0.5220 


accessories for garden lighting - support plate + screw

Dimensions

 Ø100xH2

Materials

Inox 304 32X
Inox 316 5 | 5BB

Ref	Price €
T7048.5	
T7048.5BB	
T7048.32X	

T7046/.. - UFO MINI

  0.9500 


accessories for garden lighting - extra cable per meter (black)

Ref	Price €
T7046	

T7044/.. - UFO MINI

IP20  


accessories for garden lighting - spare part to convert to 12V

Dimensions

 L18xB28xH2


Materials

Inox 316 5

Ref	Price €
T7044.5	

T7057.100/.. - UFO MINI

~230V



bollard with fixation plate - on round pole - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Base Ø43xH100 Head Ø63

Materials

Inox / Alu 32AX | 37AX | 44AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

T7057.100.5
T7057.100.5B
T7057.100.5BB
T7057.100.32AX
T7057.100.37AX
T7057.100.44AX
T7057.100.46AX

Price €

built-up

T7057.300/.. - UFO MINI

~230V



bollard with fixation plate - on round pole - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Base Ø43xH300 Head Ø63

Materials

Inox / Alu 32AX | 37AX | 44AX | 64AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

T7057.300.5
T7057.300.5B
T7057.300.5BB
T7057.300.32AX
T7057.300.37AX
T7057.300.44AX
T7057.300.46AX
T7057.300.64AX

Price €

built-up

T7057.500/.. - UFO MINI

~230V



bollard with fixation plate - on round pole - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Base Ø43xH500 Head Ø63

Materials

Inox / Alu 32AX | 37AX | 64AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

T7057.500.32AX
T7057.500.37AX
T7057.500.64AX
T7057.500.5
T7057.500.5B
T7057.500.5BB
T7057.500.46AX

Price €

built-up

T7057.700/.. - UFO MINI

~230V



bollard with fixation plate - on round pole - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Base Ø43xH700 Head Ø63

Materials

Inox / Alu 32AX | 37AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

T7057.700.5
T7057.700.5B
T7057.700.5BB
T7057.700.32AX
T7057.700.37AX
T7057.700.46AX

Price €

built-up

T7053.450/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 450mm - with 1,5m cable and plug

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Head Ø63 Spike L40xB30xH450

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

T7053.450.5

T7053.450.5B

T7053.450.5BB

T7053.450.32AX

T7053.450.37AX

T7053.450.46AX

Price €

semi built-in/up
cable gland at 22cm

T7053.650/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 650mm - with 1,5m cable and plug

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Head Ø63 Spike L40xB30xH650

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

T7053.650.5

T7053.650.5B

T7053.650.5BB

T7053.650.32AX

T7053.650.37AX

T7053.650.46AX

Price €

semi built-in/up
cable gland at 22cm

T7053.850/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 850mm - with 1,5m cable and plug

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Head Ø63 Spike L40xB30xH850

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

T7053.850.5

T7053.850.5B

T7053.850.5BB

T7053.850.32AX

T7053.850.37AX

T7053.850.46AX

Price €

semi built-in/up
cable gland at 22cm

T7054.650/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 650mm

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Head Ø63

Spike L40xB30xH650

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7054.650.5

T7054.650.5B

T7054.650.5BB

T7054.650.32AX

T7054.650.37AX

T7054.650.46AX

Price €

semi built-in/up
cable gland at 38cm

T7054.850/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 850mm

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Head Ø63

Spike L40xB30xH850

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7054.850.5

T7054.850.5B

T7054.850.5BB

T7054.850.32AX

T7054.850.37AX

T7054.850.46AX

Price €

semi built-in/up
cable gland at 38cm


T7056.650/.. - UFO MINI

~230V



IP54



bollard with fixation plate - on rectangular pole 30x40 - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Base L40xB30xH650

Head Ø63

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7056.650.5

T7056.650.5B

T7056.650.5BB

T7056.650.32AX

T7056.650.37AX

T7056.650.46AX

Price €



built-up

T7056.850/.. - UFO MINI

~230V



IP54



bollard with fixation plate - on rectangular pole 30x40 - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Ø63xH850

Base L40xB30xH850

Head Ø63

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7056.850.5

T7056.850.5B

T7056.850.5BB

T7056.850.32AX

T7056.850.37AX

T7056.850.46AX

Price €



built-up



T1030/.. - UFO

~12V



bollard with spike - with 1,5m cable - with glass - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Head Ø60 Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T1030.32AX

T1030.37AX

T1030.5

T1030.5B

T1030.5BB

Price €

semi built-in/up
use coolfit lamp
for lacquered colours, the spike is lacquered in the
same colour

T1030.5M/.. - UFO

~12V



bollard with spike - with 5m cable - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 400 Cable L5000

Head Ø60 Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T1030.5M.5

T1030.5M.5B

T1030.5M.5BB

T1030.5M.32AX

T1030.5M.37AX

Price €

semi built-in/up
use coolfit lamp
for lacquered colours, the spike is lacquered in the
same colour

T1031/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 400 Base L70xB70xH70

Head Ø60 Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T1031.5

T1031.5B

T1031.5BB

T1031.32AX

T1031.37AX

Price €

semi built-in/up
60VA - use coolfit lamp - stainless steel spike

T1032/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 400 Base L200xB50xH55

Head Ø60 Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T1032.5

T1032.5B

T1032.5BB

T1032.32AX

T1032.37AX

Price €

semi built-in/up
105VA - use coolfit lamp - stainless steel spike



T1033/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Head Ø60 Spike L30xB40xH450

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T1033.5

T1033.5B

T1033.5BB

T1033.32AX

T1033.37AX

Price €

semi built-in/up
60VA - use coolfit lamp

T1034/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Head Ø60 Spike L30xB40xH650

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T1034.5

T1034.5B

T1034.5BB

T1034.32AX

T1034.37AX

Price €

semi built-in/up
60VA - use coolfit lamp

T1035/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Head Ø60 Spike L30xB40xH850

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T1035.5

T1035.5B

T1035.5BB

T1035.32AX

T1035.37AX

Price €

semi built-in/up
60VA - use coolfit lamp

T1037/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 650 Head Ø60

Spike L40xB30xH650

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T1037.5

T1037.5B

T1037.5BB

T1037.32AX

T1037.37AX

Price €

semi built-in/up
2x60VA - use coolfit lamp

€



5 | 5B | 5BB

€



5 | 5B | 5BB

€



5 | 5B | 5BB

€



5 | 5B | 5BB

T1039.65/.. - UFO

~230V



bollard - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W

12V

Dimensions

Tige 650

Base L40xB30xH650

Head Ø60

Materials

Inox / Alu

32AX | 37AX

Inox 316

5 | 5B | 5BB

Ref

T1039.65.5

T1039.65.5B

T1039.65.5BB

T1039.65.32AX

T1039.65.37AX

Price €

built-up
2x60VA - use coolfit lamp

T1039.85/.. - UFO

~230V



bollard - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W

12V

Dimensions

Tige 850

Base L40xB30xH850

Head Ø60

Materials

Inox / Alu

32AX | 37AX

Inox 316

5 | 5B | 5BB

Ref

T1039.85.5

T1039.85.5B

T1039.85.5BB

T1039.85.32AX

T1039.85.37AX

Price €

built-up
2x60VA - use coolfit lamp



T7030/.. - UFO GRANDE

~230V



bollard with spike - with 1,5m cable - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 Head Ø63xH120

Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

T7030.32AX

T7030.37AX

T7030.5

T7030.5B

T7030.5BB

T7030.46AX

Price €

semi built-in/up
for lacquered colours, the spike is lacquered in the
same colour

T7030.5M/.. - UFO GRANDE

~230V



bollard with spike - with 5m cable

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 Head Ø63

Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7030.5M.5

T7030.5M.5B

T7030.5M.5BB

T7030.5M.32AX

T7030.5M.37AX

Price €

semi built-in/up
for lacquered colours, the spike is lacquered in the
same colour

T7031/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 Base L70xB70xH70

Head Ø63 Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7031.5

T7031.5B

T7031.5BB

T7031.32AX

T7031.37AX

Price €

semi built-in/up

T7032/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 Base L55xB200xD50

Head Ø63 Spike Ø12xH400

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7032.5

T7032.5B

T7032.5BB

T7032.32AX

T7032.37AX

Price €

semi built-in/up



T7033.45/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 450 Head Ø63

Spike L40xB30xH450

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7033.45.5

T7033.45.5B

T7033.45.5BB

T7033.45.32AX

T7033.45.37AX

Price €

semi built-in/up

T7033.65/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 650 Head Ø63

Spike L40xB30xH650

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7033.65.5

T7033.65.5B

T7033.65.5BB

T7033.65.32AX

T7033.65.37AX

Price €

semi built-in/up

T7033.85/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 850 Head Ø63

Spike L40xB30xH850

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7033.85.5

T7033.85.5B

T7033.85.5BB

T7033.85.32AX

T7033.85.37AX

Price €

semi built-in/up

T7037.65/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 650 Head Ø63

Spike L40xB30xH650

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7037.65.5

T7037.65.5B

T7037.65.5BB

T7037.65.32AX

T7037.65.37AX

Price €

semi built-in/up

OUTDOOR | Floor UP | UFO GRANDE

T7037.85/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 850

Head Ø63

Spike L40xB30xH850

Materials

Inox / Alu

32AX | 37AX

Inox 316

5 | 5B | 5BB

Ref

T7037.85.5

T7037.85.5B

T7037.85.5BB

T7037.85.32AX

T7037.85.37AX

Price €

semi built-in/up

T7034.45/.. - UFO GRANDE

~230V



bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Base Ø43xH280

Head Ø63

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7034.45.5

T7034.45.5B

T7034.45.5BB

T7034.45.32AX

T7034.45.37AX

T7034.45.46AX

Price €

built-up
tube/Rohr Ø43

T7034.55/.. - UFO GRANDE

~230V



bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 380

Base Ø43xH380

Head Ø63

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7034.55.5

T7034.55.5B

T7034.55.5BB

T7034.55.32AX

T7034.55.37AX

T7034.55.46AX

Price €

built-up
tube/Rohr Ø43

T7034.75/.. - UFO GRANDE

~230V



bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 580

Base Ø43xH580

Head Ø63

Materials

Inox / Alu

32AX | 37AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

T7034.75.5

T7034.75.5B

T7034.75.5BB

T7034.75.32AX

T7034.75.37AX

T7034.75.46AX

Price €

built-up
tube/Rohr Ø43

T7034.95/.. - UFO GRANDE

~230V


built-up
tube/Rohr Ø43

bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 780 Base Ø43xH780

Head Ø63

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

T7034.95.5

T7034.95.5B

T7034.95.5BB

T7034.95.32AX

T7034.95.37AX

T7034.95.46AX

Price €
T7036.45/.. - UFO GRANDE

~230V



built-up

bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 450 Base L40xB30xH450

Head Ø63

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7036.45.5

T7036.45.5B

T7036.45.5BB

T7036.45.32AX

T7036.45.37AX

Price €
T7036.65/.. - UFO GRANDE

~230V



built-up

bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 650 Base L40xB30xH650

Head Ø63

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7036.65.5

T7036.65.5B

T7036.65.5BB

T7036.65.32AX

T7036.65.37AX

Price €
T7036.85/.. - UFO GRANDE

~230V



built-up

bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 850 Base L40xB30xH850

Head Ø63

Materials

Inox / Alu 32AX | 37AX

Inox 316 5 | 5B | 5BB

Ref

T7036.85.5

T7036.85.5B

T7036.85.5BB

T7036.85.32AX

T7036.85.37AX

Price €

T7039.65/.. - UFO GRANDE

~230V


built-up

bollard - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 650

Base L40xB30xH650

Head Ø63

Materials

Inox / Alu

32AX | 37AX

Inox 316

5 | 5B | 5BB

Ref

T7039.65.5

T7039.65.5B

T7039.65.5BB

T7039.65.32AX

T7039.65.37AX

Price €
T7039.85/.. - UFO GRANDE

~230V


built-up

bollard - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 850

Base L40xB30xH850

Head Ø63

Materials

Inox / Alu

32AX | 37AX

Inox 316

5 | 5B | 5BB

Ref

T7039.85.5

T7039.85.5B

T7039.85.5BB

T7039.85.32AX

T7039.85.37AX

Price €


W7000/.. - UFO LED

~230V



built-up ceiling or wall light - spotlight on round base Ø60 - with glass

Lamp type

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø60xD167

30°

Base Ø60xH30

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

W7000.5

NW | WW

W7000.5B

NW | WW

W7000.5BB

NW | WW

W7000.32AX

NW | WW

W7000.37AX

NW | WW

W7000.46AX

NW | WW

W7000.64AX


NW | WW

Price €

built-up
LED module included

W7001/.. - UFO LED

~230V



built-up ceiling or wall light - spotlight on square base 70x70 - with glass

Lamp type

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xH207

30°

Base B70xH70xD70

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

W7001.5

NW | WW

W7001.5B

NW | WW

W7001.5BB

NW | WW

W7001.32AX

NW | WW

W7001.37AX

NW | WW

W7001.46AX

NW | WW

W7001.64AX

NW | WW

Price €

built-up
LED module included

W7002/.. - UFO LED

~230V



built-up ceiling or wall light - double spotlight on bar - with glass

Lamp type

2x LED 350lm CRI90 max. 4W

230V

Dimensions

L200xB55xH287

30°

Base B200xH55xD50

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

W7002.5

NW | WW

W7002.5B

NW | WW

W7002.5BB

NW | WW

W7002.32AX

NW | WW

W7002.37AX

NW | WW

W7002.46AX

NW | WW

W7002.64AX

NW | WW

Price €

built-up
LED module included

W7003/.. - UFO LED

~230V



built-up wall light - spotlight on square base 70x70 - with glass

Lamp type

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xD610

Tige 400

30°

Bar Ø12xH400

Base B70xH70xD70

Head Ø60

Materials

Inox / Alu

32AX | 37AX | 64AX | 46AX

Inox 316

5 | 5B | 5BB

Ref

W7003.5

NW | WW

W7003.5B

NW | WW

W7003.5BB

NW | WW

W7003.32AX

NW | WW

W7003.37AX

NW | WW

W7003.46AX

NW | WW

W7003.64AX

NW | WW

Price €

built-up
LED module included

W7059/.. - UFO MINI

~230V



built-up floor or wall light

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Cable 1500 Cable L1500

Head Ø63xH100

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

W7059.5

W7059.5B

W7059.5BB

W7059.32AX

W7059.37AX

W7059.46AX

Price €

built-up

W7060/.. - UFO MINI

~230V



built-up ceiling or wall light - spotlight on round base Ø60

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ Ø63xD195 Base Ø60xH30

Head Ø63

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

W7060.32AX

W7060.37AX

W7060.5

W7060.5B

W7060.5BB

W7060.46AX

Price €

built-up

W7061/.. - UFO MINI

~230V



built-up ceiling or wall light - spotlight on square base 60x60

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Base B60xH60xD34 Head Ø63

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

W7061.32AX

W7061.37AX

W7061.5

W7061.5B

W7061.5BB

W7061.46AX

Price €

built-up

W7062/.. - UFO MINI

~230V



built-up ceiling or wall light

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

Base L55xB200xD50 Head Ø63

Materials

Inox / Alu 32AX | 37AX | 46AX

Inox 316 5 | 5B | 5BB

Ref

W7062.5

W7062.5B

W7062.5BB

W7062.32AX

W7062.37AX

W7062.46AX

Price €

built-up

W7047/.. - UFO MINI

~230V IP54 0.8700 0,5 m 4.6 CE



built-up

bollard - with 1,5m cable - with glass and connection box

Lamptype	
1x QPAR 51 GU10 max. 20W	230V
Dimensions	
Bar Ø12xH400	Base L70xB70xD70
Head Ø63	
Materials	
Inox / Alu	32AX 36AX 37AX 46AX
Inox 316	5 5B 5BB

Ref	Price €
W7047.5	
W7047.5B	
W7047.5BB	
W7047.32AX	
W7047.36AX	
W7047.37AX	
W7047.46AX	



OUTDOOR | Wall UP | UFO

W1070/.. - UFO

~12V



built-up ceiling or wall light - with glass - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Base Ø60xH30 Head Ø60

Materials

Alu Anodisé 32A | 37A | 46A
Inox 316 5 | 5B | 5BB

Ref

W1070.5
W1070.5B
W1070.5BB
W1070.32A
W1070.37A
W1070.46A

Price €



built-up
use coolfit lamp

W1071/.. - UFO

~230V



built-up ceiling or wall light - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Base B70xH70xD70 Head Ø63

Materials

Alu Anodisé 32A | 37A | 46A
Inox 316 5 | 5B | 5BB

Ref

W1071.5
W1071.5B
W1071.5BB
W1071.32A
W1071.37A
W1071.46A

Price €



built-up
60VA - use coolfit lamp

W1072/.. - UFO

~230V



built-up ceiling or wall light - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Base L55xB200xD50 Head Ø60

Materials

Inox / Alu 32AX | 37AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

W1072.5
W1072.5B
W1072.5BB
W1072.32AX
W1072.37AX
W1072.46AX

Price €



built-up
105VA - use coolfit lamp

W1073/.. - UFO

~230V



built-up wall light - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

B70xH70xD610 Tige 400

B70xH70xD70

Materials

Inox / Alu 32AX | 37AX | 46AX
Inox 316 5 | 5B | 5BB

Ref

W1073.5
W1073.5B
W1073.5BB
W1073.32AX
W1073.37AX
W1073.46AX

Price €



built-up
60VA - use coolfit lamp
















Price €














Price €

 IP54
 



 2.5360
  0.5 m
  4.6
 





Price €

33



Colours





psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.