



Pergola

ZIA VERANDA - ZITA - FELIX - CESAR



psmlighting

Delighted to help you

Small spots with a perfect finish



12V	
230V	22-25
350MA	129-133
700MA	138

LUXOR	138
-------	-----



100% Belgian Quality


Psmlighting is a Belgian family business. The design and production of all our products take place in our own workshop. This ensures a perfect finish and high quality.



our lighting
duct.

nt. Psmlighting bv reserves the right to
prior notice. Read instructions carefully.
pplicable. Nothing in this catalogue can
psmlighting bv company.

S2 bladveer veren voor volle plafonds
Flat spring springs for solid surfaces.
concrete
Ferden für Massivdecken
Ressorts pour standard plafond



S1 Torsieveer , trekveer
veren voor hol plafond , profiel - gyproc , valsplafond
torsion spring springs for hollow surfaces.
Ferden für Hofraum
Ressorts pour faux plafond



ST33/.. - STARLIGHT Ø30

~12V



S1

IP20



downlight for veranda profiles - round - without transformer

Lamptype

1x QT9-ax G4 max. 20W

12V

Dimensions

Ø33xH30 mm

Ø30 mm

L 50 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13

Ref

ST33.1

ST33.1M

ST33.2

ST33.2M

ST33.4

ST33.11

ST33.13

ST33.14

ST33.16

Price €

16,53

17,83

16,53

17,83

20,34

16,53

21,96

18,22

20,34

built-in

ST43/.. - STARLIGHT Ø30

~12V



S1

IP20



downlight for veranda profiles - round - without transformer

Lamptype

1x QT9-ax G4 max. 20W

12V

Dimensions

Ø43xH30 mm

Ø30 mm

L 50 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13

Ref

ST43.1

ST43.1M

ST43.2

ST43.2M

ST43.4

ST43.11

ST43.13

ST43.14

ST43.16

Price €

17,36

18,66

17,36

18,66

21,37

17,36

23,06

19,12

21,37

built-in

ST50X50/.. - STARLIGHT Ø30

~12V



S1

IP20



downlight for veranda profiles - square - without transformer

Lamptype

1x QT9-ax G4 max. 20W

12V

Dimensions

L50xB50xH30 mm

Ø30 mm

L 50 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13

Ref

ST50X50.1

ST50X50.1M

ST50X50.2

ST50X50.2M

ST50X50.4

ST50X50.11

ST50X50.13

ST50X50.14

ST50X50.16

Price €

24,69

25,99

24,69

25,99

33,21

24,69

35,53

26,12

33,21

built-in

D33/.. - DOWNLIGHT Ø30

~12V



S1

IP20



built-in

downlight for veranda profiles - round - without transformer

Lamptype

1x QT9-ax G4 max. 20W

12V

Dimensions

Ø33xH45 mm

Ø30 mm

65 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13

Ref		Price €
D33.1		33,06
D33.1M		34,35
D33.2		33,06
D33.2M		34,35
D33.4		34,37
D33.11		33,06
D33.13		41,79
D33.14		33,06
D33.16		34,37

D43/.. - DOWNLIGHT Ø39-40

~12V



S1

IP20



built-in

downlight for veranda profiles - round - without transformer

Lamptype

1x QT9-ax G4 max. 20W

12V

Dimensions

Ø43xH50 mm

Ø39-40 mm

70 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13

Ref		Price €
D43.1		33,06
D43.1M		34,35
D43.2		33,06
D43.2M		34,35
D43.4		34,37
D43.11		33,06
D43.13		41,79
D43.14		33,06
D43.16		34,37



ZIA35C/.. - Ø38

~12V



S1

IP20



0.0333

0,5 m

5,6



downlight for veranda profiles - square - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

L41,5xB41,5xH43 mm Ø38 mm

L 53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 3

Messing 4 | 16 | 13

Ref

Price €

ZIA35C.1		23,60
ZIA35C.1M		24,91
ZIA35C.2		23,60
ZIA35C.2M		24,91
ZIA35C.3		24,96
ZIA35C.4		29,46
ZIA35C.11		23,60
ZIA35C.13		37,54
ZIA35C.14		24,96
ZIA35C.16		29,46

built-in

ZIA35CG/.. - Ø38

~12V



S1

IP20



0.0482

0,5 m

5,6



downlight for veranda profiles - square - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

L54xB54xH43 mm Ø38 mm

L 53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Ref

Price €

ZIA35CG.1		24,79
ZIA35CG.1M		26,14
ZIA35CG.2		24,79
ZIA35CG.2M		26,14
ZIA35CG.4		30,92
ZIA35CG.11		24,79
ZIA35CG.13		39,42
ZIA35CG.14		28,77
ZIA35CG.16		30,92

built-in

ZIA35CL/.. - Ø38

~12V



S1

IP20



0.0400

0,5 m

5,6



downlight for veranda profiles - square - to match with LED-bulb MR11 - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 4W 12V

Dimensions

L41,5xB41,5xH43 mm Ø38 mm

L 53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Ref

Price €

ZIA35CL.1		23,60
ZIA35CL.1M		24,91
ZIA35CL.2		23,60
ZIA35CL.2M		24,91
ZIA35CL.11		23,60
ZIA35CL.14		24,96

built-in
for retrofit LED

ZIA35P/.. - Ø38-39

~12V



S1

IP20



built-in

downlight for veranda profiles - round - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø41xH43 mm

Ø38-39 mm

53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 3 | 6

Messing 12 | 4 | 16 | 13

Ref		Price €
ZIA35P.1		17,74
ZIA35P.1M		19,04
ZIA35P.2		17,74
ZIA35P.2M		19,04
ZIA35P.3		18,52
ZIA35P.4		21,75
ZIA35P.6		18,52
ZIA35P.11		17,74
ZIA35P.12		29,75
ZIA35P.13		29,75
ZIA35P.14		18,55
ZIA35P.16		21,75

ZIA35PL/.. - Ø38-39

~12V



S1

IP20



built-in
for retrofit LED

downlight for veranda profiles - round - to match with LED-bulb MR11 - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 20W 12V

Dimensions

Ø41xH43 mm

Ø38-39 mm

53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Ref		Price €
ZIA35PL.1		17,74
ZIA35PL.1M		19,04
ZIA35PL.2		17,74
ZIA35PL.2M		19,04
ZIA35PL.14		18,55
ZIA35PL.11		17,74

ZIA35VT/.. - Ø39-40

~12V



S1

IP20



built-in

downlight for veranda profiles - round - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø52xH43 mm

Ø39-40 mm

53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 3 | 6

Messing 4 | 16 | 13 | 23

Ref		Price €
ZIA35VT.1		19,57
ZIA35VT.1M		20,86
ZIA35VT.2		19,57
ZIA35VT.2M		20,86
ZIA35VT.3		20,84
ZIA35VT.4		25,26
ZIA35VT.6		20,84
ZIA35VT.11		19,57
ZIA35VT.13		33,28
ZIA35VT.16		25,26
ZIA35VT.23		33,28

ZIA35M/.. - Ø39-40

~12V



built-in

downlight for veranda profiles - round - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø44,5xH43 mm Ø39-40 mm

53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 3 | 6

Messing 4 | 16 | 13

Ref		Price €
ZIA35M.1		19,57
ZIA35M.1M		20,86
ZIA35M.2		19,57
ZIA35M.2M		20,86
ZIA35M.3		20,84
ZIA35M.4		25,26
ZIA35M.6		20,84
ZIA35M.11		19,57
ZIA35M.13		33,28
ZIA35M.14		20,91
ZIA35M.16		25,26

ZIA35ML/.. - Ø39-40

~12V



built-in
for retrofit LED

downlight for veranda profiles - round - to match with LED-bulb MR11 - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø44,5xH43 mm Ø39-40 mm

53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Ref		Price €
ZIA35ML.1		19,57
ZIA35ML.1M		20,86
ZIA35ML.2		19,57
ZIA35ML.2M		20,86
ZIA35ML.14		20,91
ZIA35ML.11		19,57

ZIA35VTL/.. - Ø39-40

~12V



built-in
for retrofit LED

downlight for veranda profiles - round - to match with LED-bulb MR11 - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø52xH43 mm Ø39-40 mm

53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Ref		Price €
ZIA35VTL.1		19,57
ZIA35VTL.1M		20,86
ZIA35VTL.2		19,57
ZIA35VTL.2M		20,86
ZIA35VTL.14		20,91
ZIA35VTL.11		19,57

ZIA35V/.. - Ø48

~12V



S2

IP20



built-in



downlight for veranda profiles - round - twin wall - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø52xH43 mm

Ø48 mm

53 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11 | 3 | 6

Messing

12 | 4 | 16 | 13

Ref		Price €
ZIA35V.1		23,21
ZIA35V.1M		24,50
ZIA35V.2		23,21
ZIA35V.2M		24,50
ZIA35V.3		24,72
ZIA35V.4		32,70
ZIA35V.6		24,31
ZIA35V.11		23,21
ZIA35V.12		36,93
ZIA35V.13		36,94
ZIA35V.14		24,72
ZIA35V.16		32,70



CEILING IN

DOWNLIGHTS

ZIA35/.. - Ø48-49

~12V



built-in

downlight for veranda profiles - round - twin wall - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø58xH43 mm Ø48 mm

53 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 3 | 6
Messing 4 | 16 | 13

Ref		Price €
ZIA35.1		23,21
ZIA35.1M		24,50
ZIA35.2		23,21
ZIA35.2M		24,50
ZIA35.14		24,72
ZIA35.11		23,21
ZIA35.3		24,72
ZIA35.4		32,70
ZIA35.16		32,70
ZIA35.13		36,94
ZIA35.6		24,31

RIO35/.. - Ø48-49

~12V



built-in

downlight for veranda profiles - round - directional - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø54xH62 mm Ø48-49 mm

70 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 6
Messing 12 | 4 | 16 | 13

Ref		Price €
RIO35.1		43,50
RIO35.1M		45,59
RIO35.2		43,50
RIO35.2M		45,59
RIO35.4		52,26
RIO35.6		46,31
RIO35.11		43,50
RIO35.12		59,04
RIO35.13		59,50
RIO35.14		46,55
RIO35.16		52,26

FOCUS35/.. - Ø49

~12V



built-in

downlight - round - fixed - without transformer

Lamptype

1x QR-CB 35 GU4/GZ4 max. 35W 12V

Dimensions

Ø59xH50 mm Ø49 mm

65 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Ref		Price €
FOCUS35.1		26,63
FOCUS35.1M		29,32
FOCUS35.2		26,63
FOCUS35.2M		29,32
FOCUS35.14		31,54
FOCUS35.11		26,63
FOCUS35.4		47,41
FOCUS35.16		47,41
FOCUS35.13		50,59

ZIA50V/.. - Ø49

~12V



S1

IP20



built-in

downlight for veranda profiles - round - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 50W 12V

Dimensions

Ø54,5xH55 mm Ø49 mm

65 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Ref		Price €
ZIA50V.1		24,29
ZIA50V.1M		25,58
ZIA50V.2		24,29
ZIA50V.2M		25,58
ZIA50V.4		31,92
ZIA50V.11		24,29
ZIA50V.13		40,02
ZIA50V.14		26,98
ZIA50V.16		31,92

ZIA50VL.ES50/.. - Ø50

~230V



S1

IP20



built-in

downlight for veranda profiles - round - for ledbulb GU10

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø54,5xH90 mm Ø50 mm

100 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Ref		Price €
ZIA50VL.ES50.1		32,67
ZIA50VL.ES50.1M		33,98
ZIA50VL.ES50.2		32,67
ZIA50VL.ES50.2M		33,98
ZIA50VL.ES50.4		49,78
ZIA50VL.ES50.11		33,98
ZIA50VL.ES50.13		49,78
ZIA50VL.ES50.14		35,37
ZIA50VL.ES50.16		49,78

ZIA50VL/.. - Ø50

~12V



S1

IP20



built-in
for retrofit LED

downlight for veranda profiles - round - for ledbulb - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 35W 12V

Dimensions

Ø54,5xH55 mm Ø50 mm

65 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Ref		Price €
ZIA50VL.1		34,00
ZIA50VL.1M		35,70
ZIA50VL.2		34,00
ZIA50VL.2M		35,70
ZIA50VL.4		48,09
ZIA50VL.11		34,00
ZIA50VL.13		51,34
ZIA50VL.14		37,74
ZIA50VL.16		48,09

ZIA50V.ES50/.. - Ø50

~230V



S1

IP20



built-in

downlight for veranda profiles - round

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø54,5xH90 mm Ø50 mm

100 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Ref		Price €
ZIA50V.ES50.1		32,67
ZIA50V.ES50.1M		33,97
ZIA50V.ES50.2		32,67
ZIA50V.ES50.2M		33,97
ZIA50V.ES50.4		40,64
ZIA50V.ES50.11		32,67
ZIA50V.ES50.13		48,82
ZIA50V.ES50.14		39,56
ZIA50V.ES50.16		40,64

ZIA50/.. - Ø63

~12V



built-in

downlight for veranda profiles - round - twin wall - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 50W 12V

Dimensions

Ø73xH55 mm Ø63 mm

L 65 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 3 | 6
Messing 12 | 4 | 16 | 13

Ref		Price €
ZIA50.1	●	25,83
ZIA50.1M	●	27,14
ZIA50.2	●	25,83
ZIA50.2M	●	27,14
ZIA50.3	●	28,47
ZIA50.4	●	42,41
ZIA50.6	●	27,14
ZIA50.11	●	25,83
ZIA50.12	●	45,15
ZIA50.13	●	45,19
ZIA50.14	●	28,47
ZIA50.16	●	42,41

ZIA50GR/.. - Ø63

~12V



built-in

downlight for veranda profiles - round - twin wall - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 50W 12V

Dimensions

Ø83xH55 mm Ø63 mm

L 65 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Ref		Price €
ZIA50GR.1	●	28,43
ZIA50GR.1M	●	29,74
ZIA50GR.2	●	28,43
ZIA50GR.2M	●	29,74
ZIA50GR.11	●	28,43
ZIA50GR.14	●	31,98

ZIA50.ES50/.. - Ø63

~230V



built-in

downlight for veranda profiles - round - for hispot 50W GU10

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø73xH90 mm Ø63 mm

L 100 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Ref		Price €
ZIA50.ES50.1	●	34,22
ZIA50.ES50.1M	●	35,53
ZIA50.ES50.2	●	34,22
ZIA50.ES50.2M	●	35,53
ZIA50.ES50.4	●	50,80
ZIA50.ES50.11	●	34,22
ZIA50.ES50.13	●	53,58
ZIA50.ES50.14	●	36,85
ZIA50.ES50.16	●	50,80

ZIALEDF230V.S1/.. - Ø45 ZIA LED 230V

~230V



built-in ceiling and wall light - round - fixed - with led

Lamptype

1x LED 230lm CRI80 max. 4W

230V

Dimensions

Ø54xH55 mm

Ø45 mm

65 mm

30°

Materials

Aluminium

1MA | 2MA | 14 | 11MA

Ref	Price €
ZIALEDF230V.S1.1MA	110,23
ZIALEDF230V.S1.2MA	110,23
ZIALEDF230V.S1.14	113,82
ZIALEDF230V.S1.11MA	110,23

built-in
Color 14 not suitable for moist places

ZIALEDF230V.S2/.. - Ø45 ZIA LED 230V

~230V



built-in ceiling and wall light - round - with led

Lamptype

1x LED 230lm CRI80 max. 4W

230V

Dimensions

Ø54xH55 mm

Ø45 mm

65 mm

30°

Materials

Aluminium

1MA | 2MA | 14 | 11MA

Ref	Price €
ZIALEDF230V.S2.1MA	107,83
ZIALEDF230V.S2.2MA	107,83
ZIALEDF230V.S2.11MA	107,83
ZIALEDF230V.S2.14	111,43

built-in
Color 14 not suitable for moist places

ZIALEDFC230V.S1/.. - Ø45 ZIA LED 230V

~230V



built-in ceiling and wall light - square - with led

Lamptype

1x LED 230lm CRI80 max. 4W

230V

Dimensions

L54xB54xH56 mm

Ø45 mm

65 mm

30°

Materials

Aluminium


1MA | 2MA | 14 | 11MA

Ref	Price €
ZIALEDFC230V.S1.1MA	116,22
ZIALEDFC230V.S1.2MA	116,22
ZIALEDFC230V.S1.14	119,81
ZIALEDFC230V.S1.11MA	116,22

built-in
Color 14 not suitable for moist places

ZIALEDFC230V.S2/.. - Ø45 ZIA LED 230V

~230V



built-in ceiling and wall light - square - with led

Lamptype

1x LED 230lm CRI80 max. 4W

230V

Dimensions

L54xB54xH56 mm

Ø45 mm

65 mm

30°

Materials

Aluminium

1MA | 2MA | 14 | 11MA

Ref	Price €
ZIALEDFC230V.S2.1MA	113,82
ZIALEDFC230V.S2.2MA	113,82
ZIALEDFC230V.S2.11MA	113,82
ZIALEDFC230V.S2.14	117,42

built-in
Color 14 not suitable for moist places

ZIALED.230V/.. - Ø48

~230V



S2

IP20



built-in ceiling and wall light - round

Lamptype

1x LED 454lm CRI80 max. 4W

230V

Dimensions

Ø58,5xH64 mm

Ø48 mm

74 mm

Materials

Aluminium

1M | 1MA | 2M | 2MA | 14 | 11M | 11MA

Ref

ZIALED.230V.1M

NW

Price €

116,22

ZIALED.230V.1MA

NW

124,61

ZIALED.230V.2M

NW

116,22

ZIALED.230V.2MA

NW

124,61

ZIALED.230V.11M

NW

98,48

ZIALED.230V.11MA

NW

124,61

ZIALED.230V.14

NW

116,22

built-in
dimmable phase-cut



LED colors: cool white 6000K (CW) - 3000K warm white (WW) neutral white 4000K (NW) Other LED colors on request

ZIAMINILED/.. - Ø29

≈350mA



built-in



built-in ceiling and wall light - round - without LED driver

Lamptype

1x LED max. 1W

350mA

Dimensions

↔ Ø38xH16 mm

↘ Ø29 mm

⌋⌋ 16 mm

Materials

Aluminium

1M | 2M | 14 | 11

Messing

16 | 13

Ref

ZIAMINILED.1M

● B | CW | WW

Price €

57,14

ZIAMINILED.2M

● B | CW | WW

57,14

ZIAMINILED.14

● B | CW | WW

57,14

ZIAMINILED.11

● B | CW | WW

54,42

ZIAMINILED.16

● B | CW | WW

63,67

ZIAMINILED.13

● B | CW | WW

68,57

ZIAMINI.C.LED/.. - Ø29

350mA



built-in



built-in ceiling and wall light - square - without LED driver

Lamptype

1x LED max. 1W

350mA

Dimensions

↔ L40xB40xH16 mm

↘ Ø29 mm

⌋⌋ 16 mm

Materials

Aluminium

1 | 14 | 11

Ref

ZIAMINI.C.LED.1

● B | CW | WW

Price €

59,87

ZIAMINI.C.LED.11

● B | CW | WW

59,87

ZIAMINI.C.LED.14

● B | CW | WW

62,59

ZIAMINICLED/.. - Ø29

350mA



built-in



built-in ceiling and wall light - square - without LED driver

Lamptype

1x LED max. 1W

350mA

Dimensions

↔ L40xB40xH19 mm

↘ Ø29 mm

⌋⌋ 16 mm

Materials

Aluminium

1M | 2M | 14 | 11

Messing

16 | 13

Ref

ZIAMINICLED.1M

● B | CW | WW

Price €

62,58

ZIAMINICLED.2M

● B | CW | WW

62,58

ZIAMINICLED.11

● B | CW | WW

62,58

ZIAMINICLED.13

● B | CW | WW

65,71

ZIAMINICLED.14

● B | CW | WW

62,58

ZIAMINICLED.16

● B | CW | WW


65,08

INDOOR | Ceiling IN | Ledmodules | ZITA

LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW)

ZITA35C/.. - ZITA SLO - T4

=350mA



downlight - square - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

L41,5xB41,5xH77 mm

Ø38 mm

80 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13 | 23

Ref

Price €

ZITA35C.1	● CW NW WW	75,25
ZITA35C.1M	● CW NW WW	76,40
ZITA35C.2	● CW NW WW	75,25
ZITA35C.2M	● CW NW WW	76,40
ZITA35C.4	● CW NW WW	81,03
ZITA35C.11	● CW NW WW	75,25
ZITA35C.13	● CW NW WW	90,29
ZITA35C.14	● CW NW WW	76,40
ZITA35C.16	● CW NW WW	81,03
ZITA35C.23	● CW NW WW	90,29

built-in

ZITA35CG/.. - ZITA SLO - T3

=350mA



downlight - square - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

L54xB54xH71 mm

Ø38 mm

75 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13 | 23

Ref

Price €

ZITA35CG.1	● CW NW WW	76,40
ZITA35CG.1M	● CW NW WW	77,56
ZITA35CG.2	● CW NW WW	76,40
ZITA35CG.2M	● CW NW WW	77,56
ZITA35CG.4	● CW NW WW	77,56
ZITA35CG.11	● CW NW WW	76,40
ZITA35CG.13	● CW NW WW	90,29
ZITA35CG.14	● CW NW WW	79,88
ZITA35CG.16	● CW NW WW	83,35
ZITA35CG.23	● CW NW WW	90,29

built-in



LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW)

ZITA35P/.. - ZITA SLO - T4

=350mA



downlight - round - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø41xH76 mm

Ø38-39 mm

80 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Inox 316

5 | 5B

Messing

4 | 16 | 13 | 23

Ref

ZITA35P.1

ZITA35P.1M

ZITA35P.2

ZITA35P.2M

ZITA35P.4

ZITA35P.5

ZITA35P.5B

ZITA35P.11

ZITA35P.13

ZITA35P.14

ZITA35P.16

ZITA35P.23

Price €

CW | NW | WW 69,46

CW | NW | WW 70,62

CW | NW | WW 69,46

CW | NW | WW 70,62

CW | NW | WW 74,09

CW | NW | WW 103,03

CW | NW | WW 111,13

CW | NW | WW 69,46

CW | NW | WW 81,03

CW | NW | WW 70,62

CW | NW | WW 74,09

CW | NW | WW 81,03

built-in

ZITA35M/.. - ZITA SLO - T3

=350mA



downlight - round - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø44,5xH71 mm

Ø39-40 mm

75 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13 | 23

Ref

ZITA35M.1

ZITA35M.1M

ZITA35M.2

ZITA35M.2M

ZITA35M.4

ZITA35M.11

ZITA35M.13

ZITA35M.14

ZITA35M.16

ZITA35M.23

Price €

CW | NW | WW 70,62

CW | NW | WW 71,77

CW | NW | WW 70,62

CW | NW | WW 71,77

CW | NW | WW 76,40

CW | NW | WW 70,62

CW | NW | WW 85,66

CW | NW | WW 71,77

CW | NW | WW 76,40

CW | NW | WW 85,66

built-in

ZITA35VT/.. - ZITA SLO - T3

=350mA



downlight - round - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø52xH71 mm

Ø39-40 mm

75 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13 | 23

Ref

ZITA35VT.1

ZITA35VT.1M

ZITA35VT.2

ZITA35VT.2M

ZITA35VT.4

ZITA35VT.11

ZITA35VT.13

ZITA35VT.14

ZITA35VT.16

ZITA35VT.23

Price €

CW | NW | WW 70,62

CW | NW | WW 71,77

CW | NW | WW 70,62

CW | NW | WW 71,77

CW | NW | WW 76,40

CW | NW | WW 70,62

CW | NW | WW 84,51

CW | NW | WW 72,93

CW | NW | WW 76,40

CW | NW | WW 84,51

built-in

INDOOR | Ceiling IN | Ledmodules | ZITA

LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW)

ZITA35/.. - ZITA SLO - T2

=350mA



built-in



downlight - round - twin wall - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø58xH65 mm

Ø48 mm

70 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13 | 23

Ref

Price €

ZITA35.1	● CW NW WW	74,09
ZITA35.1M	● CW NW WW	75,25
ZITA35.2	● CW NW WW	74,09
ZITA35.2M	● CW NW WW	75,25
ZITA35.4	● CW NW WW	83,35
ZITA35.11	● CW NW WW	74,09
ZITA35.13	● CW NW WW	87,98
ZITA35.14	● CW NW WW	76,40
ZITA35.16	● CW NW WW	83,35
ZITA35.23	● CW NW WW	87,98

ZITA35V/.. - ZITA SLO - T2

=350mA



built-in



downlight - round - twin wall - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø52xH65 mm

Ø48 mm

70 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13 | 23

Ref

Price €

ZITA35V.1	● CW NW WW	74,09
ZITA35V.1M	● CW NW WW	75,25
ZITA35V.2	● CW NW WW	74,09
ZITA35V.2M	● CW NW WW	75,25
ZITA35V.4	● CW NW WW	83,35
ZITA35V.11	● CW NW WW	74,09
ZITA35V.13	● CW NW WW	87,98
ZITA35V.14	● CW NW WW	76,40
ZITA35V.16	● CW NW WW	83,35
ZITA35V.23	● CW NW WW	87,98



LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW)

SLO_T2_D30/.. - LEDMODULE T2

=350mA



IP20



0,5 m



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH65 mm

30°

Ref

SLO_T2_D30

Price €

CW | NW | WW

50,94

SLO_T2_D36/.. - LEDMODULE T2

=350mA



IP20



0,5 m



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH65 mm

36°

Ref

SLO_T2_D36

Price €

CW | NW | WW

50,94

SLO_T2_D45/.. - LEDMODULE T2

=350mA



IP20



0,5 m



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH65 mm

45°

Ref

SLO_T2_D45

Price €

CW | NW | WW

50,94

INDOOR | Ceiling IN | Ledmodules | ZITA

LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW)

SLO_T3_D30/.. - LEDMODULE T3

≈350mA



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH70 mm

30°

Ref

SLO_T3_D30

Price €

CW | NW | WW

52,09

SLO_T3_D36/.. - LEDMODULE T3

≈350mA



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH70 mm

30°

Ref

SLO_T3_D36

Price €

CW | NW | WW

52,09

SLO_T3_D45/.. - LEDMODULE T3

≈350mA



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH70 mm

45°

Ref

SLO_T3_D45

Price €

CW | NW | WW

52,09

LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW)

SLO_T4_D30/.. - LEDMODULE T4

=350mA



IP20



0,5 m



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH65 mm

30°

Ref

SLO_T4_D30

Price €

CW | NW | WW

52,09

SLO_T4_D36/.. - LEDMODULE T4

=350mA



IP20



0,0300

0,5 m



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH65 mm

30°

Ref

SLO_T4_D36

Price €

CW | NW | WW

52,09

SLO_T4_D45/.. - LEDMODULE T4

=350mA



IP20



0,5 m



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH65 mm

45°

Ref

SLO_T4_D45

Price €

CW | NW | WW

52,09

INDOOR | Ceiling IN | Ledmodules | ZIA LED M

LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW) Other LED colors on request

ZIALEDM.S1/.. - Ø40 ZIA LED M

=350mA



built-in ceiling and wall light - round - fixed - with led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø48xH62 mm

Ø40 mm

72 mm

35°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
ZIALEDM.S1.1M	● NW WW	81,47
ZIALEDM.S1.2M	● NW WW	81,47
ZIALEDM.S1.14	● NW WW	85,07

built-in
Ral color on demand

ZIALEDM.S2/.. - Ø40 ZIA LED M

=350mA



built-in ceiling and wall light - round - fixed - with led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø48xH62 mm

Ø40 mm

72 mm

35°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
ZIALEDM.S2.1M	● NW WW	79,08
ZIALEDM.S2.2M	● NW WW	79,08
ZIALEDM.S2.14	● NW WW	82,67

built-in
Ral color on demand

ZIALEDMC.S1/.. - Ø40 ZIA LED M

=350mA



built-in ceiling and wall light - square - fixed - with led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L48xB48xH62 mm

Ø40 mm

72 mm

35°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
ZIALEDMC.S1.1M	● NW WW	94,65
ZIALEDMC.S1.2M	● NW WW	94,65
ZIALEDMC.S1.14	● NW WW	98,25

built-in
Ral color on demand

ZIALEDMC.S2/.. - Ø40 ZIA LED M

=350mA



built-in ceiling and wall light - square - fixed - with led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L48xB48xH62 mm

Ø40 mm

72 mm

35°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
ZIALEDMC.S2.1M	● NW WW	92,26
ZIALEDMC.S2.2M	● NW WW	92,26
ZIALEDMC.S2.14	● NW WW	95,85

built-in
Ral color on demand



built-in
 Colour 14 not suitable for moist places
 Ral color on demand

III S1 IP44 0 1111 0.5 m 5.6



E 350mA

Ø40 mm

 $\angle 48^\circ$

Aluminium

1MA | 2MA | 14 | 11MA

Ref		Price €
ZIALEDMIP44.S1.1MA	 NW WW	98,25
ZIALEDMIP44.S1.2MA	 NW WW	98,25
ZIALEDMIP44.S1.14	 NW WW	101,84
ZIALEDMIP44. S1.11MA	 NW WW	98,25

 S2 IP44

 0.1179

 0.5 m

 5.6



E 350mA

 $\varnothing 40 \text{ mm}$ $\Delta 48^{\circ}$

Aluminium

1MA | 2MA | 14 | 11MA

Ref		Price €
ZIALEDMIP44.S2.1MA	 NW WW	95,85
ZIALEDMIP44.S2.2MA	 NW WW	95,85
ZIALEDMIP44.S2.11MA	 NW WW	95,85
ZIALEDMIP44.S2.14	 NW WW	99,45

 S1
 IP44

 0.1375

 0.5 m

 5.6



E 350mA

Ø40 mm

 $\angle 48^\circ$

Aluminium

1MA | 2MA | 14 | 11MA

Ref		Price €
ZIALEDMCIP44. S1.1MA	 NW WW	111,43
ZIALEDMCIP44. S1.2MA	 NW WW	111,43
ZIALEDMCIP44.S1.14	 NW WW	115,02
ZIALEDMCIP44. S1.11MA	 NW WW	111,43

 S2 IP44



E 350mA

Ø40 mm

 $\Delta 48^{\circ}$

Aluminium

1MA | 2MA | 14 | 11MA


Ref		Price €
ZIALEDMCIP44. S2.1MA	 NW WW	109,03
ZIALEDMCIP44. S2.2MA	 NW WW	109,03
ZIALEDMCIP44. S2.11MA	 NW WW	109,03
ZIALEDMCIP44.S2.14	 NW WW	121,01

INDOOR | Ceiling IN | Ledmodules | ZIA LED M

LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW) Other LED colors on request

ZIALEDMX.S1/.. - Ø45 ZIA LED MX

=350mA



built-in ceiling and wall light - round - fixed - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø54xH55 mm

Ø45 mm

65 mm

30°

Materials

Aluminium

1M | 2M | 14 | 11M

Ref	Price €
ZIALEDMX.S1.1M	NW WW 110,23
ZIALEDMX.S1.2M	NW WW 110,23
ZIALEDMX.S1.11M	NW WW 110,23
ZIALEDMX.S1.14	NW WW 113,82

built-in
Color 14 not suitable for moist places

ZIALEDMX.S2/.. - Ø45 ZIA LED MX

=350mA



built-in ceiling and wall light - round - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø54xH55 mm

Ø45 mm

65 mm

30°

Materials

Aluminium

1M | 2M | 14 | 11M

Ref	Price €
ZIALEDMX.S2.1M	NW WW 107,83
ZIALEDMX.S2.2M	NW WW 107,83
ZIALEDMX.S2.11M	NW WW 107,83
ZIALEDMX.S2.14	NW WW 111,43

built-in
Color 14 not suitable for moist places

ZIALEDMXC.S1/.. - Ø45 ZIA LED MX

=350mA



built-in ceiling and wall light - square - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L54xB54xH56 mm

Ø45 mm

65 mm

30°

Materials

Aluminium

1M | 2M | 14 | 11M

Ref	Price €
ZIALEDMXC.S1.1M	NW WW 116,22
ZIALEDMXC.S1.2M	NW WW 116,22
ZIALEDMXC.S1.11M	NW WW 116,22
ZIALEDMXC.S1.14	NW WW 119,81

built-in
Color 14 not suitable for moist places

ZIALEDMXC.S2/.. - Ø45 ZIA LED MX

=350mA



built-in ceiling and wall light - square - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L54xB54xH56 mm

Ø45 mm

65 mm

30°

Materials

Aluminium

1M | 2M | 14 | 11M

Ref	Price €
ZIALEDMXC.S2.1M	NW WW 113,82
ZIALEDMXC.S2.2M	NW WW 113,82
ZIALEDMXC.S2.11M	NW WW 113,82
ZIALEDMXC.S2.14	NW WW 117,42

built-in
Color 14 not suitable for moist places

INDOOR | Ceiling IN | Ledmodules | ZIA LED M

LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW) Other LED colors on request

ZIAPEDRO.S1/.. - Ø52

=500mA



built-in ceiling and wall light - round - fixed - without LED driver

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø65xH80 mm

Ø52 mm

85 mm

30°

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

ZIAPEDRO.S1.1M

NW | WW

Price €

116,00

ZIAPEDRO.S1.2M

NW | WW

116,00

ZIAPEDRO.S1.14

NW | WW

120,00

ZIAPEDRO.S1.11M

NW | WW

116,00

built-in
Color 14 not suitable for moist places

ZIAPEDRO.S2/.. - Ø52

=500mA



built-in ceiling and wall light - round - fixed - without LED driver

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø65xH80 mm

Ø52 mm

85 mm

30°

Materials

Aluminium

1M | 2M | 14 | 11M

Ref

ZIAPEDRO.S2.1M

NW | WW

Price €

116,00

ZIAPEDRO.S2.2M

NW | WW

116,00

ZIAPEDRO.S2.14

NW | WW

120,00

ZIAPEDRO.S2.11M

NW | WW

116,00

built-in
Color 14 not suitable for moist places



INDOOR | Ceiling IN | Ledmodules | ZITA

LED colors: cool white 4000K (CW) - warm white 2700K (WW) neutral white 3000K (NW)

FOCUS.SLO/.. - Ø49 SLO - T1

=350mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø59xH69 mm

Ø49 mm

79 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13 | 23

Ref		Price €
FOCUS.SLO.1	● CW NW WW	78,72
FOCUS.SLO.1M	● CW NW WW	79,88
FOCUS.SLO.2	● CW NW WW	78,72
FOCUS.SLO.2M	● CW NW WW	79,88
FOCUS.SLO.4	● CW NW WW	98,40
FOCUS.SLO.11	● CW NW WW	78,72
FOCUS.SLO.13	● CW NW WW	101,87
FOCUS.SLO.14	● CW NW WW	83,35
FOCUS.SLO.16	● CW NW WW	98,40
FOCUS.SLO.23	● CW NW WW	101,87

ARCA.SLO/.. - Ø60 SLO - T1

=350mA



built-in



downlight - round - fixed - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø72xH69 mm

Ø60 mm

80 mm

36°

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Messing

4 | 16 | 13 | 23

Ref		Price €
ARCA.SLO.1	● CW NW WW	76,40
ARCA.SLO.1M	● CW NW WW	78,72
ARCA.SLO.2	● CW NW WW	76,40
ARCA.SLO.2M	● CW NW WW	78,72
ARCA.SLO.14	● CW NW WW	81,03
ARCA.SLO.11	● CW NW WW	76,40
ARCA.SLO.4	● CW NW WW	99,56
ARCA.SLO.16	● CW NW WW	99,56
ARCA.SLO.13	● CW NW WW	104,19
ARCA.SLO.23	● CW NW WW	104,19



€



27

LED module Description Light 4000K (NW) - warm white 2800K (WW) - Other LED colors on request



CEILING IN

LEDMODULES

LED colors: natural white 4000K (NW) - warm white 2800K (WW) - Other LED colors on request

W1370/.. - FELIX

700mA



downlight for veranda profiles - round - fixed - down - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

Ø44xH38 mm

Ø40 mm

50 mm

40°

Materials

Alu Anodisé

31MA | 32A | 36A

Ref		Price €
W1370.31MA	● NW WW	78,00
W1370.32A	● NW WW	78,00
W1370.36A	● NW WW	78,00

built-in
with encapsulated cable 1,5m - other °angle reflector
on request

LED colors: natural white 4000K (NW) - warm white 2800K (WW) - Other LED colors on request

W1374/.. - FELIX

700mA



downlight for veranda profiles - square - fixed - down - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L44xB44xH38 mm

Ø40 mm

50 mm

40°

Materials

Alu Anodisé

31MA | 32A

Ref		Price €
W1374.31MA	● NW WW	85,55
W1374.32A	● NW WW	85,55


built-in
with encapsulated cable 1,5m - other °angle reflector
on request

INDOOR | Ceiling IN | Ledmodules | ZIA LED

LED colors: blue (B) - Cold white 6000K (CW) - warm white 3000K (NW/WW) - Other LED colors on request

ZIALED/.. - Ø48

=700mA



built-in ceiling and wall light - round - without LED driver


Lamptype

1x LED max. 2,3W

700mA

Dimensions

Ø58,5xH64 mm



74 mm

Materials

Aluminium

14 | 11M

Ref

ZIALED.11M

B | CW | WW

Price €



106,95

ZIALED.14

B | CW | WW

106,95

*built-in
clear glass + reflector on request*



LED colors: blue (B) - Cold white 6000K (CW) - warm white 3000K (NW/WW) - Other LED colors on request

CESAR (X)

powered 2,3W

INBOUW

IP20

badkamer- & keukenkasten – liften – luifels
 armoires de salle de bain & de cuisine – ascenseurs – sous-corniches
 bathroom & kitchen cabinets – elevators – porches
 Badezimmer- & Küchenschränke – Aufzüge – Vordächer

LED: B = blauw – CW = koud wit – WW = warm wit (andere op aanvraag)

 Ø60

Ø70x17mm – 70x70x17mm

WAND/WALL - PLAFOND/CEILING

18mm

BEPERKTE INBOUWDIEPTE / LIMITED BUILT-IN DEPTH **17,5MM** Ø60

Energiebesparend = 3W PowerLED

Sfeervol = blauwe (B), koud witte (CW) of warm witte (WW) LED
 (andere kleuren LED op aanvraag)

Techniek vs. Esthetiek = inbouwdiepte slechts 18mm

keuze uit rond of vierkant / springveren (S1) of bladveren (S2)

IP20: aansluiting met lusterklem – IP44 (waterdicht): aansluiting met 1,5m kabel

Economiser l'énergie = 3W PowerLED

Élégant = LED bleu (B), blanc froid (CW) ou blanc chaud (WW)
 (autres couleurs LED sur demande)

Technique vs Esthétique = hauteur d'encastrement n'est que 18mm
 choix entre rond ou carré / ressorts (S1) ou lamelles (S2)

IP20: raccordement avec barrette – IP44 (étanche): raccordement avec 1,5m de câble

Energy-saving = 3W PowerLED

Stylish = blue (B), cold white (CW) or warm white (WW) LED
 (other LED colours on demand)

Technique vs. Aesthetic = built-in depth only 18mm

choice between round or square / torsion springs (S1) or flat springs (S2)

IP20: connection with terminal block – IP44 (waterproof): connection with 1,5m cable

Energiesparend = 3W PowerLED

Stimmungsvoll = LED Blau (B), kalt Weiß (CW) oder warm Weiß (WW)
 (andere LED Farben auf Anfrage)

Technik vs. Ästhetik = Einbautiefe nur 18mm

Wahl aus rund oder quadratisch / Torsionfedern (S1) oder Blattfedern (S2)

IP20: Anschluß mit Klemmenleiste – IP44 (wasserdicht): Anschluß mit 1,5m Kabel

Orientatie- & sfeerverlichting

voor badkamer- en keukenkasten, liften, douches, dampkappen en luifels

Eclairage d'ambiance et d'orientation

pour armoires de salle de bain et de cuisine, ascenseurs, douches, hottes et sous-corniches

Orientation & atmospheric lighting


for bathroom & kitchen cabinets, elevator cabins, showers & cooker hoods

Orientierungs- und stimmungsvolle Beleuchtung

für Badezimmer- und Küchenschränke, Aufzüge, Dunstabzugshauben, Duschen und Vordächern



S1



S2

Kleur toestel - Couleur armature - Colour fixture - Farbe der Leuchte

IP20	1M (Mat wit -Mat white)
	7 (Chroom - Chrome)
	14 (Alu satiné)
	24 (Gezandstraald aluminium - Sandblasted aluminium)
IP44	31 (Structuur wit - Structured white)
	37 (Structuur grijs - Structured grey)

example : 1355/S2/24/WW

INDOOR | Ceiling IN | Ledmodules | CESAR

LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

1355.S1/.. - CESAR		700mA			S1	IP44						
		built-in ceiling and wall light - round - connection with terminal block - without LED driver		Ref		Price €						
		Lamptype		1355.S1.1M	 CW NW WW	65,42						
		1x LED max. 2,3W 700mA		1355.S1.2M	 CW NW WW	65,42						
		Dimensions		1355.S1.14	 CW NW WW	70,45						
		 Ø70xH17 mm  Ø60 mm		1355.S1.24	 CW NW WW	70,45						
		 L 45 mm										
Materials												
Aluminium		1M 2M 14 24										

*built-in
especially for kitchen & bathroom cabinets and elevators*

1355.S2/.. - CESAR		700mA				S2	IP44						
		built-in ceiling and wall light - round - connection with terminal block - without LED driver		Ref		Price €							
		Lamptype		1355.S2.1M		 CW NW WW		60,39					
		1x LED max. 2,3W		700mA		1355.S2.2M		 CW NW WW		60,39			
		Dimensions		1355.S2.14		 CW NW WW		65,42					
		 Ø70xH17 mm		 Ø60 mm		1355.S2.24		 CW NW WW		65,42			
		 L 17.5 mm											
Materials													
Aluminium		1M 2M 14 24											

*built-in
especially for kitchen & bathroom cabinets and elevators*

1356.S1/.. - CESAR X		700mA			S1	IP20						
		built-in ceiling and wall light - round - down - connection with terminal block - with optical lens in alu housing - without LED driver		Ref		Price €						
		Lamptype		1356.S1.1M		 CW NW WW		93,10				
		1x LED max. 2,3W700mA		1356.S1.2M		 CW NW WW		93,10				
		Dimensions		1356.S1.14		 CW NW WW		98,13				
		↔ Ø70xH17 mm		1356.S1.24		 CW NW WW		98,13				
⌊ 45 mm		 Ø60 mm		40°								
Materials												
Aluminium		1M 2M 14 24										

*built-in
for kitchen & bathroom cabinets and elevators
other °angle reflector on demand*

1356.S2/.. - CESAR X		700mA			S2	IP20			0.1200	0,5 m	5.6	CE
		built-in ceiling and wall light - round - down - connection with terminal block - with optical lens in alu housing - without LED driver		Ref		Price €						
		Lamptype		1356.S2.1M		 CW NW WW		88,06				
		1x LED max. 2,3W		1356.S2.14		 CW NW WW		93,10				
		700mA		1356.S2.24		 CW NW WW		93,10				
		Dimensions										
 Ø70xH17 mm		 Ø60 mm										
 L 17.5 mm		 40°										
Materials												
Aluminium		1M 14 24										

*built-in
for kitchen & bathroom cabinets and elevators
other °angle reflector on demand*

LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request



CEILING IN

LEDMODULES

Energy Description: 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

1354.S1/.. - CESAR

=700mA



built-in ceiling and wall light - square - connection with terminal block - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L70xB70xH17 mm

Ø60 mm

L 45 mm

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
1354.S1.1M	75,48
1354.S1.2M	75,48
1354.S1.14	80,52
1354.S1.24	80,52

● CW | NW | WW
● CW | NW | WW
● CW | NW | WW
● CW | NW | WW

built-in
especially for kitchen & bathroom cabinets and elevators

1354.S2/.. - CESAR

700mA



built-in ceiling and wall light - square - connection with terminal block - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L70xB70xH17 mm

Ø60 mm

L 17.5 mm

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
1354.S2.1M	70,45
1354.S2.2M	70,45
1354.S2.14	75,48
1354.S2.24	75,48

● CW | NW | WW
● CW | NW | WW
● CW | NW | WW
● CW | NW | WW

built-in
especially for kitchen & bathroom cabinets and elevators

1357.S1/.. - CESAR X

700mA



built-in ceiling and wall light - square - down - connection with terminal block - with optical lens in alu housing - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L70xB70xH17 mm

Ø60 mm

L 45 mm

40°

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
1357.S1.1M	103,16
1357.S1.2M	103,16
1357.S1.14	108,19
1357.S1.24	108,19

● CW | NW | WW
● CW | NW | WW
● CW | NW | WW
● CW | NW | WW

built-in
for kitchen & bathroom cabinets and elevators
other °angle reflector on demand

1357.S2/.. - CESAR X

700mA



built-in ceiling and wall light - square - down - connection with terminal block - with optical lens in alu housing - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L70xB70xH17 mm

Ø60 mm

L 17.5 mm

40°

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
1357.S2.1M	98,13
1357.S2.2M	98,13
1357.S2.14	103,16
1357.S2.24	103,16

● CW | NW | WW
● CW | NW | WW
● CW | NW | WW
● CW | NW | WW

built-in
for kitchen & bathroom cabinets and elevators
other °angle reflector on demand

LED type: description: 500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

1358.S1/.. - CESAR

700mA



built-in ceiling and wall light - square - connection with terminal block - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L70xB70xH17 mm

Ø60 mm

45 mm

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
1358.S1.1M	CW NW WW 91,84
1358.S1.2M	CW NW WW 91,84
1358.S1.14	CW NW WW 96,87
1358.S1.24	CW NW WW 96,87

built-in
especially for kitchen & bathroom cabinets and elevators

1358.S2/.. - CESAR

700mA



built-in ceiling and wall light - square - connection with terminal block - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L70xB70xH17 mm

Ø60 mm

17.5 mm

Materials

Aluminium

1M | 14 | 24

Ref	Price €
1358.S2.1M	CW NW WW 86,81
1358.S2.14	CW NW WW 91,84
1358.S2.24	CW NW WW 91,84

built-in
especially for kitchen & bathroom cabinets and elevators

1359.S1/.. - CESAR X

700mA



built-in ceiling and wall light - square - down - connection with terminal block - with optical lens in alu housing - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L70xB70xH17 mm

Ø60 mm

45 mm

40°

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
1359.S1.1M	CW NW WW 119,51
1359.S1.2M	CW NW WW 119,51
1359.S1.14	CW NW WW 124,55
1359.S1.24	CW NW WW 124,55

built-in
especially for kitchen & bathroom cabinets and elevators

1359.S2/.. - CESAR X

700mA



built-in ceiling and wall light - square - down - connection with terminal block - with optical lens in alu housing - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

L70xB70xH17 mm

Ø60 mm

17.5 mm

40°

Materials

Aluminium

1M | 2M | 14 | 24

Ref	Price €
1359.S2.1M	CW NW WW 114,48
1359.S2.2M	CW NW WW 114,48
1359.S2.14	CW NW WW 119,51
1359.S2.24	CW NW WW 119,51

built-in
especially for kitchen & bathroom cabinets and elevators

INDOOR | Ceiling IN | Ledmodules | CESAR

LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

W1355.S1/.. - CESAR

700mA



built-in ceiling and wall light - round - connection with 1,5m cable - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

Ø70xH17 mm

Ø60 mm

45 mm

Materials

Alu Anodisé

37A

Ref

W1355.S1.37A

Price €

● CW | NW | WW

80,52

built-in

for cooker hoods - bathrooms - showers - elevators

W1355.S2/.. - CESAR

700mA



built-in ceiling and wall light - round - connection with 1,5m cable - without LED driver

Lamptype

1x LED max. 2,3W

700mA

Dimensions

Ø70xH17 mm

Ø60 mm

17.5 mm

Materials

Alu Anodisé

37A

Ref

W1355.S2.37A

Price €

● CW | NW | WW

75,48

built-in

especially for cooker hoods - bathrooms - showers - elevators



LED colors: cold white 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request

W1354.S1/.. - CESAR

700mA



built-in ceiling and wall light - square - connection with 1,5m cable - without LED driver

Ref

W1354.S1.37A



CW | NW | WW

Price €

90,58

Lamptype

1x LED max. 2,3W

700mA

Dimensions

↔ L70xB70xH17 mm

⌀60 mm

⌋⌋ 45 mm

Materials

Alu Anodisé

37A

*built-in
especially for cooker hoods - bathrooms - showers -
elevators*

W1354.S2/.. - CESAR

700mA



built-in ceiling and wall light - square - connection with 1,5m cable - without LED driver

Ref

W1354.S2.37A



CW | NW | WW

Price €

85,55

Lamptype

1x LED max. 2,3W

700mA

Dimensions

↔ L70xB70xH17 mm

⌀60 mm

⌋⌋ 17.5 mm

Materials

Alu Anodisé

37A

*built-in
especially for cooker hoods - bathrooms - showers -
elevators*

W1358.S1/.. - CESAR

700mA



built-in ceiling and wall light - square - connection with 1,5m cable - without LED driver

Ref

W1358.S1.37A



CW | NW | WW

Price €

106,93

Lamptype

1x LED max. 2,3W

700mA

Dimensions

↔ L70xB70xH17 mm

⌀60 mm

⌋⌋ 45 mm

Materials

Alu Anodisé

37A

*built-in
especially for cooker hoods - bathrooms - showers -
elevators*

W1358.S2/.. - CESAR

700mA



built-in ceiling and wall light - square - connection with 1,5m cable - without LED driver

Ref

W1358.S2.37A



CW | NW | WW

Price €

101,90

Lamptype

1x LED max. 2,3W

700mA

Dimensions

↔ L70xB70xH17 mm

⌀60 mm

⌋⌋ 17.5 mm


Materials

Alu Anodisé

37A

*built-in
especially for cooker hoods - bathrooms - showers -
elevators*

LED module with 3 LEDs 6500K (CW) - natural white 4000K (NW) - warm white 2800K (WW) - other LED colors on request




CEILING IN

LEDMODULES

FamilyDescriptionLang

8350/.. - STELLA IN

=350mA

semi built-in/up
with limited built-in depthsemi built-in and built-up spot - square - fixed - with round
Zia Led - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L48xB48xH36 mm

40x40 mm

40 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49


Messing

4 | 16

Ref		Price €
8350.1M	NW WW	112,63
8350.2M	NW WW	112,63
8350.4	NW WW	161,75
8350.14	NW WW	132,99
8350.16	NW WW	149,77
8350.29	NW WW	125,80
8350.45	NW WW	137,79
8350.49	NW WW	125,80

8351/.. - STELLA IN

=350mA

semi built-in/up
with limited built-in depthsemi built-in and built-up spot - square - fixed - with round
Zia Led - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L73xB48xH36 mm

64x36 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref		Price €
8351.1M	NW WW	117,42
8351.2M	NW WW	117,42
8351.4	NW WW	170,14
8351.14	NW WW	138,98
8351.16	NW WW	156,96
8351.29	NW WW	131,80
8351.45	NW WW	143,78
8351.49	NW WW	131,80

8352/.. - STELLA IN

=350mA

semi built-in/up
with limited built-in depthsemi built-in and built-up spot - square - fixed - with round
Zia Led - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L63xB63xH36 mm

54x54 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref		Price €
8352.1M	NW WW	124,61
8352.2M	NW WW	124,61
8352.4	NW WW	167,74
8352.14	NW WW	143,78
8352.16	NW WW	154,56
8352.29	NW WW	137,79
8352.45	NW WW	149,77
8352.49	NW WW	137,79

FamilyDescriptionLang

8355/.. - STELLA IN

=350mA



semi built-in/up
with limited built-in depth



semi built-in and built-up spot - square - fixed - with square
Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

E 350mA

Dimensions

L48xB48xH36 mm

40x40 mm

40 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref

8355.1M

NW | WW

138,98

8355.2M

NW | WW

138,98

8355.4

NW | WW

190,50

8355.14

NW | WW

154,56

8355.16

NW | WW

173,73

8355.29

NW | WW

142,58

8355.45

NW | WW

154,56


8355.49

NW | WW

142,58

8356/.. - STELLA IN

=350mA



semi built-in/up
with limited built-in depth



semi built-in and built-up spot - square - fixed - with square
Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

E 350mA

Dimensions

L73xB48xH36 mm

64x36 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref

8356.1M

NW | WW

143,78

8356.2M

NW | WW

143,78

8356.4

NW | WW

196,50

8356.14

NW | WW

160,55

8356.16

NW | WW

180,92

8356.29

NW | WW

155,76

8356.45

NW | WW

167,74

8356.49

NW | WW

155,76

8357/.. - STELLA IN

=350mA



semi built-in/up
with limited built-in depth



semi built-in and built-up spot - square - fixed - with square
Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

E 350mA

Dimensions

L63xB63xH36 mm

54x54 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref

8357.1M

NW | WW

150,97

8357.2M

NW | WW

150,97

8357.4

NW | WW

198,89

8357.14

NW | WW

165,34

8357.16

NW | WW

178,52

8357.29

NW | WW

155,76

8357.45

NW | WW

167,74

8357.49


NW | WW

155,76

FamilyDescriptionLang

8364/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with round Zia Led - without LED driver

Lamp type

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L183xB48xH36 mm

175x41,5 mm

40 mm

48°

Materials

Aluminium


1M | 2M | 14 | 45 | 29 | 49

Ref		Price €
8364.1M	NW WW	287,55
8364.2M	NW WW	287,55
8364.14	NW WW	309,12
8364.29	NW WW	325,89
8364.45	NW WW	311,52
8364.49	NW WW	325,89

semi built-in/up
with limited built-in depth

8365/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with square Zia Led - without LED driver

Lamp type

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L183xB48xH36 mm

175x41,5 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref		Price €
8365.1M	NW WW	330,69
8365.2M	NW WW	330,69
8365.14	NW WW	352,25
8365.29	NW WW	369,03
8365.45	NW WW	342,67
8365.49	NW WW	369,03

semi built-in/up
with limited built-in depth

8366/.. - STELLA IN

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamp type

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L183xB48xH36 mm

174x41,5 mm

40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref		Price €
8366.1M	NW WW	287,55
8366.2M	NW WW	287,55
8366.14	NW WW	309,12
8366.45	NW WW	311,52
8366.29	NW WW	301,93
8366.49	NW WW	325,89

built-in
with limited built-in depth

CATEGORY

CATEGORY1

FamilyDescriptionLang




CEILING IN

LEDMODULES

FamilyDescriptionLang

8370/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with round Zia Led - without LED driver

Lamp type

4x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L233xB48xH36 mm

222X41,5 mm

JAL 40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

8370.1M

NW | WW

Price €

491,24

8370.2M

NW | WW

534,37

8370.14

NW | WW

531,98

8370.29

NW | WW

560,73

8370.45

NW | WW

543,96

8370.49


NW | WW

560,73

semi built-in/up
with limited built-in depth

8371/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with square Zia Led - without LED driver

Lamp type

4x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L233xB48xH36 mm

222X41,5 mm

JAL 40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

8371.1M

NW | WW

Price €

589,49

8371.2M

NW | WW

589,49

8371.14

NW | WW

606,26

8371.29

NW | WW

647,00

8371.45

NW | WW

635,02

8371.49

NW | WW

647,00

semi built-in/up
with limited built-in depth

8372/.. - STELLA IN

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamp type

4x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L233xB48xH45 mm

222X41,5 mm

JAL 50 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

8372.1M

NW | WW

Price €

491,24

8372.2M

NW | WW

491,24

8372.14

NW | WW

531,98

8372.29

NW | WW

560,73

8372.45

NW | WW

543,96

8372.49

NW | WW

560,73

built-in
with limited built-in depth

CATEGORY

CATEGORY1

FamilyDescriptionLang

8376/.. - STELLA IN

=350mA

downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L233xB48xH45 mm

222X41,5 mm

50 mm

48°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
8376.1M	● NW WW	300,98
8376.2M	● NW WW	300,98
8376.14	● NW WW	340,34

built-in

with limited built-in depth

8377/.. - STELLA IN

=350mA

downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L233xB48xH36 mm

222X41,5 mm

55 mm

48°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
8377.1M	● NW WW	300,98
8377.2M	● NW WW	300,98
8377.14	● NW WW	340,34

built-in

with limited built-in depth

44

All prices are in € excluding VAT and lamps. Edition: valid from 01/02/2025


psm lighting

a true delight

FamilyDescriptionLang

8367/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with round Zia Led - without LED driver

Lamp type

3x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L183xB48xH36 mm

174x41,5 mm

JAL 40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref


Price €

8367.1M	NW WW	371,42
8367.2M	NW WW	371,42
8367.14	NW WW	402,58
8367.29	NW WW	425,34
8367.45	NW WW	412,16
8367.49	NW WW	425,34

semi built-in/up
with limited built-in depth

8368/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with square Zia Led - without LED driver

Lamp type

3x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L183xB48xH36 mm

174x41,5 mm

JAL 40 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

Price €

8368.1M	NW WW	432,53
8368.2M	NW WW	432,53
8368.14	NW WW	461,28
8368.29	NW WW	490,04
8368.45	NW WW	468,47
8368.49	NW WW	490,04

semi built-in/up
with limited built-in depth

8369/.. - STELLA IN

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamp type

3x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L183xB48xH45 mm

174x41,5 mm

JAL 50 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Ref

Price €

8369.2M	NW WW	371,42
8369.14	NW WW	385,80
8369.29	NW WW	425,34
8369.45	NW WW	412,16
8369.49	NW WW	425,34
8369.1M	NW WW	371,42

built-in
with limited built-in depth

FamilyDescriptionLang

8360/.. - STELLA IN

=350mA



built-in
with limited built-in depth



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

E 350mA

Dimensions

L48xB48xH45 mm

Ø40 mm

50 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref**Price €**

8360.1M

NW | WW 112,63

8360.2M

NW | WW 112,63

8360.4

NW | WW 161,75

8360.14

NW | WW 132,99

8360.16

NW | WW 149,77

8360.29

NW | WW 125,80

8360.45


NW | WW 137,79

8360.49


NW | WW 125,80

8361/.. - STELLA IN

=350mA



built-in
with limited built-in depth



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

E 350mA

Dimensions

L73xB48xH45 mm

64x36 mm

50 mm

48°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref**Price €**

8361.1M

NW | WW 117,42

8361.2M

NW | WW 117,42

8361.4

NW | WW 170,14

8361.14

NW | WW 138,98

8361.16

NW | WW 156,96

8361.29

NW | WW 131,80

8361.45

NW | WW 143,78

8361.49

NW | WW 131,80

8362/.. - STELLA IN

=350mA



built-in
with limited built-in depth



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

E 350mA

Dimensions

L63xB63xH45 mm

54x54 mm

50 mm

35°

Materials

Aluminium

1M | 2M | 14 | 45 | 29 | 49

Messing

4 | 16

Ref**Price €**

8362.1M

NW | WW 124,61

8362.2M

NW | WW 124,61

8362.4

NW | WW 167,74

8362.14

NW | WW 143,78

8362.16

NW | WW 154,56

8362.29

NW | WW 137,79

8362.45

NW | WW 149,77



8362.49

NW | WW 137,79

FamilyDescriptionLang

8373/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with round Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L120xB120xH45 mm

105x105 mm

55 mm

48°

Materials

Aluminium



1M | 2M | 14

Ref		Price €
8373.1M	NW WW	474,46
8373.2M	NW WW	474,46
8373.14	NW WW	541,56

semi built-in/up

8374/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - fixed - with square Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L120xB120xH45 mm

105x105 mm

55 mm

48°

Materials

Aluminium


1M | 2M | 14

Ref		Price €
8374.1M	NW WW	551,15
8374.2M	NW WW	551,15
8374.14	NW WW	584,69

semi built-in/up

8375/.. - STELLA IN

=350mA



downlight - square - fixed - with round Zia Led - without LED driver

Lamptype

4x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L120xB120xH50 mm

105x105 mm

60 mm

48°

Materials

Aluminium

1M | 2M | 14

Ref		Price €
8375.1M	NW WW	474,46
8375.2M	NW WW	474,46
8375.14	NW WW	541,56

semi built-in/up

8380/.. - STELLA IN

=350mA



semi built-in and built-up spot - square - directional - with 4 round recessed spotlights - without LED driver

Lamptype

4x LED 467lm CRI80 max. 3,8W

=350mA

Dimensions

L120xB120xH55 mm

105x105 mm

65 mm

48°

Materials

Aluminium

1M | 14 | 29 | 49

Ref		Price €
8380.1M	NW WW	637,41
8380.14	NW WW	694,92
8380.29	NW WW	675,75
8380.49	NW WW	675,75

semi built-in/up



FamilyDescriptionLang

33../.. - ZIA BASE Ø30



S1 IP20






built-in base with swivel - round - M10-M6-M8-D8,3 - without transformer

Dimensions


Ø33xH55 mm


Ø30 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Kleur	33D8,3/..	33M10/..	33M6/..	33M8/..
	H	H	H	H
1	€ 31,70	€ 31,70	€ 32,37	€ 32,37
1M	€ 33,01	€ 33,01	€ 33,01	€ 33,01
2	€ 31,70	€ 31,70	€ 32,37	€ 32,37
2M	€ 33,01	€ 33,01	€ 33,01	€ 33,01
14	€ 36,42	€ 36,42	€ 35,08	€ 35,08
11	€ 31,70	€ 31,70	€ 32,37	€ 32,37
4	€ 37,89	€ 37,89	€ 36,48	€ 36,48
16	€ 37,89	€ 37,89	€ 36,48	€ 36,48
13	€ 44,62	€ 44,62	€ 41,08	€ 41,08

built-in
ex. 33M6/16 + jazz 9010/16

43../.. - ZIA BASE Ø39-40



S1 IP20






built-in base with swivel - round - M10-M6-M8-D8,3 - without transformer

Dimensions


Ø43xH50 mm


Ø39-40 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Kleur	43D8,3/..	43M10/..	43M6/..	43M8/..
	H	H	H	H
1	€ 31,70	€ 32,37	€ 32,37	€ 32,37
1M	€ 33,01	€ 33,01	€ 33,01	€ 33,01
2	€ 31,70	€ 32,37	€ 32,37	€ 32,37
2M	€ 33,01	€ 33,01	€ 33,01	€ 33,01
14	€ 36,42	€ 35,08	€ 35,08	€ 35,08
11	€ 31,70	€ 32,37	€ 32,37	€ 32,37
4	€ 37,89	€ 36,48	€ 36,48	€ 36,48
16	€ 37,89	€ 36,48	€ 36,48	€ 36,48
13	€ 44,62	€ 41,08	€ 41,08	€ 41,08

built-in
ex. 43M8/14 + step 6310/14


50M8../.. - ZIA BASE Ø39-40



S1 IP20



0.0500



built-in base with swivel - round - directional - without transformer

Dimensions


Ø50xH50 mm


Ø39-40 mm


60 mm


Materials


Aluminium 1M | 2M | 14
Messing 4 | 16 | 13

Ref		Price €
50M8.1M		37,80
50M8.2M		37,80
50M8.4		46,20
50M8.13		54,60
50M8.14		39,90
50M8.16		42,00

built-in







psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.